


Heckler & Koch
Firearms




Benelli Semi-Automatic Shotguns

The Super Black Eagle

World's first 12 gauge semi-automatic that shoots 3½, 3, and 2¾ inch shells.




Super Black Eagle with 28" barrel (matte finish & satin stock)



Super Black Eagle with 26" barrel (blued finish & gloss stock)

The new Super Black Eagle shotgun is chambered for the potent 3½ inch 12 gauge, a load that virtually equals the performance of 10 gauge shells, plus it also handles all standard 3 inch and 2¾ inch shot shells without adjustment.

As the first semi-automatic shotgun made to fire the 3½ inch load, the Super Black Eagle highlights the advantages of owning one shotgun that fires the widest range of 12 gauge shells. And in an era of



mandatory steel shot use, the advantages of 3½ inch loads — and the Super Black Eagle are undeniable.

The heart of the new Super Black Eagle remains the famous Montefeltro rotating bolt, the same operating system found on all HK Benelli shotguns.

A rugged and simple inertia recoil design, this bolt system functions reliably with all standard 12 gauge shells without adjustment. Whether they're light 2¾ inch target loads or powerful 3½ inch magnums, the new Super Black Eagle digests them all!

To stand up to the toughest shotgunning, the Super Black Eagle uses a strengthened

steel upper receiver permanently mated to the barrel. The alloy lower receiver keeps the overall weight low, making the Super Black Eagle well balanced and naturally pointable.

Distinctive satin or gloss stocks and a choice of matte or blued metal finishes make the Super Black Eagle the universal gun for all shotgun hunting and sports.




All Benelli shotguns strip down to their major components in seconds without tools.

Black Eagle Shotguns



Black Eagle Competition Gun with 28" barrel



Black Eagle Slug Gun with 24" barrel (scope not included)

A premium grade sporting shotgun, the Black Eagle series combines the advanced technology of the Super 90 system with the classic design found on vintage Benelli shotguns.


For the 1990's, the Black Eagle has been transformed into a superior sporting clays and skeet gun as the Competition Model.

All standard features are here, plus, cut checkering, select walnut stocks, and a tastefully etched lower receiver. A mid-rib bead and international style recoil pad

complete the list of special features target shooters demand.

For accurate, long distance shotgunning, HK designed a Black Eagle Slug Gun with a rifled barrel and scope mount base on the receiver top cover. Vent ribbed accessory barrels are also available.

Montefeltro Super 90 Shotguns



Montefeltro Standard Hunter (shown with 28" barrel)



Montefeltro Left Hand Model
(shown with 28" barrel)



Montefeltro Uplander (shown with 24" barrel)



Montefeltro Slug Gun with scope base & open sights
(scope not included)

No other semi-automatic shotgun shoots more reliably than the Benelli Montefeltro Super 90. A direct descendent of the M1 Super 90 shotgun, the Montefeltro introduces sleek, traditional styling to a combat-proven design.

The twin steel locking lugs of the simple bolt system lock into the barrel just like a bolt action rifle. Dependable functioning with all the standard 12 gauge shells, whether light $2\frac{3}{4}$ inch target loads or

potent 3 inch magnums, is assured.

Unlike most semi-automatics, there is no complicated gas system that collects grime and powder residues. No complex linkages and pistons to clean and maintain. Plus the Montefeltro disassembles completely without tools for easy cleaning and maintenance.

Each Montefeltro Super 90 shotgun is equipped with a set of five screw-in choke tubes. And with the special drop adjustment kit, the durable walnut stock can be custom-fitted to any shooter without modifying the wood.


A versatile loading system, unique to Benelli, enables you to change a shell in the chamber independent of the shells in the magazine. This means you can safely unload the chamber without emptying the entire magazine – or quickly replace the shell in the chamber with a different load.

"The Benelli System"

When a Benelli shotgun is fired the spring positioned between the bolt head and the bolt is compressed by the inertia of the bolt as the gun begins to recoil. When this spring is fully compressed, it overcomes the forward inertia of the bolt and pushes it to the rear — unlocking the bolt head, extracting the fired shell, recocking the gun, and chambering a fresh shell. A recoil spring mounted behind the bolt delays the opening of the action until after the shot has left the barrel. Safe, simple, and *fast!*




Each Benelli Sporting Shotgun comes complete with a set of five screw-in choke tubes and a wrench



The entire operating system of the shotgun is contained in the bolt.

Benelli M1 Super 90 Semi-Automatic Shotguns



M1 Super 90 Slug Gun (19 $\frac{3}{4}$ " barrel, 7-shot magazine)



M1 Super 90 Defense (19 $\frac{3}{4}$ " barrel, 7-shot magazine)



M1 Super 90 Slug Gun with ghost ring sights
(19 $\frac{3}{4}$ " barrel, 7-shot magazine)



M1 Super 90 Entry Gun (14" barrel, 5-shot magazine)
For Law Enforcement Only

A defensive firearm, a utility shotgun, and a dependable sporting arm, all describe the Benelli M1 Super 90. Reliability and speed are the hallmarks of Benelli shotguns and the M1 can fire five rounds in less than one second. Any standard 12 gauge shells, from light 2 $\frac{3}{4}$ inch field loads to the most powerful 3 inch magnums, will function dependably in the M1.

The Benelli's free carrier means fast,

one-handed reloading to match the M1's fast-firing capabilities.


A chrome lined barrel, corrosion resistant finish, and a high strength polymer stock make the M1 one of the toughest and most functional shotguns in the world.

The ability to remove or replace a shell in the chamber without emptying the entire magazine gives the M1 shotgun unmatched tactical flexibility. An inappropriate load

can be quickly substituted for a more suitable ammunition type. And if a shell inadvertently slips onto the carrier, the Benelli will fire and cycle normally, a condition that would jam most autoloading shotguns.

Several barrel options, special magazine extensions, ghost ring sights, and stock choices allow the M1 to be adapted to any application by the law enforcement professional or sportsman.


M1 Super 90 Field



M1 Super 90 Field with 28" barrel



4-shot magazine extension



M1 Super 90 Field with 24" barrel



2-shot magazine extension

The M1 Field unites the quick handling M1 receiver and rugged polymer stock with a wide choice of sporting barrels. A complete set of steel-shot tested chokes gives the M1 Field unmatched flexibility for hunting under the toughest conditions imaginable. Accessory two and four shot magazine tube extensions are also available.

Benelli M3 Super 90 Pump/Auto Shotguns


The M3 Super 90 shotgun combines the unique features of the semi-automatic Benelli M1 shotgun with the added flexibility of a manual (pump) action. The M3 can be quickly converted from autoloading to pump action by simply flipping a spring loaded ring at the end of the forearm.

It functions with all standard loads in the "auto" mode, as well as gas grenades, flares, and nonlethal ammunition in the "pump" mode. Like all Super 90 Series shotguns, the M3 is designed to operate under the most adverse conditions.

HK Ghost Ring Sights

Benelli M1 and M3 shotguns are now available with a specially designed ghost ring sighting system. Developed under the tutelage of Col. Jeff Cooper, the ghost ring sighting system enables a shooter to keep both eyes open while focusing on the front sight.


The rear sight becomes a softly focused "ghost ring" image to the shooter. This innovative sighting system ensures fast and effective target acquisition. The ghost ring sighting system is currently being used by several law enforcement agencies and military units.



M3 Super 90 Pump/Auto with standard stock
(19 $\frac{3}{4}$ " barrel, 7-shot magazine)




M3 Super 90 Pump/Auto with pistol grip stock
(19 $\frac{3}{4}$ " barrel, 7-shot magazine)



M3 Super 90 Pump/Auto with ghost ring sights
(19 $\frac{3}{4}$ " barrel, 7-shot magazine)

HK Laser Aimers

The HK PULSE BEAM, an advanced laser sight, easily mounts on the magazine tube of Benelli security shotguns. Compact and rugged, the laser's pulsing beam provides for superior target acquisition over constant beam models.



The M3 can be quickly converted from autoloading to pump action and back by turning a spring loaded ring located on the forearm. Unlike other combination shotguns, the M3 is rugged, reliable, and easy to operate.



M3 Super 90 Pump/Auto with folding stock
(19 $\frac{3}{4}$ " barrel, 7-shot magazine)

HK P7 Pistols

HK P7 pistols can be drawn, cocked, and fired accurately faster than any other pistol. The unique HK cocking lever allows the P7 to be carried safely with a round in the chamber, yet it is ready to fire by the natural tightening of the fingers around the grip. Releasing the cocking lever decocks the P7 immediately and renders it completely safe.

P7 pistols have a constant, uniform

trigger pull for all rounds fired. There is no heavy first-shot trigger pull like that found on a conventional double-action pistol. There is no change in trigger pull between critical first and second shots. A simple three-dot sighting system makes aiming almost instinctive. And all P7 pistols are completely ambidextrous.

To ensure accuracy, P7 pistols use a fixed, polygonal barrel made by cold

hammer forging. Polygonal rifling seals propellant gases behind the bullet and increases barrel life. With its fluted chamber, the P7 will extract and eject an empty shell even if the extractor is missing. The extractor, which doubles as a loaded chamber indicator, only aids in making extraction smooth and uniform.

The P7 gas system retards the movement of the recoiling slide during firing and eliminates the need for a conventional locking mechanism or heavy slide.

A low profile slide contributes to the balanced center of gravity and overall compact size of the P7. Made of high grade steel, the low profile slide keeps the recoiling mass as small as possible.

Combined with the optimal grip angle of 110°, the result is an accurate, low recoil pistol suited to the operational requirements of law enforcement users.



P7M8 9mm



P7M13 9mm



P7K3 in .380, .32 ACP & .22LR


Almost identical to the P7M8 and P7M13 in appearance and operation, the P7K3 uses an innovative hydraulic buffer in place of the P7 gas retardation system. The same advanced design and quality engineering found on the M8 and M13 is used throughout the P7K3.

Available in .380, .32 ACP, or .22LR caliber, easy-to-install conversion kits give the P7K3 an additional flexibility as a training pistol or plinker.

The Ultimate Handgun...The Ultimate Caliber...P7M10 .40 S&W

Using the potent .40 Smith & Wesson cartridge, the P7M10 was developed especially for law enforcement and civilian shooters searching for an effective combat handgun that fires a more powerful ammunition. The .40 S&W round matches the ballistics of the 10mm cartridge designed for the Federal Bureau of Investigation.

Nearly identical to the P7M13 9mm in external dimensions and operation, the P7M10 delivers ballistics approaching that of a .45 ACP pistol. Extremely compact, the P7M10 safely carries eleven rounds (10 rounds in the magazine plus one round in the chamber).



SR9 Sporting Rifle



SR9 .308 Rifle

The actions by the US Government banning the importation of many advanced semi-automatic rifles has prevented rifles like the HK91, HK93, and HK94 from being brought into the US. However, the US Bureau of Alcohol, Tobacco, & Firearms has certified the SR9 Sporting Rifle and the PSG1 Marksman's Rifle as legal for importation and civilian ownership.

The SR9 continues the tradition of the HK91 but with several important modifications that make it the ideal sporter, target rifle and heavy-duty hunter. Polygonal rifling is standard on the SR9, the same bore profile found on the PSG1 Marksman's Rifle.

Also standard is the new MSG90 buffer system, a significant improvement over

the older system found on HK imitations. This makes the SR9 rifle one of the lowest recoil semi-automatics in the world.

A specially designed thumbhole stock constructed of kevlar reinforced fiberglass is both durable and ergonomic.



PSG1 Rifle

PSG1 Marksman's Rifle

HK's marksman's rifle was designed to deliver surgically precise multiple shots to distant targets. A special trigger group, heavy barrel with polygonal bore, 6 power telescopic sight, adjustable buttstock & contoured handgrip make this the most accurate semi-automatic rifle available.

SP89 Pistol



(Left) HK Model 100 Laser Aimer mounted on SP89 Pistol



The HK SP89 is a large frame pistol especially suited for sporting use. Its inherent accuracy make it an excellent choice for target shooting and small game hunting. This low recoil pistol uses the proven delayed roller locked bolt system common to many HK firearms. Simple, reliable, and accurate; the SP89 mounted with a PULSE BEAM Model 100 laser sight is the ideal home security arm.

HK Pistol and Rifle Specifications

	Caliber	Operating System	Magazine Capacity	Sights	Barrel Length	Overall Length	Weight (in lbs.)	Height	Grips/Stock
P7M8	9mm Parabellum	recoil operated, retarded inertia slide	8	3-dot	4.13 in.	6.73 in.	1.75	5.04 in.	plastic
P7M13	9mm Parabellum	recoil operated, retarded inertia slide	13	3-dot	4.13 in.	6.90 in.	1.87	5.30 in.	plastic
P7M10 (available early 1992)	.40 S&W	recoil operated, retarded inertia slide	10	3-dot	4.13 in.	6.90	2.25	5.30 in.	plastic
P7K3	.22LR or .380	inertia slide with hydraulic buffering	8	3-dot	3.8 in.	6.3 in.	1.65	4.92 in.	plastic
SP89	9mm Parabellum	delayed roller locked bolt	15	Square notch rear hooded front	4.5 in.	13 in.	4.4	8.26 in.	synthetic
SR9	.308 Winchester	delayed roller locked bolt	5	Aperture rear hooded front	19.7 in.	42.5 in.	10.9	8.26 in.	Kevlar/fiberglass thumbhole design
PSG1	.308 Winchester	delayed roller locked bolt	5	6X Illuminated Telescopic	25.6 in.	47.5 in.	17.8	8.26 in.	Adjustable buttstock & adjustable contoured grip

Benelli Shotgun Specifications

		Gauge (Chamber)	Operation	Magazine Capacity*	Barrel Length	Overall Length	Weight (in lbs.)	Choke	Finish	Stock	Sights
Super Black Eagle		12 (3 1/2 in.)	semi-auto inertia recoil	3	28 in.	49 5/8 in.	7.3	S, IC, M, IM, F**	matte	satin walnut	bead
		12 (3 1/2 in.)	semi-auto inertia recoil	3	26 in.	47 5/8 in.	7.1	S, IC, M, IM, F**	matte	satin walnut	bead
		12 (3 1/2 in.)	semi-auto inertia recoil	3	26 in.	47 5/8 in.	7.1	S, IC, M, IM, F**	blued	gloss walnut	bead
Black Eagle	Competition	12 (3 in.)	semi-auto inertia recoil	4	28 in. 26 in.	49 5/8 in. 47 5/8 in.	7.3 7.0	S, IC, M, IM, F**	blued	satin walnut	front. & mid rib bead
	Slug	12 (3 in.)	semi-auto inertia recoil	4	24 in.	45 1/2 in.	7.3	rifled barrel	blued	gloss walnut	scope mount base
Montefeltro Super 90	Standard Hunter	12 (3 in.)	semi-auto inertia recoil	4	28 in.	49 1/2 in.	7.4	S, IC, M, IM, F**	blued	gloss walnut	bead
	Standard Hunter	12 (3 in.)	semi-auto inertia recoil	4	26 in.	47 1/2 in.	7	S, IC, M, IM, F**	blued	gloss walnut	bead
	Uplander	12 (3 in.)	semi-auto inertia recoil	4	24 in.	45 1/2 in.	6.9	S, IC, M, IM, F**	blued	gloss walnut	bead
	Uplander	12 (3 in.)	semi-auto inertia recoil	4	21 in.	42 1/2 in.	6.7	S, IC, M, IM, F**	blued	gloss walnut	bead
	Left Hand	12 (3 in.)	semi-auto inertia recoil	4	28 in.	49 1/2 in.	7.4	S, IC, M, IM, F**	blued	gloss walnut	bead
	Left Hand	12 (3 in.)	semi-auto inertia recoil	4	26 in.	47 1/2 in.	7	S, IC, M, IM, F**	blued	gloss walnut	bead
	Slug	12 (3 in.)	semi-auto inertia recoil	4	19 3/4 in.	41 1/2 in.	7	Cylinder	blued	gloss walnut	rifle sights & scope mount base
M1 Super 90	Field	12 (3 in.)	semi-auto inertia recoil	3	28 in.	49 1/2 in.	7.4	S, IC, M, IM, F**	matte	synthetic standard	bead
	Field	12 (3 in.)	semi-auto inertia recoil	3	26 in.	47 1/2 in.	7.3	S, IC, M, IM, F**	matte	synthetic standard	bead
	Field	12 (3 in.)	semi-auto inertia recoil	3	24 in.	45 1/2 in.	7.2	S, IC, M, IM, F**	matte	synthetic standard	bead
	Field	12 (3 in.)	semi-auto inertia recoil	3	21 in.	42 1/2 in.	7	S, IC, M, IM, F**	matte	synthetic standard	bead
	Slug	12 (3 in.)	semi-auto inertia recoil	7	19 3/4 in.	41 in.	6.7	Cylinder	matte	synthetic standard	rifle or ghost ring
	Defense	12 (3 in.)	semi-auto inertia recoil	7	19 3/4 in.	41 in.	7.1	Cylinder	matte	synthetic pistol grip	rifle or ghost ring
	Entry	12 (3 in.)	semi-auto inertia recoil	5	14 in.	35 1/2 in.	6.7	Cylinder	matte	synthetic pistol grip	rifle
M3 Super 90	M3	12 (3 in.)	semi-auto/pump inertia recoil	7	19 3/4 in.	41 in.	7.9	Cylinder	matte	synthetic pistol grip	rifle or ghost ring
	Folding Stock	12 (3 in.)	semi-auto/pump inertia recoil	7	19 3/4 in. 31 in. (folded)	41 in.	7.6	Cylinder	matte	folding tubular steel	rifle
	Standard Stock	12 (3 in.)	semi-auto/pump inertia recoil	7	19 3/4 in.	41 in.	7.2	Cylinder	matte	synthetic standard	rifle or ghost ring

*Magazine capacity given for 2 3/4 inch shells

**Skeet, Improved Cylinder, Modified, Improved Modified, Full



HECKLER & KOCH, INC.
21480 Pacific Blvd.
Sterling, Virginia 22170 USA

Bulk Rate
US Postage
PAID
Permit No. 126
Sterling, VA