



SPORT & SECURITY

PRODUCT CATALOGUE



ABOUT US

Heckler & Koch was founded by Edmund Heckler, Theodor Koch and Alex Seidel in Oberndorf in 1949. Following the start of gun production in 1956, the company's name quickly became synonymous for leading edge technology and the best quality in small arms manufacturing. Heckler & Koch products meet the strictest requirements of today's Security & Special Forces units and sports marksmen alike.

TABLE OF CONTENTS

FULLSIZE UND COMPACT

SFP9	from page 4
SFP9-SF	page 5
SFP9-SF SD	page 5
P30	from page 6
P30L	page 7
P30SD	page 7
P30SK	page 8
HK45	from page 9
HK45 TACTICAL	from page 10
HK45 COMPACT	page 10
HK45 COMPACT TACTICAL	page 10
USP	page 11
USP COMPACT	page 11
USP TACTICAL	page 12
MARK 23	page 12
P8A1	page 13
SP5K	page 14

SPORT PISTOLS

USP CUSTOM SPORT	page 16
USP EXPERT	page 17
USP ELITE	page 18

SEMI-AUTOMATIC RIFLE

HK243 S SAR	page 20
HK243 S TAR	page 21
MR223 A3 & MR308 A3 OVERVIEW	page 22
MR223 A3	page 23
MR308 A3	page 24
MR308 A3-28	page 25
USC	page 26
SPECIFICATIONS	page 26



FULLSIZE & COMPACT

Designed for official duties, sport or hunting: Our versatile self-loading pistols and their compact variants offer the highest levels of functionality, accuracy and safety to meet maximum standards.

SFP9 FAMILY

The modern SFP9 Striker Fired Pistol is a fully pre-cocked system with single-action trigger in calibre 9 mm x 19. The pistol's standard features include unique characteristics and innovative details.

Patented cocking supports at the rear of the slide simplify and assist cocking without injury. The disassembly process requires no tools and guides the user through a simplistic course of action, offering maximum safety to prevent accidents. Additional safety features include: the weapon cannot be disassembled unless the magazine has been removed and unlike comparable models, this weapon automatically de-cocks itself during disassembly.

Finally and one of our best safety features on this weapon, the trigger does not need to be touched during disassembly.

Not only does the SFP9 use P30 magazines, it also features exchangeable back straps and grip shells to provide a total of 27 individual grip shape combinations. Its excellent trigger characteristics promote maximum accuracy during rapid fire sequences. It is based on a well-balanced relationship between hand position, light trigger pull and short trigger travel and reset.



- A BARREL**
Cold-hammer forged barrel with polygonal profile. Guarantees long service life and outstanding shooting accuracy
- B COCKING SUPPORT**
Patented exchangeable cocking supports
- C MAGAZINE CATCH**
Ambidextrous operation with thumb or index finger without changing the grip position
- D GRIP**
Ergonomic grip shape with exchangeable back straps and patented grip shells. 27 individual grip combinations possible
- E TRIGGER**
Short “Special Forces” trigger with trigger safety latch as drop safety
- F MIL-STD 1913 PICATINNY RAIL**
NATO interface for mounting tactical accessories

FEATURES OF THE SFP9 FAMILY

- Firing pin energy equivalent to that of hammer pistols
- Trigger, firing pin and disassembly safety
- Fully pre-cocked system (SA trigger)
- Firing pin indicator on rear of slide
- Low hand position enables quick and accurate follow-up shots
- Ambidextrous operation for right and left-handed shooters (magazine and slide release)
- Patented exchangeable cocking supports
- Ideal grip ergonomics
- Exchangeable back straps and patented grip shells (27 grip combinations) for ideal adaptation to both male and female hand sizes
- No tools needed to strip to main assembly groups
- Loaded chamber indicator (optional)
- P30 magazine
- Sights with high-performance luminescent (non-radioactive) contrast points
- Available in black or RAL8000



SFP9-SF

Standard variant - Striker Fired Pistol in “Special Forces” version with short trigger travel of 6 mm (3 mm reset). Impact and drop-resistant as specified by AC/225 D/14.

SFP9-SF	
Caliber	9 mm x 19
Length	approx. 186 mm
Barrel length	approx. 104 mm
Sight radius	approx. 162 mm
Height/Width	approx. 137/33 mm
Weight	approx. 710 g
Magazine capacity	15 cartridges



SFP9-SF SD

Tactical variant of the SFP9-SF with adjustable LPA match sight and extended barrel with thread to mount a silencer.

- Optional thread protection



LPA match sight

Adjustable in elevation and windage with SuperLumiNova insert. Optional with fibreglass insert or as heightened sight for silencer application.

SFP9-SF SD	
Caliber	9 mm x 19
Length	approx. 202 mm
Barrel length	approx. 119 mm
Sight radius	approx. 162 mm
Height/Width	approx. 137/33 mm
Weight	approx. 719 g
Magazine capacity	15 cartridges

P30 FAMILY

Developed in accordance with the strict requirements placed on modern police weapons, our P30 family delivers the highest levels of functionality, flexibility, accuracy and safety. Civilian sports shooters and hunters also benefit from these characteristics.

Outstanding ergonomics represent a significant design characteristic of the P30. The grip features exchangeable backstrap and grip shells for every hand size. Fluting on the rear and front of the slide gives a positive feel whilst cocking the weapon.

There are no compromises when it comes to safety: All of the variants in the P30 family feature an automatic hammer and firing pin safety. The open square notch rear sight with luminous contrast points (non-radioactive) enables rapid target acquisition under poor lighting conditions.

Overview of the P30 family:

- Caliber 9 mm x 19 mm and .40 S&W
- Ergonomics through the exchangeable backstrap inserts and grip shells
- Ambidextrous operating controls
- Open square notch rear sight with luminous contrast points (non-radioactive)
- MIL-STD-1913 Picatinny rail
- Cold hammer forged barrel



- A BARREL**
Cold-hammer forged barrel with polygonal profile. Guarantees long service life and outstanding shooting accuracy
- B DE-COCKING LATCH**
The de-cocking latch is centrally positioned and enables the user to safely de-cock the weapon (variants V0 and V3)
- C MAGAZINE CATCH**
Ambidextrous operation with thumb or index finger without changing the grip position
- D MIL-STD-1913 PICATINNY RAIL**
NATO interface for mounting tactical accessories



P30

The standard version – available in caliber 9 mm x 19 and .40 S&W.

- Exchangeable backstrap inserts/grip shells
- MIL-STD-1913 Picatinny rail
- Open square notch rear sight with luminous contrast points (non-radioactive)

	P30	
Caliber	9 mm x 19	.40 S&W
Length	approx. 181 mm	approx. 181 mm
Barrel length	approx. 98 mm	approx. 98 mm
Sight radius	approx. 148 mm	approx. 148 mm
Height/Width	approx. 138/34 mm	approx. 138/34 mm
Weight	approx. 740 g	approx. 780 g
Magazine capacity	15 cartridges	13 cartridges



P30L

The P30 version with an extended slide and barrel. For all those who place great importance on a longer sight line. It also provides the highest level of flexibility due to various available trigger systems.

	P30L	
Caliber	9 mm x 19	.40 S&W
Length	approx. 196 mm	approx. 196 mm
Barrel length	approx. 113 mm	approx. 113 mm
Sight radius	approx. 163 mm	approx. 163 mm
Height/Width	approx. 138/34 mm	approx. 138/34 mm
Weight	approx. 790 g	approx. 830 g
Magazine capacity	15 cartridges	13 cartridges



P30SD

P30 with adjustable LPA match sight and extended barrel with thread to mount a silencer.

- Optional thread protection



LPA match sight

Adjustable in elevation and windage with SuperLumiNova insert. Optional with fibreglass insert or as heightened sight for silencer application.

	P30SD	
Caliber	9 mm x 19	.40 S&W
Length	approx. 196 mm	approx. 196 mm
Barrel length	approx. 113 mm	approx. 113 mm
Sight radius	approx. 148 mm	approx. 148 mm
Height/Width	approx. 138/34 mm	approx. 138/34 mm
Weight	approx. 750 g	approx. 790 g
Magazine capacity	15 cartridges	13 cartridges

All variants are also available with an external ambidextrous safety lever.



P30SK

The subcompact variant in caliber 9 mm x 19

- Concealed carry due to its extremely compact design



All P30 pistol variants are also available with an external ambidextrous safety lever



The centrally positioned de-cocking latch enables the user to safely de-cock the weapon (V0+V3)



P30SK	
Caliber	9 mm x 19
Length	approx. 163 mm
Barrel length	approx. 83 mm
Sight radius	approx. 136 mm
Height/Width	approx. 116/34 mm
Weight	approx. 680 g
Magazine capacity	10 cartridges

All variants are also available with an external ambidextrous safety lever.

TRIGGER AND SAFETY SYSTEMS									
Variant	Trigger	Trigger pull (approx.)			Trigger travel (approx.)		Safety	Hammer	
		CDA	SA	DA	SA	DA		With spur	Without spur
V0	CDA/DA	4 N	–	51 N	–	14 mm	A ¹ E ² (S) ³	■	–
V1	CDA	24 N	–	–	–	14 mm	A ¹ (S) ³	–	■
V2	CDA	32.5 N	–	–	–	14 mm	A ¹ (S) ³	–	■
V3	SA/DA	–	ca. 24 N	51 N	7 mm	14 mm	A ¹ E ² (S) ³	■	–
V4	CDA	27.5 N	–	–	–	14 mm	A ¹ (S) ³	–	■

¹ A = Automatic hammer and firing pin safety | ² E = De-cocked | ³ (S) = Ambidextrous safety lever (P30 S | P30L S | P30SD S | P30SK S) | ■ = Model equipment



HK45 FAMILY

Designed for the US military based on the proven USP .45, our new HK45 and HK45 Compact models combine tried-and-tested characteristics with new features. The o-ring mounted at the front of the barrel minimises any barrel play. Our patented recoil system increases accuracy and service life - even under the toughest conditions.

Exchangeable backstrap inserts and ambidextrous operating controls ensure an ergonomic and flexible design. The familiar combined safety and de-cocking lever from the USP and the other automatic safety devices ensure the highest level of safety.

Overview of the HK45 family:

- Exchangeable backstrap inserts (S and M)
- Perfect ergonomics due to the exchangeable backstrap inserts
- The grip angle corresponds to the M1911 models
- Minimised play between the barrel and the slide
- Fluting on the rear and front of the slide simplifies cocking
- Open square notch rear sight with luminous contrast points (non-radioactive)
- MIL-STD-1913 Picatinny rail
- Cold hammer forged barrel made of high-strength steel with polygon profile

- A LPA MATCH SIGHT (HK45 TACTICAL)**
Adjustable in elevation and windage with SuperLumiNova insert
- B BARREL**
Extended barrel with thread to mount a silencer
- C BACKSTRAP INSERTS**
Exchangeable backstrap inserts in sizes S and M
- D EXTERNAL SAFETY LEVER**
The external safety lever can be mounted on the left, right or on both sides
- E MAGAZINE CATCH**
Ambidextrous operation with thumb or index finger without changing the grip position
- F MAGAZINE**
10 rounds steel magazine



COLOUR

- black
- RAL8000
- olive

HK45

Pistols in caliber .45 ACP with external safety lever and gunlock.
Available trigger systems: LEM, SA/DA and DAO.

HK45	
Caliber	.45 Auto
Length	approx. 204 mm
Barrel length	approx. 113 mm
Sight radius	approx. 168 mm
Height/Width	approx. 150/39 mm
Weight	approx. 880 g
Magazine capacity	10 cartridges



COLOUR

- black
- RAL8000
- olive

HK45C


Compact variant in caliber .45 ACP with external safety lever and gunlock.
Available trigger systems: LEM, SA/DA and DAO.

HK45C	
Caliber	.45 Auto
Length	approx. 184 mm
Barrel length	approx. 99 mm
Sight radius	approx. 152 mm
Height/Width	approx. 140/39 mm
Weight	approx. 810/835 g
Magazine capacity	8/10 cartridges



HK45 TACTICAL HK45 COMPACT TACTICAL

HK45 Tactical, HK45 Compact Tactical like the HK45 but with an extended barrel with thread to mount a silencer.
Pistols in caliber .45 ACP with adjustable LPA match sight, external safety lever, gunlock and extended barrel with thread to mount a silencer.
Available trigger systems: LEM, SA/DA and DAO.



LPA match sight
Adjustable in elevation and windage with SuperLumiNova insert. Optional with fibreglass insert or as heightened sight for silencer application.



USP & USP COMPACT

The innovative Universal Self-loading Pistol (USP) and its compact version the USP Compact with its patented design characteristics have today become established success stories in the small arms sector.

The modular system enables the use of conversion kits suitable for every application.

Overview of the USP:

- Ambidextrous magazine release
- Hammer and firing pin safety
- Open square notch rear sight with bright contrast points for quick aim
- Functional safety even under adverse conditions
- Cold hammer forged barrel made of high-strength steel with polygon profile

A BARREL

Cold-hammer forged barrel with polygonal profile. Guarantees long service life and outstanding shooting accuracy

B MAGAZINE CATCH

Ambidextrous operation with thumb or index finger without changing the grip position

C SAFETY LEVER engaged and disengaged

USP			
Caliber	9 mm x 19	.40 S&W	.45 Auto
Length	approx. 195 mm	approx. 195 mm	approx. 201 mm
Barrel length	approx. 108 mm	approx. 108 mm	approx. 112 mm
Sight radius	approx. 158 mm	approx. 158 mm	approx. 161 mm
Height/Width	approx. 135/37 mm	approx. 135/37 mm	approx. 142/37 mm
Weight	approx. 770 g	approx. 821 g	approx. 887 g
Magazine capacity	15 cartridges	13 cartridges	12 cartridges

USP COMPACT			
Caliber	9 mm x 19	.40 S&W	.45 Auto
Length	approx. 173 mm	approx. 173 mm	approx. 180 mm
Barrel length	approx. 91 mm	approx. 91 mm	approx. 96 mm
Sight radius	approx. 135 mm	approx. 135 mm	approx. 143 mm
Height/Width	approx. 127/35 mm	approx. 127/35 mm	approx. 128/35 mm
Weight	approx. 727 g	approx. 782 g	approx. 797 g
Magazine capacity	13 cartridges	12 cartridges	8 cartridges



USP TACTICAL

USP TACTICAL - the service pistol for special forces units and large caliber sport shooting.

Special forces units across the world have chosen this model but it is not only security forces that appreciate the qualities offered by the USP TACTICAL. Sports shooters from a variety of associations have also identified it as a fine sports weapon offering exceptional characteristics.

- Adjustable LPA match sight
- Adjustable trigger stop

USP TACTICAL		
Caliber	9 mm x19	.45 Auto
Length	approx. 210mm	approx. 216 mm
Barrel length	approx. 124 mm	approx. 129 mm
Sight radius	approx. 167 mm	approx. 171 mm
Height/Width	approx. 146/38 mm	approx.154/38 mm
Weight	approx. 800 g	approx. 919 g
Magazine capacity	15 cartridges	12 cartridges




MARK 23

MARK 23 - the legendary service pistol of the US Army special forces. In the toughest comparative trials carried out by the US Special Operations Command, the MARK 23 outperformed all other competitors in the field. It was introduced as a service pistol under the designation MK23 MOD.0, US SOCOM.

- Caliber .45 Auto
- Recoil system for minimising the recoil forces
- Ambidextrous safety lever

MARK 23	
Caliber	.45 Auto
Length	approx. 245 mm
Barrel length	approx. 149 mm
Sight radius	approx. 197 mm
Height/Width	approx. 150/40 mm
Weight	approx. 1100 g
Magazine capacity	12 cartridges



A O-RING



B SAFETY LEVER
engaged and disengaged



P8A1

The USP variant introduced into service by the German Armed Forces.

Overview of the P8A1:

- Caliber 9 mm x 19
- Open square notch rear sight with luminous contrast points (non-radioactive)
- Ambidextrous magazine release
- Combined safety and de-cocking lever leave the weapon in a safe state after de-cocking
- Hammer and firing pin safety
- Functional safety even under adverse conditions
- Cold hammer forged barrel made of high-strength steel with lands and grooves profile

The following features of the P8A1 differ from the USP:

- Barrel with lands and grooves profile
- Transparent magazine with dust protection
- P8-specific positioning of the safety and de-cocking lever

P8A1	
Caliber	9 mm x 19
Length	approx. 195 mm
Barrel length	approx. 108 mm
Sight radius	approx. 158 mm
Height/Width	approx. 135/38 mm
Weight	approx. 770 g
Magazine capacity	15 cartridges

SP5K

The SP5K is the commercial semi-automatic version of the legendary MP5K in caliber 9 mm x 19, which was developed in the 1970s as a concealed carry weapon for the purpose of personal security.

Apart from statutory changes inside the weapon the SP5K is absolutely identical to the MP5K, particularly the interfaces for magazine, buttstock/receiver cap, handguard and sight mount. In conjunction with extensive accessory options the SP5K is a state of the art weapon system.

In addition to the quick release Picatinny mounting rail and the slim line handguard with HKey mounting slots available as accessories is as natural as a buttstock support option and the ambidextrous operation of the weapon.

The SP5K can be universally used both as a pistol or a shoulder-mounted weapon.

SP5K	
Caliber	9 mm x 19
Length	approx. 354 mm
Barrel length	approx. 115 mm
Sight radius	approx. 260 mm
Height/Width	approx. 220/61 mm
Weight	approx. 2,15 kg
Magazine capacity	10/15/30 cartridges



SP5K. Exemplary equipped with Picatinny rail and buttstock. Product available in the respective combination.



- A** HANDGUARD WITH FINGER PROTECTOR
- B** 10 ROUND STEEL MAGAZINE
Magazines with a capacity of 15 or 30 rounds optionally available.
- C** SAFETY LEVER
Ambidextrous operation
- D** DIOPTER SIGHT
Four positions. For a quick and precise aim.
- E** RECEIVER CAP
With eyelet for the carrying sling. Interface when using an optional buttstock.



SPORT PISTOLS

Our classic series of Universal Self-loading Pistols (USP) is as varied as the sport of shooting with its diverse range of disciplines. Our USP family has been involved in the very top competitions between world class shooters for many years. However, it has proven just as popular and reliable in the hobby and recreational sports sector.

USP CUSTOM SPORT

The Universal Self-loading Pistol (USP) can be transformed into a fully fledged sports gun with just a few changes.

Overview of the USP CUSTOM SPORT

- Match trigger with adjustable trigger stop
- Adjustable LPA match sight
- Extended magazine floor plate
- Cold hammer forged barrel made of high-strength steel with polygon profile
- Ambidextrous magazine release

Simple caliber exchange through separately available conversion kits:

- from 9 mm x 19 > .40 S&W
- from .40 S&W > 9 mm x 19
- from .45 Auto > EXPERT 9 mm x 19
- from .45 Auto > ELITE 9 mm x 19



USP CUSTOM SPORT			
Caliber	9 mm x 19	.40 S&W	.45 Auto
Length	approx. 195 mm	approx. 195 mm	approx. 201 mm
Barrel length	approx. 108 mm	approx. 108 mm	approx. 112 mm
Sight radius	approx. 167 mm	approx. 167 mm	approx. 171 mm
Height/Width	approx. 145/37 mm	approx. 145/37 mm	approx. 150/37 mm
Trigger pull	approx. 17/50 N	approx. 17/50 N	approx. 17/50 N
Weight	approx. 770 g	approx. 821 g	approx. 887 g
Magazine capacity	15 cartridges	13 cartridges	12 cartridges



A

LPA MATCH SIGHT

Adjustable in elevation and windage. The LPA match sight is also separately available as an accessory.



B

MATCH TRIGGER

With adjustable trigger stop. The match trigger is also separately available as an accessory.



A

O-RING



USP EXPERT
IN CALIBER .45 AUTO

USP EXPERT

The USP EXPERT was developed with the involvement of nationally and internationally successful sports shooters. The result: A universally deployable sports pistol for most of the large caliber disciplines covered by the DSB and other associations.

Alongside the typical USP characteristics, the EXPERT has special features that make it what it is today – one of the best sports pistols in the world:

- Adjustable LPA match sight embedded into the slide for a lower sight line
- High intrinsic accuracy due to the locking system that is hand fitted to the individual pistol plus the o-ring minimizing barrel play
- Optimum grip angle for quick and precise firing
- Cold hammer forged barrel made of high-strength steel with polygon profile
- Match trigger with adjustable trigger stop

USP EXPERT			
Caliber	9 mm x 19*	.40 S&W*	.45 Auto
Length	approx. 224 mm	approx. 224 mm	approx. 224 mm
Barrel length	approx. 132 mm	approx. 132 mm	approx. 132 mm
Sight radius	approx. 190 mm	approx. 190 mm	approx. 190 mm
Height/Width	approx. 149/45 mm	approx. 149/45 mm	approx. 151/45 mm
Trigger pull	approx. 17/50 N	approx. 17/50 N	approx. 17/50 N
Weight	approx. 930 g	approx. 940 g	approx. 950 g
Magazine capacity	18 cartridges	16 cartridges	12 cartridges

* with Jet Funnel



USP ELITE

The USP ELITE rounds off the top end of the USP family. It has been especially designed for a variety of large caliber disciplines covered by the DSB, BDS and BDMP. It offers the highest standards at a reasonable price.

- High intrinsic accuracy due to the locking system that is hand fitted to the individual pistol plus the o-ring minimizing barrel play
- Adjustable LPA match sight embedded into the slide
- Match trigger with adjustable trigger stop
- Cold hammer forged barrel made of high-strength steel

USP ELITE		
Caliber	9 mm x 19*	.45 Auto
Length	approx. 240 mm	approx. 240 mm
Barrel length	approx. 153 mm	approx. 153 mm
Sight radius	approx. 212 mm	approx. 212 mm
Height/Width	approx. 149/45 mm	approx. 147/45 mm
Trigger pull	approx. 17/50 N	approx. 17/50 N
Weight	approx. 995 g	approx. 960 g
Magazine capacity	18 cartridges	12 cartridges

* with Jet Funnel

Simple to change caliber using the separately available conversion kits:

from USP ELITE .45 Auto > USP ELITE 9 mm x 19
from USP ELITE .45 Auto > USP EXPERT 9 mm x 19



PISTOLS


COMPATIBILITY OF THE CONVERSION KITS												
USP STANDARD 9 mm x 19; .40 S&W	✓				✓		✓		✓			
USP STANDARD .45 ACP		✓				✓	✓*		✓	✓	✓	✓
USP COMPACT 9 mm x 19; .40 S&W			✓									
USP COMPACT .45 ACP				✓								
USP CUSTOM Sport 9 mm x 19; .40 S&W	✓				✓		✓			✓		
USP CUSTOM Sport .45 ACP		✓				✓	✓*		✓	✓	✓	✓
USP EXPERT 9 mm x 19; .40 S&W	✓				✓		✓			✓		
USP EXPERT .45 ACP		✓				✓	✓*		✓	✓	✓	✓
USP ELITE 9 mm x 19	✓									✓		
USP ELITE .45 ACP		✓				✓	✓*		✓	✓	✓	✓
USP TACTICAL .45 ACP		✓					✓	✓*		✓	✓	✓

* only on 9 mm x 19

USP STANDARD 9 mm x 19; .40 S&W	USP STANDARD .45 ACP	USP COMPACT 9 mm x 19; .40 S&W	USP COMPACT .45 ACP	USP CUSTOM Sport 9 mm x 19; .40 S&W	USP Custom Sport .45 ACP	USP EXPERT 9 mm x 19; .40 S&W	USP EXPERT .45 ACP	USP ELITE 9 mm x 19	USP ELITE .45 ACP	USP TACTICAL .45 ACP
---------------------------------	----------------------	--------------------------------	---------------------	-------------------------------------	--------------------------	-------------------------------	--------------------	---------------------	-------------------	----------------------

POSSIBLE CONVERSION KITS

Example
conversion kit
Expert 9 mm




SELF-LOADING RIFLES

Rifle shooting – a fascinating combination of concentration, dynamics and action. And just like with our handguns, our self-loading rifles are suitable for a wide variety of shooting disciplines. They deliver precisely what is required in this competitive arena: the highest level of functionality, flexibility, accuracy and safety.

HK243 S SAR

Semi-automatic rifle - basic sport variant. The new semi-automatic rifle based on the proven G36 used by the German Armed Forces. It delivers a unique level of accuracy, ergonomics and reliability. Suitable for a wide range of disciplines in the sport of shooting.



COLOUR
■ black
■ RAL8000

HK243 S SAR	
Caliber	.223 Rem.
Length min. / max.	approx. 667/912 mm
Barrel length	approx. 421 mm
Sight radius	approx. 267 mm
Height/Width	approx. 234/65 mm
Weight	approx. 3,21 kg
Magazine capacity	2/5/10/30 cartridges



COLOUR
■ black
■ RAL8000

Magazine well conversion kit available for the use of HK416 magazines (optional).

- A BARREL**
Cold-hammer forged and hard chrome plated accuracy barrel (CIP)

B G36 GAS PISTON SYSTEM
Globally proven and reliable piston-driven system

C COCKING HANDLE
Ambidextrous operation
- D POLYMER SIGHT RAIL**
MIL-STD-1913 Picatinny rail for mounting optical sights

E SAFETY LEVER
Ambidextrous operation


F FOLDABLE BUTTSTOCK



HK243 S TAR
Example with the HK magazine well conversion kit and the HK 10 round steel magazine. Available as an accessory.

HK243 S TAR

Tactical automatic rifle - professional sport variant.
The new semi-automatic rifle is based on the G36 used by the German Armed Forces in a modern tactical design. Fitted with components that are used by the armed forces and special forces units. Ideally suited to dynamic disciplines.



- COLOUR**
- black
 - RAL8000

- A FLASH HIDER**

B BARREL
Cold-hammer forged and hard chrome plated accuracy barrel (CIP)

C SLIM LINE HANDGUARD
With HKey mounting slots. STANAG-4694 rail on 12 o'clock and MIL-STD-1913 Picatinny rail on 6 o'clock
- D COCKING HANDLE**
Ambidextrous operation

E FLAT ALUMINIUM SIGHT RAIL
With integrated, foldable mechanical sights

F SAFETY LEVER
Ambidextrous operation

G FOLDABLE AND RETRACTABLE BUTTSTOCK
With adjustable cheek rest



TAR RETROFITTING KIT
Enables the HK243 S SAR to be transformed into the HK243 S TAR version.

HK243 S TAR	
Caliber	.223 Rem.
Length min./max.	approx. 681/852 (892 ¹) mm
Barrel length	approx. 453 mm ²
Sight radius	approx. 290 mm
Height/Width	approx. 215/65 mm
Weight	approx. 3,62 kg
Magazine capacity	2/5/10/30 cartridges

1 Buttstock extracted | 2 With flash hider

When using a carrying sling an additional HKey Picatinny rail as well as an carrying sling adapter is required. Available as an accessory.

OVERVIEW MR223 A3 & MR308 A3 WEAPON FAMILY

MR223 A3 - 11"

COLOUR
■ black
■ RAL8000



MR308 A3 - 13"

COLOUR
■ black
■ RAL8000



MR223 A3 - 14.5"

COLOUR
■ black
■ RAL8000



MR308 A3 - 16.5"

COLOUR
■ black
■ RAL8000



MR223 A3 - 16.5"

COLOUR
■ black
■ RAL8000



MR308 A3 - 20"

COLOUR
■ black
■ RAL8000



MR223 A3

The MR223 A3 combines the world renowned AR-15 architecture with the unique reliability of the G36 gas piston system. The A3 version is fully operational on both sides and features a modified magazine well in accordance with NATO-STANAG-4179 (DRAFT). This versatile self-loading rifle is suitable for all types of rifle disciplines.



COLOUR


-  black
-  RAL8000

HKey Picatinny rail available as an accessory in lengths of 95 mm, 74 mm and 54 mm. Suitable for all handguards with HKey mounting slots.

MR223 A3 - 14.5"



MR223 A3 - 16,5"



**SLIM LINE HANDGUARD
WITH HKEY MOUNTING SLOTS**

COLOUR

-  black
-  RAL8000



MR223 A3 - 11"/MR223 A3 - 14.5"/MR223 A3 - 16.5"

Caliber	.223 Rem.	.223 Rem.	.223 Rem.
Length min./max.	approx. 711/807 mm	approx. 800/896 mm	approx. 852/948 mm
Barrel length	approx. 279 mm	approx. 368 mm	approx. 420 mm
Sight radius	approx. 371 mm	approx. 371 mm	approx. 371 mm
Height/Width	approx. 191/74 mm	approx. 191/74 mm	approx. 191/74 mm
Weight	approx. 3.51 kg	approx. 3.79 kg	approx. 3.89 kg
Magazine capacity	2/5/10/20/30 cartridges	2/5/10/20/30 cartridges	2/5/10/20/30 cartridges

When using a carrying sling an additional HKey Picatinny rail as well as an carrying sling adapter is required. Available as an accessory.

A BARREL

Cold-hammer forged and hard chrome plated accuracy barrel (CIP)

B SLIM LINE HANDGUARD

With HKey mounting slots. STANAG-4694 rail on 12 o'clock and MIL-STD-1913 Picatinny rail on 6 o'clock

C MODIFIED MAGAZINE WELL

As per NATO-STANAG-4179 DRAFT to enhance the M4/M16 magazine compatibility

D BOLT CATCH LEVER

Ambidextrous operation. With protection barrier to prevent unintended discharge when putting down the weapon when the bolt group is open

E QUICK RELEASE SIGHT

F SAFETY LEVER

Ambidextrous operation

G TELESCOPIC BUTTSTOCK


Adjustable slim line buttstock with 6 locking positions

MR308 A3

The semi-automatic rifle in a AR-10 design featuring the reliable G36 gas piston system in high caliber .308 and now completely ambidextrous. Suitable for all static and dynamic rifle disciplines.



MR308 A3 - 20“
With long slim line handguard with HKey mounting slots.



MR308 A3 - 13“/MR308 A3 - 16.5“/MR308 A3 - 20“			
Caliber	.308 Win.	.308 Win.	.308 Win.
Length min. / max.	approx. 815/895 mm	approx. 905/985 mm	approx. 929/1072 mm
Barrel length	approx. 330 mm	approx. 421 mm	approx. 508 mm
Sight radius	approx. 411 mm	approx. 411 mm	approx. 541 mm
Height/Width	approx. 197/78 mm	approx. 197/78 mm	approx. 197/78 mm
Weight	approx. 4.28 kg	approx. 4.45 kg	approx. 4.76 kg
Magazine capacity	2/5/10/20 cartridges	2/5/10/20 cartridges	2/5/10/20 cartridges

- A

BARREL
Cold-hammer forged and hard chrome plated accuracy barrel (CIP)
- B

SLIM LINE HANDGUARD
With HKey mounting slots. STANAG-4694 rail on 12 o'clock and MIL-STD-1913 Picatinny rail on 6 o'clock
- C

POLYMER MAGAZINE
Magazines with a capacity of 2, 5, 10 or 20 rounds available
- D


BOLT CATCH LEVER
Ambidextrous operation. With protection barrier to prevent unintended discharge when putting down the weapon when the bolt group is open
- E

SAFETY LEVER
Ambidextrous operation
- F

QUICK RELEASE SIGHT
- G

TELESCOPIC BUTTSTOCK
Adjustable slim line buttstock with 5 locking positions

When using a carrying sling an additional HKey Picatinny rail as well as an carrying sling adapter is required. Available as an accessory.



G28 RETROFITTING KIT
Available separately. The retrofitting kit enables the transformation of a standard MR308 into a G28 DMR.

MR308 A3-28

G28 DMR Look & Feel. MR308 A3-28 with 16.5" barrel already available as a finished weapon in the G28 look.



- COLOUR**
- black
 - RAL8000



MR308 A3-28
Example. MR308 A3-28 with 16.5" barrel with separately available accessories.

- A TELESCOPIC BUTTSTOCK**
Adjustable G28 buttstock with adjustable cheek rest
- B QUICK RELEASE SIGHT**
- C SAFETY LEVER**
Ambidextrous operation
- D BOLT CATCH LEVER**
Ambidextrous operation
- E POLYMER MAGAZINE**
Magazines with a capacity of 2, 5, 10 or 20 rounds available
- F G28 HANDGUARD**
With STANAG-4694 rail on 12 o'clock and MIL-STD-1913 Picatinny rail on 3, 6 and 9 o'clock. The foldable front sight is integrated in the handguard

MR308 A3-28	
Caliber	.308 Win.
Length min./max.	approx. 926/993 mm
Barrel length	approx. 421 mm
Sight radius	approx. 512 mm
Height/Width	approx. 216/78 mm
Weight	approx. 5.1 kg
Magazine capacity	2/5/10/20 cartridges

USC

Our unique USC Semi-automatic rifle bases its design and handling on our UMP submachine gun as used by government authorities. The USC is approved throughout Germany and can therefore be used in a variety of disciplines covered by the BDS. The versatile sports weapon for achieving good results whilst experiencing a great deal of fun.



- A** COLD-HAMMER FORGED MATCH BARREL
- B** MIL-STD-1913 PICATINNY RAILS
(Optional extra)
- C** SAFETY LEVER
Ambidextrous operation
- D** ADJUSTABLE SIGHTS
- E** SINGLE STACK 10 ROUND
POLYMER MAGAZINE

USC	
Caliber	.45 ACP
Length min. /max.	approx. 900 mm
Barrel length	approx. 407 mm
Sight radius	approx. 327 mm
Height/Width	approx. 245/50 mm
Weight	approx. 2.72 kg
Magazine capacity	10 cartridges

SPECIFICATIONS

		Caliber	Magazine capacity (cartridges)	Sight	Length (approx. mm)	Width (approx. mm)	Height (approx. mm)	Barrel length (approx. mm)	Sight radius (approx. mm)	Weapon with magazine¹ (approx. g)
FULLSIZE & COMPACT	SFP9-SF	9 mm x 19	15	3 dot sight	186	33	137	104	162	710
	SFP9-SF SD	9 mm x 19	15	adjustable	202	33	137	119	162	719
	P30	9 mm x 19	15	3 dot sight	181	34	138	98	148	740
	P30	.40 S&W	13	3 dot sight	181	34	138	98	148	780
	P30L	9 mm x 19	15	3 dot sight	196	34	138	113	163	790
	P30L	.40 S&W	13	3 dot sight	196	34	138	113	163	830
	P30SD	9 mm x 19	15	adjustable	196	34	138	113	148	750
	P30SD	.40 S&W	13	adjustable	196	34	138	113	148	790
	P30SK	9 mm x 19	10	3 dot sight	163	34	116	83	136	680
	HK45	.45 Auto	10	3 dot sight	204	39	150	113	168	880
	HK45C	.45 Auto	8/10	3 dot sight	184	39	140	99	152	810/835
	HK45 TACTICAL	.45 Auto	10	adjustable	221	39	144	130	168	890
	HK45C TACTICAL	.45 Auto	8/10	adjustable	201	39	129	116	152	820/845
	USP	9 mm x 19	15	3 dot sight	195	37	135	108	158	770
	USP	.40 S&W	13	3 dot sight	195	37	135	108	158	821
	USP	.45 Auto	12	3 dot sight	201	37	142	112	161	887
	USP COMPACT	9 mm x 19	13	3 dot sight	173	35	127	91	135	727
	USP COMPACT	.40 S&W	12	3 dot sight	173	35	127	91	135	782
	USP COMPACT	.45 Auto	8	3 dot sight	180	35	128	96	143	797
	USP TACTICAL	9 mm x 19	15	3 dot sight	210	38	146	124	167	800
	USP TACTICAL	.45 Auto	12	3 dot sight	216	38	154	129	171	919
	MARK 23	.45 Auto	12	3 dot sight	245	40	150	149	197	1100
SPORT PISTOLS	P8A1	9 mm x 19	15	3 dot sight	195	38	135	108	158	770
	SP5K	9 mm x 19	10/15/30	diopter sight	354	61	220	115	260	2080/2100/2150
	USP CUSTOM SPORT	9 mm x 19	15	adjustable	195	37	145	108	167	770
	USP CUSTOM SPORT	.40 S&W	13	adjustable	195	37	145	108	167	821
	USP CUSTOM SPORT	.45 Auto	12	adjustable	201	37	150	112	171	887
	USP EXPERT	9 mm x 19	18	adjustable	242	45	149	132	190	930
	USP EXPERT	.40 S&W	16	adjustable	242	45	149	132	190	940
	USP EXPERT	.45 Auto	12	adjustable	242	45	151	132	190	950
	USP ELITE	9 mm x 19	18	adjustable	240	45	149	153	212	995
	USP ELITE	.45 Auto	12	adjustable	240	45	147	153	212	960

		Caliber	Magazine capacity (cartridges)	Length min./max. (approx. mm)	Width (approx. mm)	Height (approx. mm)	Barrel length (approx. mm)	Sight radius (approx. mm)	Weapon with magazine¹ (approx. g)
SEMI-AUTOMATIC RIFLES	HK243 S SAR	.223 Rem.	2/5/10/30	667/912	65	234	421	267	3210
	HK243 S TAR	.223 Rem.	2/5/10/30	681/852 (892²)	65	215	453	290	3620
	MR223 A3 - 11"	.223 Rem.	2/5/10/20/30	711/807	74	191	279	371	3510
	MR223 A3 - 14.5"	.223 Rem.	2/5/10/20/30	800/896	74	191	368	371	3790
	MR223 A3 - 16.5"	.223 Rem.	2/5/10/20/30	852/948	74	191	420	371	3890
	MR308 A3 - 13"	.308 Win.	2/5/10/20	815/895	78	197	330	411	4288
	MR308 A3 - 16.5"	.308 Win.	2/5/10/20	905/985	78	197	421	411	4450
	MR308 A3 - 20"	.308 Win.	2/5/10/20	929/1072	78	197	508	541	4760
	USC	.45 ACP	10	900	50	245	407	327	2720

1 Magazine empty, 2 Buttstock extracted



Heckler & Koch GmbH

Heckler & Koch-Str. 1 | 78727 Oberndorf a. N., Germany
phone: +49 (0)7423 79-27 00
info@heckler-koch-de.com | www.heckler-koch.com