



# **Sport, Security & Hunting Product Catalogue**

# Heckler & Koch

## Long tradition, legendary weapon technology



Heckler & Koch is one of the world's leading manufacturers of small arms with firmly established roots in Germany. For more than 60 years, the company has been a reliable partner to security forces, the police and special forces of NATO and NATO-associated states.

Heckler & Koch represents the highest of quality, as well as innovative products. Beyond this, Heckler & Koch is the only supplier of small arms to offer a comprehensive range of products incorporating pistols, machine pistols, assault rifles, precision rifles, machine guns, training systems, as well as 40 mm systems. In this context, individual categories of weapons have been conceptually designed to form a product family. In this way, Heckler & Koch offers a variable model range that is tailored towards the most varied of application requirements. The advantages of such a product family extend from a lower accident risk through common operating practices to some commonly replaceable components right through to reduced instruction and training periods for firearm users.

Subsidiaries in the US, France and the UK form part of our internationally active group based in Oberndorf am Neckar in Germany.

# Table of contents

## Sport, Security & Hunting

	Page
SFP9	04-07
P30	08-09
HK45	10-11
USP	12-15
SP5K	16-17
HK243 SAR//HK243 TAR	18-19
MR223 A3	20-21
MR308 A3	22-23
MR308 A3-28//G28 Z	24-25
USC	26
Glossary	27

# SFP9

## Pistol family

The modern SFP9 Striker Fired Pistol is a fully pre-cocked system with single-action trigger in calibre 9 mm x 19. The pistol's standard features include unique characteristics and innovative details. Patented cocking supports at the rear of the slide simplify and assist cocking without injury.

The disassembly process requires no tools and guides the user through a natural course of action, offering maximum safety to prevent accidents. The weapon cannot be disassembled unless the magazine has been removed. Unlike comparable models of pistols, the weapon automatically de-cocks itself when disassembled. In addition, the trigger need not be pulled during disassembly.

The magazine and ergonomics concept of the P30 were transferred to the new series of pistols. Not only does the SFP9 share P30 magazines, it also features interchangeable back straps and grip shells to provide a total of 27 individual grip shape combinations supplied in each box.

Its excellent trigger characteristics promote maximum accuracy during rapid fire sequences. It is based on a well-balanced relationship between hand position, light trigger pull and short trigger travel and reset.



## Push(the)Button

The successful SFP9 pistol family from Heckler & Koch available now with push button magazine release.



### Basic features of the SFP9 pistol family:

- Firing pin energy equivalent to that of hammer pistols
- Trigger, firing pin and disassembly safety
- Fully pre-cocked system
- „Special Forces“ SF-Trigger (20-25 N), Trigger travel: 6 mm, Reset: 3 mm
- Paddle or Push Button magazine release
- With or without external safety lever
- Firing pin indicator on rear of slide
- Low hand position enables quick and accurate follow-up shots
- Ambidextrous operation for right and left-handed shooters (magazine and slide release)
- Patented exchangeable cocking supports
- Ideal grip ergonomics
- Exchangeable back straps and patented grip shells (27 grip combinations in the box) for ideal adaptation to all hand sizes
- No tools needed to strip to main assembly groups
- Loaded chamber indicator
- Sights with high-performance luminescent (non-radioactive) contrast points/bar
- Guaranteed to function with an additional accessory load using the Picatinny rail of up to 160 g
- Available in black or green brown
- Impact and drop-resistant as specified by TR and AC/225 D/14

### Disassembly safety

The simplified disassembly of this pistol ensures that a safe process is followed throughout weapon stripping. The magazine must be removed from the pistol and the slide is then pulled into the slide release position. This action automatically ensures that any cartridge remaining in the chamber will be ejected. The disassembly lever is swivelled downward by 90° thereby disengaging the firing pin. The slide is then released forward and removed. For greater safety, it is not necessary to pull the trigger before disassembly as is the case with similar pistol models.

## SFP9

- 15 or 20 rounds magazine


Colour: ■ black | ■ green brown

Caliber	9 mm x 19	.40 S&W
L x W x H (mm)	186 x 33 x 137	186 x 33 x 138
Barrel length (mm)	104	104
Sight radius (mm)	162	162
Weight (g)	710	820
Magazine capacity	15/20	13

Safety lever



Push Button



Paddle



## SFP9L

- Long-Slide (127 mm/5" barrel with extended slide)
- Adjustable LPA match sight
- 15 or 20 rounds magazine
- Also as OR-variant available

Colour: ■ black

Caliber	9 mm x 19
L x W x H (mm)	209 x 33 x 137
Barrel length (mm)	127
Sight radius (mm)	184
Weight (g)	770
Magazine capacity	15/20

OR (Optical Ready)



LPA match sight



Safety lever



Push Button



Paddle



## SFP9SK

- Concealed carry due to its compact design
- 10, 13 or 15 rounds magazine


Colour: ■ black

Caliber	9 mm x 19
L x W x H (mm)	168 x 33 x 116
Barrel length (mm)	86
Sight radius (mm)	145
Weight (g)	687
Magazine capacity	10/13/15

Safety lever



Push Button



Paddle



## SFP9SD

- Threaded barrel
- Adjustable LPA match sight
- 15 or 20 rounds magazine

Colour: ■ black | ■ green brown

Caliber	9 mm x 19
L x W x H (mm)	202 x 33 x 137
Barrel length (mm)	1119
Sight radius (mm)	162
Weight (g)	719
Magazine capacity	15/20

Safety lever



Push Button



LPA match sight



Paddle



## SFP9M

- Saltwater resistant special coating
- OTB capability (Over The Beach)
- 15 or 20 rounds magazine




Colour: ■ black

Caliber	9 mm x 19
L x W x H (mm)	186 x 33 x 137
Barrel length (mm)	104
Sight radius (mm)	162
Weight (g)	710
Magazine capacity	15/20

Safety lever



Push Button



Paddle



20 rounds magazine

## SFP90R

- Interface to mount different optical sights
- Different adapter plates to mount marketable optical sights available
- 15 or 20 rounds magazine




Colour: ■ black | ■ green brown

Caliber	9 mm x 19
L x W x H (mm)	186 x 33 x 137
Barrel length (mm)	104
Sight radius (mm)	162
Weight (g)	723
Magazine capacity	15/20

Safety lever



Push Button



Paddle



Optical Ready interface



Adapter plates for: Docter Sight III, Insight MRDS, Meopta Meo-Sight III, Vortex Viper, Vortex Venom, Burris Fastfire 3, Trijicon RMR, C-More STS 2 and Leupold DeltaPoint Pro

## SFP9 Variants

	Paddle	Push Button	Safety lever	OR interface	LPA-match sight	3-dot sight
SFP9	■	■	■	■	■	■
SFP9SK	■	■	■	■	■	■
SFP9L	■	■	■	■	■	■
SFP9SD	■	■	■	■	■	■
SFP9M	■	■	■	■	■	■
SFP90R	■	■	■	■	■	■



# P30

## Pistol family

Developed in accordance with the strict requirements placed on modern police weapons, our P30 family delivers the highest levels of functionality, flexibility, accuracy and safety. Civilian sports shooters and hunters also benefit from these characteristics.

Outstanding ergonomics represent a significant design characteristic of the P30. The grip features exchangeable backstrap and grip shells for all hand sizes. Fluting on the rear and front of the slide gives a positive feel whilst cocking the weapon. The weapon can be operated ambidextrously.

There are no compromises when it comes to safety: All of the variants in the P30 family feature an automatic hammer and firing pin safety. The open square notch rear sight with luminous contrast points (non-radioactive) enables rapid target acquisition under poor lighting conditions.

### Basic features of the P30 family:

- Variant dependent trigger systems available: CDA/DA, CDA, SA/DA
- Ergonomics through the exchangeable backstrap inserts and grip shells
- De-cocking latch on variant V0 and V3
- Variant dependent hammer with or without spur
- All pistol models with ambidextrous external safety lever available
- Automatic hammer and firing pin safety
- Open square notch rear sight with luminous contrast points (non-radioactive)
- Integrated MIL-STD-1913 Picatinny rail
- Cold-hammer forged barrel with polygonal profile



**P30**



Safety lever



De-cocking latch (V0+V3)



Backstraps (S/M/L)



Grip shells (S/M/L)



Caliber	9 mm x 19	.40 S&W
L x W x H (mm)	181 x 34 x 138	181 x 34 x 138
Barrel length (mm)	98	98
Sight radius (mm)	148	148
Weight (g)	740	780
Magazine capacity	15	13

## P30L

- Extended slide
- Extended barrel

Caliber	9 mm x 19	.40 S&W
L x W x H (mm)	196 x 34 x 138	196 x 34 x 138
Barrel length (mm)	113	113
Sight radius (mm)	163	163
Weight (g)	790	830
Magazine capacity	15	13

Safety lever



De-cocking latch (V0+V3)



Backstraps (S/M/L)



Grip shells (S/M/L)



## P30SD

- Threaded barrel
- Adjustable LPA match sight

Caliber	9 mm x 19
L x W x H (mm)	196 x 34 x 138
Barrel length (mm)	113
Sight radius (mm)	148
Weight (g)	750
Magazine capacity	15

Safety lever



De-cocking latch (V0+V3)



Backstraps (S/M/L)



Grip shells (S/M/L)



LPA match sight



## P30SK

- Concealed carry due to its compact design

Caliber	9 mm x 19	.40 S&W
L x W x H (mm)	163 x 34 x 116	163 x 34 x 116
Barrel length (mm)	83	83
Sight radius (mm)	136	136
Weight (g)	680	730
Magazine capacity	10	9

Safety lever



De-cocking latch (V0+V3)



Backstraps (S/M/L)



Grip shells (S/M/L)



## P30 Trigger and safety systems

Variant (Trigger)	Trigger pull			Trigger travel		Safety	Hammer	
	CDA	SA	DA	SA	DA		With spur	Without spur
V1 (CDA/DA)	ca. 24 N	–	ca. 51 N	–	ca. 14 mm	A <sup>1</sup>   E <sup>2</sup>   (S) <sup>3</sup>	■	■
V2 (CDA)	ca. 24 N	–	–	–	ca. 14 mm	A <sup>1</sup>   (S) <sup>3</sup>	■	■
V3 (CDA)	ca. 32.5 N	–	–	–	ca. 14 mm	A <sup>1</sup>   (S) <sup>3</sup>	■	■
V4 (SA/DA)	–	ca. 24 N	ca. 51 N	ca. 7 mm	ca. 14 mm	A <sup>1</sup>   E <sup>2</sup>   (S) <sup>3</sup>	■	■
V6 (CDA)	ca. 27.5 N	–	–	–	ca. 14 mm	A <sup>1</sup>   (S) <sup>3</sup>	■	■

<sup>1</sup> A = Automatic hammer and firing pin safety | <sup>2</sup> E = De-cocked | <sup>3</sup> (S) = Ambidextrous safety lever (P30 S | P30L S | P30SD S | P30SK S) | ■ = Model equipment

# HK45

## Pistol family

Designed for the US military based on the proven USP .45, our HK45 and HK45 Compact models combine tried-and-tested characteristics with new features. The o-ring mounted at the front of the barrel minimises any barrel play whilst our patented recoil system increases accuracy and service life, even under the toughest conditions.

Exchangeable backstrap inserts and ambidextrous operating controls ensure an ergonomic and flexible design. The familiar combined safety and de-cocking lever from the USP and the other automatic safety devices ensure the highest level of safety.

### Basic features of the HK45 family:

- Available trigger systems: LEM, SA/DA
- Perfect ergonomics due to the exchangeable backstrap inserts
- The grip angle corresponds to the M1911 models
- Minimised play between the barrel and the slide
- Fluting on the rear and front of the slide simplifies cocking
- Open square notch rear sight with luminous contrast points (non-radioactive)
- Integrated MIL-STD-1913 Picatinny rail
- Cold-hammer forged barrel with polygonal profile
- Ambidextrous operation
- All pistol models available either with the external safety lever mounted on the left, right or on both sides
- Gunlock





## HK45

Colour: ■ black | ■ green brown | ■ NATO-green

Caliber	.45 AUTO
L x W x H (mm)	204 x 39 x 150
Barrel length (mm)	113
Sight radius (mm)	168
Weight (g)	880
Magazine capacity	10



## HK45C

- Concealed carry due to its compact design

Colour: ■ black | ■ green brown | ■ NATO-green

Caliber	.45 AUTO
L x W x H (mm)	184 x 39 x 140
Barrel length (mm)	99
Sight radius (mm)	152
Weight (g)	810/835
Magazine capacity	8/10



## HK45 Tactical

- Adjustable LPA match sight
- Threaded barrel

Colour: ■ black | ■ green brown | ■ NATO-green

Caliber	.45 AUTO
L x W x H (mm)	221 x 39 x 144
Barrel length (mm)	130
Sight radius (mm)	168
Weight (g)	890
Magazine capacity	10



## HK45C Tactical

- Concealed carry due to its compact design
- Adjustable LPA match sight
- Threaded barrel

Colour: ■ black

Caliber	.45 AUTO
L x W x H (mm)	201 x 39 x 129
Barrel length (mm)	116
Sight radius (mm)	152
Weight (g)	820
Magazine capacity	8/10

# USP

## Pistol family

The innovative universal self-loading pistol (USP), its compact version the USP Compact, the USP Tactical used by special forces and the USP variant P8 A1 introduced in the German Bundeswehr, with its patented design characteristics have today become established success stories in the small arms sector. As a modular system it enables the use of conversion kits for every requirement.

### Basic features of the USP family:

- Ambidextrous magazine release
- Hammer and firing pin safety
- Open square notch rear sight with bright contrast points for quick aim
- Functional safety even under adverse conditions
- Cold hammer forged barrel with polygon profile



### USP



Caliber	9 mm x 19	.40 S&W	.45 AUTO
L x W x H (mm)	195 x 37 x 135	195 x 37 x 135	201 x 37 x 142
Barrel length (mm)	108	108	112
Sight radius (mm)	158	158	161
Weight (g)	770	821	887
Magazine capacity	15	13	12

### USP Compact



- Concealed carry due to its compact design
- Extended magazine floor plate

Caliber	9 mm x 19	.40 S&W	.45 AUTO
L x W x H (mm)	173 x 35 x 127	173 x 35 x 127	180 x 35 x 128
Barrel length (mm)	91	91	96
Sight radius (mm)	135	135	143
Weight (g)	727	782	797
Magazine capacity	13	12	8

### USP Tactical



- Adjustable LPA match sight
- Adjustable trigger stop
- Extended magazine floor plate
- Threaded barrel
- Also as USP Compact Tactical available

Caliber	9 mm x 19	.40 S&W	45 AUTO
L x W x H (mm)	210 x 38 x 146	210 x 38 x 146	216 x 38 x 154
Barrel length (mm)	124	124	129
Sight radius (mm)	167	167	171
Weight (g)	800	852	919
Magazine capacity	15	13	12



# US SOCOM Mark23

MARK23 - The legendary service pistol of the US Army special forces. In the toughest comparative trials carried out by the US Special Operations Command, the MARK23 outperformed all other competitors in the field. It was introduced as a service pistol under the designation MK23 MOD.0, US SOCOM.



## P8 A1

- Barrel with lands and grooves profile
- Dust protected transparent magazine
- P8-specific positioning of the safety and de-cocking lever

Caliber	9 mm x 19
L x W x H (mm)	195 x 38 x 135
Barrel length (mm)	108
Sight radius (mm)	158
Weight (g)	770
Magazine capacity	15



Combined safety and de-cocking lever leave the weapon in a safe state after de-cocking



## Mark23

- Recoil system for minimising the recoil forces
- Ambidextrous safety lever
- Threaded barrel

Caliber	.45 AUTO
L x W x H (mm)	245 x 40 x 150
Barrel length (mm)	149
Sight radius (mm)	197
Weight (g)	1100
Magazine capacity	12



O-Ring



Engaged and disengaged safety lever

# USP

## Match pistols

The USP Custom Sport is a full-fledged sports pistol. The basis of this model is the innovative universal self-loading pistol (USP), which was only slightly modified. The USP Expert was created with the participation of nationally and internationally successful sports shooters. The result: a universally applicable sports pistol for most of the major caliber disciplines of the DSB and other associations. The USP Elite rounds up our USP family. It is specially designed for various large-caliber disciplines of the DSB, BDS and BDMP.

### Basic features of the USP match pistols:

- Ambidextrous magazine release
- Hammer and firing pin safety
- Functional safety even under adverse conditions
- Cold hammer forged barrel with polygon profile



### USP Custom Sport

- Adjustable LPA match sight
- Match trigger with adjustable trigger stop
- Extended magazine floor plate



#### LPA match sight

Adjustable in elevation and windage. The LPA match sight is also separately available as an accessory.



#### Match trigger

With adjustable trigger stop. The match trigger is also separately available as an accessory.

Caliber	9 mm x 19	.40 S&W	.45 AUTO
L x W x H (mm)	173 x 35 x 127	173 x 35 x 127	180 x 35 x 128
Barrel length (mm)	91	91	96
Sight radius (mm)	135	135	143
Weight (g)	727	782	797
Magazine capacity	15	13	12



- Adjustable LPA match sight
- Match trigger with adjustable trigger stop
- Jet-Funnel
- High intrinsic accuracy due to the hand fitted locking system and o-ring (minimized barrel play)

Caliber	9 mm x 19	.40 S&W	.45 AUTO
L x W x H (mm)	181 x 29 x 132	181 x 29 x 132	221 x 29 x 132
Barrel length (mm)	132	132	132
Sight radius (mm)	149	149	151
Weight (g)	930	940	950
Magazine capacity	18	16	12



- Adjustable LPA match sight
- Match trigger with adjustable trigger stop
- Jet-Funnel
- High intrinsic accuracy due to the hand fitted locking system and o-ring (minimized barrel play)

Caliber	9 mm x 19	.45 AUTO
L x W x H (mm)	240 x 45 x 149	240 x 45 x 147
Barrel length (mm)	153	153
Sight radius (mm)	212	212
Weight (g)	995	960
Magazine capacity	18	12

## Pistols

[illegible]

\* Only on 9 mm x 19

### Possible conversion kits



Example conversion kit  
Expert 9 mm

# The legendary MP5 in semi-auto SP5K

The SP5K is the commercial semi-automatic version of the legendary MP5K in caliber 9 mm x 19, which was developed in the 1970s as a concealed carry weapon for the purpose of personal security.

Apart from statutory changes inside the weapon the SP5K is absolutely identical to the MP5K, particularly the interfaces for magazine, buttstock/receiver cap, handguard and sight mount. In conjunction with extensive accessory options the SP5K is a state of the art weapon system. In addition to the quick release Picatinny mounting rail is a buttstock support option available.

The SP5K can be universally used both as a pistol or a shoulder-mounted weapon.





## SP5K

- Handguard with finger protector
- 10 round steel magazine (magazines with a capacity of 15 or 30 rounds are optionally available)
- Ambidextrous safety lever
- Diopter sight with four positions for a quick and precise aim
- Receiver cap with eyelet for the carrying sling. Interface when using an optional buttstock

Caliber	<b>9 mm x 19</b>
L x W x H (mm)	<b>354 x 61 x 220</b>
Barrel length (mm)	<b>115</b>
Sight radius (mm)	<b>260</b>
Weight (g)	<b>2150</b>
Magazine capacity	<b>10/15/30</b>



SP5K exemplary equipped with Picatinny rail and buttstock. Product available in the respective combination.

# HK243

## The civilian G36

HK243 S SAR (Semi Automatic Rifle) - sporter basic version. The semi-automatic rifle based on the proven G36 used by the German Armed Forces. It offers a unique level of accuracy, ergonomics and reliability. Suitable for numerous disciplines in the sport of shooting.

HK243 S TAR (Tactical Automatic Rifle) – professional sport variant. The semi-automatic rifle is based on the G36 used by the German Armed Forces in a state of the art tactical design. Equipped with components that are used by the armed forces and special forces units. Ideally suited to dynamic shooting disciplines.



### HK243 S SAR

- Cold-hammer forged and hard chrome plated accuracy barrel
- Globally proven and reliable G36 gas piston-driven system
- Ambidextrous operation
- MIL-STD-1913 Picatinny rail for mounting optical sights
- Foldable Buttstock

Colour: ■ black | ■ green brown

Caliber	.223 Rem
L x W x H (mm)	667(912) x 65 x 234
Barrel length (mm)	421
Sight radius (mm)	267
Weight (g)	3210
Magazine capacity	2/5/10/30



TAR retrofitting kit enables the HK243 S SAR to be transformed into the HK243 S TAR version



Magazine well conversion kit available for the use of HK416 magazines (optional)



## HK243 S TAR

- G28 flash hider
- Cold-hammer forged and hard chrome plated accuracy barrel
- Slim Line Handguard with HKey mounting slots. STANAG-4694 rail on 12 o'clock and MIL-STD-1913 Picatinny rail on 6 o'clock
- Flat Aluminium sight rail with integrated, foldable mechanical sights
- Ambidextrous operation
- Foldable and retractable buttstock with adjustable cheek rest

Colour: ■ black | ■ green brown

Caliber	.223 Rem
L x W x H (mm)	681(892) x 65 x 215
Barrel length (mm)	453
Sight radius (mm)	290
Weight (g)	3620
Magazine capacity	2/5/10/30

# MR223

## Match Rifle Series

The MR223 A3 combines the world renowned AR-15 architecture with the unique reliability of the G36 gas piston system. The A3 version is fully operational on both sides and features a modified magazine well in accordance with NATO-STANAG-4179 (DRAFT). This versatile self-loading rifle is suitable for all types of rifle disciplines.

### Basic features of the MR223 match rifle series:

- Cold-hammer forged and hard chrome plated accuracy barrel
- Slim Line Handguard with HKey mounting slots. STANAG-4694 rail on 12 o'clock and MIL-STD-1913 Picatinny rail on 6 o'clock
- Modified magazine well as per NATO-STANAG-4179 DRAFT to enhance the M4/M16 magazine compatibility
- Bolt catch lever with protection barrier to prevent unintended discharge when putting down the weapon when the bolt group is open
- Fully ambidextrous operation
- Quick release sight
- Adjustable slim line buttstock with 6 locking positions





Slim Line handguard with HKey mounting slots and HKey Picatinny rail available as an accessory in lengths of 95 mm, 74 mm and 54 mm. Suitable for all handguards with HKey mounting slots.



### MR223 A3 - 11"

Colour: ■ black | ■ green brown

Caliber	.223 Rem.
L x W x H (mm)	711(807) x 74 x 191
Barrel length (mm)	279
Sight radius (mm)	371
Weight (g)	3510
Magazine capacity	2/5/10/20/30



### MR223 A3 - 14.5"

Colour: ■ black | ■ green brown

Caliber	.223 Rem.
L x W x H (mm)	800(896) x 74 x 191
Barrel length (mm)	368
Sight radius (mm)	371
Weight (g)	3790
Magazine capacity	2/5/10/20/30



### MR223 A3 - 16.5"

Colour: ■ black | ■ green brown

Caliber	.223 Rem
L x W x H (mm)	852(948) x 74 x 191
Barrel length (mm)	420
Sight radius (mm)	371
Weight (g)	3890
Magazine capacity	2/5/10/20/30

# MR308

## Match Rifle Series

The semi-automatic rifle in a AR-10 design featuring the reliable G36 gas piston system in high caliber .308 and now completely ambidextrous. Suitable for all static and dynamic rifle disciplines.

**Basic features of the MR308 match rifle series:**

- Cold-hammer forged and hard chrome plated accuracy barrel
- Slim Line Handguard with HKey mounting slots. STANAG-4694 rail on 12 o'clock and MIL-STD-1913 Picatinny rail on 6 o'clock
- Polymer magazine with a capacity of 2, 5, 10 or 20 rounds available
- Bolt catch lever with protection barrier to prevent unintended discharge when putting down the weapon when the bolt group is open
- Fully ambidextrous operation
- Quick release sight
- Adjustable slim line buttstock with 5 locking positions



## MR308 A3 - 13"

Colour: ■ black | ■ green brown

Caliber	.308 Win.
L x W x H (mm)	815(895) x 78 x 197
Barrel length (mm)	330
Sight radius (mm)	411
Weight (g)	4280
Magazine capacity	2/5/10/20



Slim Line handguard with HKey mounting slots and HKey Picatinny rail available as an accessory in lengths of 95 mm, 74 mm and 54 mm. Suitable for all handguards with HKey mounting slots.

## MR308 A3 - 16.5"

Colour: ■ black | ■ green brown

Caliber	.308 Win.
L x W x H (mm)	905(985) x 78 x 197
Barrel length (mm)	421
Sight radius (mm)	411
Weight (g)	4450
Magazine capacity	2/5/10/20



## MR308 A3 - 20"

Colour: ■ black | ■ green brown

Caliber	.308 Win.
L x W x H (mm)	929(1072) x 78 x 197
Barrel length (mm)	508
Sight radius (mm)	541
Weight (g)	4760
Magazine capacity	2/5/10/20



MR308 A3 - 20" with long Slim Line handguard with HKey mounting slots

# MR308 A3-28 & G28 Z

## Precision rifles

G28 DMR Look & Feel. MR308 A3-28 with 16.5" barrel already available as a finished weapon in the G28 look. In addition a G28 retrofitting kit is separately available which enables the transformation of a standard MR308 into a G28 DMR. The G28 is a militarised modification of the semi-automatic MR308 used in non-military applications. As a classic telescopic sight rifle with calibre 7.62 mm x 51, the G28 guarantees a maximum accuracy of 1.5 MOA using precision ammunition. The G28 is commercially available under the designation G28 Z.

### Basic features of the MR308 A3-28 and G28 Z precision rifle:

- Cold-hammer forged and hard chrome plated accuracy barrel
- DMR handguard model with STANAG-4694 rail profile at the 12 o'clock position, integrated folding front sight, impact protection and anti-mirage reduction. MIL-STD-1913 Picatinny profiles at the 3, 6 and 9 o'clock positions.
- Polymer magazine with a capacity of 2, 5, 10 or 20 rounds available
- Bolt catch lever with protection barrier to prevent unintended discharge when putting down the weapon when the bolt group is open
- Large trigger guard designed for use with gloves
- Quick release sight
- DMR buttstock with height adjustable cheek rest, length adjustable stock and the option to make fine adjustments to the anti-slip buttstock cap

### Extended features of the G28 Z precision rifle:

- G28 flash hider
- Harris bipod and bipod adapter
- Forward grip
- Picatinny-rail cover for STANAG 4694 and MIL-STD-1913 profiles
- Telescopic sight assembly with 34 mm housing diameter (Pre-elevation angle: 25 MOA)
- HK-Schmidt & Bender 3-20 x 50-G28 scope with baffle filter, DMR reticle, reticle light, L4 laser filter (EN 207) and parallax compensation. The baffle filter prevents light reflections and can be removed from the scope
- Aimpoint-micro T1 red-dot sight for short-range combat or aiming aid for high telescopic sight magnification
- Adjustable gas port for sound suppressor application (N = normal, S = suppressed)



## MR308 A3-28

Colour: ■ black | ■ green brown

Caliber .308 Win

L x W x H (mm) 926(993) x 78 x 216

Barrel length (mm) 421


Sight radius (mm) 512

Weight (g) 5100

Magazine capacity 2/5/10/20



G28 retrofitting kit. Available separately. The retrofitting kit enables the transformation of a standard MR308 into a G28 DMR.



Adjustable gas port for sound suppressor application (N = normal, S = suppressed).

## G28 Z

Colour: ■ green brown

Caliber .308 Win.

L x W x H (mm) 965(1082) x 78 x 340

Barrel length (mm) 421

Sight radius (mm) 494

Weight (g) 5800

Magazine capacity 2/5/10/20



# USC the versatile sports weapon

Our unique USC Semi-automatic rifle bases its design and handling on our UMP submachine gun as used by government authorities. The USC is approved throughout Germany and can therefore be used in a variety of disciplines covered by the BDS. The versatile sports weapon for achieving good results in professional sports shooting.

## Features of the USC:

- Cold-hammer forged match barrel
- MIL-STD-1913 Picatinny rails (optionally available)
- Ambidextrous operation
- Adjustable sights
- Single stack 10 round polymer magazine



## USC

Caliber	.45 ACP
L x W x H (mm)	900 x 50 x 245
Barrel length (mm)	407
Sight radius (mm)	327
Weight (g)	2720
Magazine capacity	5/10


# Glossary

BDMP	Military and Law Enforcement Shooting Association
BDS	German Sport Shooting Association
C	„Compact“ version (shortest version)
D	„Defence“ version
DSB	German Shooting Association
DMR	Designated Marksman Rifle
Gunlock	Child safety device/Weapon safety device
HKey	HK mounting interface
K	„Short“ version
L	Long (longest version)
LEM	Law Enforcement Modification
LPA	L.P.A. Sights (Brand/Manufacturer)
M	Maritime
MOA	Minute of angle
OR	Optical Ready
OTB	Over the beach
PDW	Personal Defence Weapon
S	Safety lever
SAR	Semi-Automatic Weapon
SD	Sound suppressor
SFP	Striker Fire Pistol
SK	Sub Compact
SOCOM	US Special Operations Command
TAR	Tactical Automatic Rifle
TR	German Technical Specifications (Police pistols)
USP	Universal Selfloading Pistol
ZF	Scope

## Trigger systems

### CDA/DA


Weapons with the trigger mode Combat Defence Action/Double Action (CDA/DA) are partially cocked after they have been fully loaded or a shot has been fired. This results in a lighter trigger pull. If the partially cocked weapon is decocked using the decocking latch, the trigger pull increases because the next shot fired by the weapon is in DA mode. Alternatively, the weapon can also be partially cocked again by hand.



- 1 Hammer with spur
- 2 Decocking latch
- 3 Cocking piece

### SA/DA


Weapons with the trigger mode Single Action/Double Action (SA/DA) are cocked after they have been fully loaded or a shot has been fired. This results in a lighter trigger pull. If the cocked weapon is decocked using the decocking latch, the trigger pull increases because the next shot fired by the weapon is in DA mode. Alternatively, the weapon can also be cocked again by hand.



- 1 Hammer with spur
- 2 Decocking latch

### CDA (LEM)


Weapons with the trigger mode Combat Defence Action (CDA)/Law Enforcement Modification (LEM) are partially cocked after they have been fully loaded or a shot has been fired. This results in a constantly low trigger pull with a uniformly long trigger travel.



- 1 Hammer without spur
- 2 Cocking piece

### DAO

Weapons with the trigger mode Double Action Only (DAO) are cocked after they have been fully loaded or a shot has been fired. This results in a constantly high trigger pull.



- 1 Hammer without spur

Heckler & Koch GmbH

Heckler & Koch-Str. 1 | 78727 Oberndorf a. N., Germany

Tel: +49 (0)742379-27 00

info@heckler-koch-de.com | www.heckler-koch.com