

In development for more than four years, the VP Series is Heckler & Koch's pistols were introduced in the 1980s.

Experience gained by HK engineers with the P30 pistol had a direct influence on the design of the VP, but the VP Series breaks new ground with its integration of a unique striker firing system with an enhanced HK precision strike trigger. The net result is trigger quality unequaled in any production striker fired handgun.

Heckler & Koch pioneered the first striker fired handguns, producing both the VP70 and P7 series, designs that impacted several models by HK competitors. But a superior trigger has eluded most striker fired pistol designs.

The VP trigger surpasses those found on competitors. It has a short, light take-up with a solid, single action type break followed by a short positive

The VP trigger has a consistent pre-travel pull with a positive wall/crisp break. Typically, striker fired guns have a pre-travel pull that increases in weight as you go through the trigger stroke. With the VP, you have a less than noticeable pre-travel pull until the trigger reaches the engagement point of the fire control parts prior to trigger break.

The VP uses HK's ergonomic handgun grip design that includes three changeable backstraps and six grip side panels— accommodating all hand sizes. Molded finger grooves in the front of the pistol's grip also instinctively position an operator's hand for optimal shooting. Only HK handguns have such a customized grip.

Although influenced by other HK models, the VP Series has all the hallmarks of the latest, state-of-the-art handgun. All controls are completely ambidextrous. Slide releases are present on both sides of the frame and the magazine release can be easily activated by left- or right-handed shooters.

A new feature is HK's patented charging supports — simple components that are mounted on each side of the rear of the slide and provide better gripping leverage for racking the slide rearward. The charging supports speed reloading and make operating the VP easier for shooters with reduced hand strength. VP Series pistols use the proven HK P30 steel magazine design; 15-round (9 mm) and 13-round (.40 S&W). Reduced, 10-round capacity magazines are also available.

VP Series pistols have an extended Picatinny MIL-STD-1913 rail molded into their polymer frame for mounting lights and accessories. The rail has been tested and certified to handle mounted accessories up to 5.6 ounces (160

VP pistols use a proprietary captive flat recoil spring that helps reduce the recoil forces affecting the operator and the handgun, improving shooter control during rapid firing and prolonging component life span.

HK's famous cold hammer-forged barrel — made from cannon grade steel - ensures a long service life. Similar HK barrels on 9 mm P30 models have fired more than 90,000 rounds in endurance tests in 2010. The polygonal bore profile, with no traditional lands-and-grooves rifling, contributes to longer service life as well as a slight increase in muzzle velocity.

The VP's machined steel slide is protected from corrosion and wear by HK's hostile environment finish and all metal components, including springs and pins have superior metallurgy.

VP pistols are made in Heckler & Koch's Oberndorf factory in southwest Germany and are well-suited for civilian sport shooting, security, military, and law enforcement use.

Covered by Heckler & Koch's limited lifetime warranty, the VP Series is a solid design engineered with the famous long-term durability that make HK products especially cost-effective when subjected to total life cycle cost analysis. And VP Series pistols are remarkably value priced.







Nearly identical, the VP40 has a taller (by 1 mm) and slighlty heavier slide than the VP9. Patented HK Charging Supports help facilitate smoother and easier manipulation of the slide during clearing or reloading.




The VP's extended MIL-STD-1913 rail with four segments is rated to accomodate a 5.6 ounces / 160 grams load for accessory light, lasers, and aimers with no impact on



VP Series trigger compared to triggers on leading competing striker fired pistols. The HK VP Series trigger tested lighter than the two most major models.





The VP Series pistols use a striker fired ignition and a modified Browning operating system combined with an optimal precison strike trigger control system — it is in essence a premium HK P30 frame mated to an advanced striker fired slide design. Materials include proprietary HK steel for barrel, slide, springs, pins, and internal components. The VP Series polymer frame is completely corrosion resistant.



Combination of 3 interchangeable backstraps and 6 grip panels allow custom fit for all shooters. 27 unique, custom-fitted grip combinations are possible for VP pistols.



standard VP series pistol; only its weight and length differ due to the longer and

slightly heavier threaded barrel. HK /B&T sound suppressors are also available.

The VP Series pistol possesses HK's well-earned reputation for handgun accuracy (HK staff test target, 5 shots with a VP9 at 25 yards).





mm).13 rounds (.40 S&W), and 10 round

also available for both calibers.





VP pistols can be easily field stripped and disassembled using the HK takedown lever — and without the need to pull the trigger prior to removing the slide. VPs have a service life of tens of thousands of rounds.

Color frame models are available for the VP series in 9 mm. Special colorants added to the frame during the molding process enable durable and attractive color options. Flat Dark Earth (FDE), Gray, and NATO Green models (above) join the VP lineup. FDE (Flat Dark Earth) is the tan/brown color scheme increasingly used by international military and security units.

# VP9SK (SUBCOMPACT) 9 MM X 19

The eagerly anticipated subcompact model of the acclaimed Heckler & Koch VP Series handgun, VP9SK (for "SubKompact" in 9 mm) has all of the sought-after characteristics of larger frame VP pistols but in a more concealable design.

The highly-rated HK VP precision strike trigger is also found on the VP9SK. The VP trigger surpasses those found on competitors. It has a short, light take-up with a solid, single action break followed by a short positive reset. The net result is trigger quality unmatched in production striker fired pistols.

A small-scale version of the completely adjustable VP grip feature — consisting of interchangeable backstraps and lateral grip panels — is replicated in the compact grip frame of the VP9SK. This allows the pistol to be easily modified to fit any individual user and is a feature found only on Heckler & Koch handguns. Molded finger grooves in the front of the pistol's grip also instinctively position an operator's hand for optimal shooting.

The VP9SK has all the features of the latest, state-of-the-art handgun. Every control is completely ambidextrous. Slide releases are present on both sides of the frame and the paddle style magazine release can be easily activated by left- or right-handed shooters.

HK's patented charging supports, found on full-size VP pistols, are also present on the VP SK. The charging supports are simple components that are mounted on each side of the rear of the slide and provide better gripping leverage for racking the slide rearward. The charging supports speed reloading and make operating VP series handguns easier for shooters with reduced hand strength.

VP9SK pistols can use a variety of proven HK magazines, including compact double stack 10-round and 13-round with either flat or hooked floorplates for a more ergonomic grip. The VP9SK can also use the same high capacity 15-round magazine used by the full-size VP and P30 handguns. Magazine sleeves that replicate the grip profile of the VP handgun are also available.

VP9SK pistols have an abbreviated Picatinny MIL-STD-1913 rail molded into their polymer frame for mounting lights and accessories.

VP9SK pistols use a proprietary captive flat recoil spring that helps reduce the recoil forces affecting the operator and the handgun, improving shooter control during rapid firing and prolonging component life span.

HK's famous cold hammer-forged barrel — made from cannon grade steel — ensures a long service life. Similar HK barrels on 9 mm P30 models have fired more than 90,000 rounds in endurance tests in 2010. The polygonal bore profile, with no traditional lands-and-grooves rifling, contributes to longer service life as well as a slight increase in

The VP SK's machined steel slide is protected from corrosion and wear by HK's hostile environment finish and all metal components, including springs and pins have superior

Small in size, VP9SK subcompacts have excellent weight and balance making them naturally pointable, easy to control, and accurate to shoot. VP SK models are currently available in 9 mm x 19.

VP9SK pistols are made in Heckler & Koch's Oberndorf factory in southwest Germany and are well suited for civilian sport shooting, personal protection, security, military, and law enforcement use.

A high quality and well-engineered design, the VP9SK possesses all the features and long-term durability that make HK products especially cost-effective when subjected to total life cycle cost analysis. And like full-size VP pistols, the VP9SK is value priced.









VP9SK color frame options include Flat Dark Earth (FDE), Grav. and NATO Green models. Special colorants added to the frame during the molding process enable durable and attractive color options.



The VP9 SK has an abbreviated MIL-STD-1913 rail on the front of the frame and can accommodate many accessory lights, lasers, and aimers — including some designed for large frame pistols.



A variety of magazines and floorplates are available including a flat floorplate magazine (10 round capacity), a hooked floorplate magazine (10 round capacity), and extended magazines (13 round and 15 round capacity) with extended floorplates/magazine sleeves. Ten round magazines (one flat and one hooked floorplate are standard).



disassembled without the need to pull the trigger prior to removing the slide.

A Picatinny rail molded into the front of the frame makes mounting lights, laser aimers, or other accessories easy and convenient. Extensively tested, the P30 Series have already been adopted by several police agencies in Europe and North America. During an independent torture test in 2010, one randomly selected P30 fired more than 90,000 rounds. Excellent weight and balance make all the P30 series pistols naturally pointable, easy to control, and accurate to shoot. The P30 and P30L are both available in 9 mm and .40 S&W, "S models" (P30S and P30LS) have ambidextrous safeties.

,----,

,-----,

P30: Models in caliber 9 mm x 19 or .40 S&W with short slide/ barrel and no external safety. Currently available in following variant and trigger systems: V1 "Light" LEM (Law Enforcement Modification - light trigger pull), V3 DA/SA (Double Action/Single Action)



P30L: Model in caliber 9 mm x 19 or .40 S&W with lengthened slide/barrel. Available in following variants and trigger systems: V1 "Light" LEM (Law Enforcement Modification - light trigger pull), V2 LEM (Law Enforcement Modification), and V3 DA/SA (Double Action/Single Action).



P30S: Models in caliber 9 mm x 19 or .40 S&W with short slide/barrel and ambidextrous external safety levers. Available in following variant/trigger system: V3 DA/SA (Double Action/ Single Action).



P30LS: Models in caliber 9 mm x 19 or .40 S&W with lengthened slide/barrel and ambidextrous external safety levers. Available in following variant/trigger system: V3 DA/SA (Double Action/Single Action).



Cold-hammered barrel ensures long All HK pistol slides Law Enforcement Modification service life and outstanding shooting (LEM) enhanced double action are made from highaccuracy. Polygonal bore profile for strength steel with only model has spurless hammer, increased velocity, easier cleaning, and carbon-nitride "hostile its V1 "light" LEM trigger pull is longer barrel life. environment" finish. approximately 5.4 pounds. Large recurved trigger guard allows shooting when wearing gloves. Ambidextrous magazine release is easily operated using your thumb or index finger without changing the grip position. *N*ARRANT` P30 series pistols use metal magazine for optimal reliable feeding. Capacity: 9 mm = 15 rounds, .40 S&W = 13 rounds.

NOTE: Law enforcement & government models of all HK pistols include tritium night sights, three magazines and are available to civilian shooters.


# TESTED ENDURANCE

One randomly picked P30 9 mm sample fired 91,322 rounds in a 2010 reliability trial conducted by the independent firearms



10 round magazines available

for both calibers.



# P305K (SUBCOMPACT) 9 MM X 19



The subcompact model of the renowned P30 handgun, P30SK (SubKompact) series has all of the sought-after characteristics of the larger frame P30 and P30L pistols but in a more concealable design.

The completely adjustable P30 grip feature — consisting of interchangeable backstraps and lateral grip panels — is replicated in the ultra-compact grip frame of the P3oSK. This allows the pistol to be easily modified to fit to any individual user. dual ambidextrous manual safeties located on the left and right And like its larger frame counterparts, the P3oSK is available

in multiple trigger firing modes including HK's enhanced double action only "Law Enforcement Modification (LEM)." For the P3oSK, the LEM trigger is configured with a "light strike V1" setup — requiring approximately 5.4 pounds-force to pull the trigger.

Other trigger modes include conventional double action/single action (DA/SA) with a serrated decocking button located on the rear of the frame. The DA/SA mode is available with and without side of the frame. Other ambidextrous controls include dual slide

and magazine release levers. Like all P30 pistols, the P30SK features an automatic hammer safety and firing pin safety.

An abbreviated Picatinny rail molded into the front of the frame enables weapon lights, laser aimers, or other accessories to be easily mounted. All P3oSK models have been extensively tested during a three year development process.

Despite their small size, P3oSK subcompacts have excellent weight and balance making them naturally pointable, easy to control, and accurate to shoot; currently available in 9 mm.



P30SK / P30 / P30L SIZE COMPARISON

abbreviated MIL-STD-1913 rail accommodates many

accessory lights, lasers, and aimers - including some

designed for large frame pistols.

P30L models

P30SK models

P30 models

Overall length =6.42 inches (163 mm)

Overall length =7.12 inches (181 mm)

Overall length =7.71 inches (196 mm)

Height = 5.47 inches (138 mm)

Height = 5.47 inches (138 mm)

Height = 4.57 inches (116 mm)

The HK45 Series is one of Heckler & Koch's most advanced pistol more ambidextrous controls. lines and is available as both a full-size and compact model. The HK45 and HK45 Compact were developed as product improvements (Compact) are available in, or can be converted to, a wide variety of the highly-regarded and ultra-reliable HK USP45 and USP45 Compact family of pistols that were introduced in the 1990s.

Many user-inspired enhancements found on the HK45 and HK45 DAO mode uses the unique Heckler & Koch LEM (Law Enforcement Compact are also present on several other Heckler & Koch semiautomatic pistols, including the P30, P30L, P30SK, P2000, and P2000 SK. These features include changeable backstraps, improved By using the modular approach to the internal components Picatinny MIL-STD-1913 accessory rails, better ergonomics, and

Well-suited for personal defense use, the HK45 and HK45C of variants that use different trigger firing modes, including DA/SA (double action/single action) and DAO (double action only). The Modification) firing system for an enhanced and improved double action trigger pull.

first pioneered by HK on the USP, the control lever function of the

HK45 can be switched from the left to the right side of the pistol to accommodate left-handed shooters (additional parts required). Left and right mounted control levers provide safety and/or decocking functions as required and can be fitted to the pistol simply by changing parts. For true ambidextrous use, a control lever can also be mounted on both sides of the pistol if required.

Extensively tested and operationally proven, the HK45 Series is a new paradigm for .45 ACP handgun design and manufacturing.





DA/SA models of the P2000

and P2000 SK have spurred

hammers and serated

decocking buttons.

Large, robust extractor

doubles as a loaded

chamber indicator

Building on the foundation of the Heckler & Koch USP handgun line, the P2000 and P2000 SK (Subcompact) incorporate features of the successful HK USP Compact pistol with more recent innovations of HK

A refinement of a design created for several European police agencies, the P2000 and P2000 SK are available with a traditional double-action/single-action trigger mode and the LEM (Law Enforcement Modification) trigger system first introduced by HK in 2001 on the USP Compact "LEM" model.

The Law Enforcement Modification trigger system combines the advantages of a cocked striker component (constant level of trigger pull from first to last round fired) with a double-action hammer system.

Using such an enhanced trigger system consolidates ease of use and safety into a convenient, innovative trigger operation—one that reduces the chance of unintended firing.

And in case of an ammunition-related failure to fire, all that is needed is an additional second or third squeeze of the trigger without the need of first pulling the slide back to recock the pistol.

The enhanced Law Enforcement Modification trigger system combines the reliability of a double action revolver trigger with the crisp trigger of a single action

On variants using the conventional double-action/ single-action (DA/SA) mode of operation, an easy to access, ambidextrous decocking button is mounted on the left, rear portion of the frame.

It allows the shooter to safely lower the hammer from the cocked single-action position to the uncocked double-action position. The DA/SA variants of the P2000 and P2000 SK are readily identifiable by the presence of the serrated decocking button and spurred

A set of simple-to-install modular grip inserts allow all P2000/P2000 SK models to be custom-fitted to any shooter's hand.

An ambidextrous magazine release and dual slide release levers make handling P2000 Series pistols natural and easy for right and left-handed shooters alike. The addition of "industry standard" mounting rails to the P2000 and P2000 SK allows the widest variety of lights, aimers, and accessories to be added by sliding them onto the open rail system. The P2000 uses widely available, reliable USP Compact metal magazines. The same magazines fit the P2000 SK for added firepower. Available in .40 S&W and 9 mm.



Exchangeable grip panels (back straps) accommodate a wide variety of hand sizes and shooting grips.









# HK PISTOLS PASS THE TOUGHEST TEST

The P2000, P2000 SK, and the USP Compact LEM were subjected to the most punishing pistol evaluation to date by the Department of Homeland Security's Immigration and Customs Enforcement branch. The evaluation was performed with the most potent ammunition loads for three calibers (9 mm. .40 S&W and .357 SIG). After three million rounds were fired, HK finished ahead of five other competing manufacturers, earning a "Superior" technical rating, On August 20, 2004. HK was awarded the largest pistol contract in U.S. law enforcement history. Five months later, US Customs and Border Protection (CBP), the largest U.S. federal law enforcement agency, officially adopted the P2000 pistol in .40 S&W, replacing both legacy Glock 17s and Beretta 96Ds.

Choice of conventional DA/SA or LEM trigger mode on the P2000 and P2000 SK. Double action/single action variant of the P2000 and P2000 SK is readily identifiable by the presence of the serrated button and spurred hammer (left pistol, below), LEM (enhanced DAO) model appears on the right.

P2000 has recurved trigger

guard for grip support, P2000

SK has tappered trigger guard

for maximum concealability.

the industry standard. These robust

sight blades can be inserted.



open rail system.

Three dot sights are standard on P2000 and P2000 SK models. Three dot sights were originally developed by HK in the 1970s and have proven their utility for quick target acquisition. Optional tritium sights are also available.

Uses three dots sights first originated No snag, bobbed by Heckler & Koch on P7pistols and now hammer for effective concealment • sights are drift adjustable for windage; for elevation adjustable various height "Variant 2" LEM (Law Enforcement Modification) enhanced double action trigger pull of 7.3 pounds. Also available in conventional double action/single action trigger mode with decocking button located on the back of the slide. Exchangeable backstraps; -P2000 SK comes with HK paddle-style medium and large sizes ambidextrous slide release levers All P2000 and P2000 SK pistols have the HK patented Lock-Out Safety Device installed. Together with the P30SK, the P2000SK are HK's smallest pistols. Available in full power .40 S&W and 9 mm x 19 chamberings, shown above with flat floorplate for optimal concealment. P2000 SK can also use high capacity USP Compact magazines and new P30SK/VPSK 13- and 15-round magazines with grip sleeves. Ambidextrous slide release levers

Metal magazine with extended

rubber-padded floorplate. P2000 SK .

magazine capacities: .40 S&W and

.357 (9-rounds), 9 mm (10-rounds)

An abbreviated pair of industry standard mounting rails allow lights, aimers, and other accessories to be installed by sliding them onto the

**PISTOLS** 

.....

# USP & USP COMPACT 9 MM X 19/.40 S&W/.45 ACP


The HK USP (Universal Self-loading Pistol) was the first Heckler & Koch pistol designed especially for American shooters. Features favored by the U.S. military, law enforcement agencies, and civilian users provided the design criteria for the USP. Its controls are uniquely American, influenced by such famous designs as the Model 1911 pistol.

The control lever, a combination safety and/or decocking lever, is frame mounted and quickly accessible. Using a modified Browning-type action with a special patented recoil reduction system, the USP is built to take the punishment of the most powerful SAAMI specification loads. The recoil reduction system lessens recoil effects on pistol components and also lowers the recoil forces felt by the shooter. The USP recoil reduction system is insensitive to ammunition types and requires no special adjustment or maintenance. It functions effectively in all USP models.

By using a modular approach to the internal components, the control lever function of the USP can be switched from the left to the right side of the pistol for left-handed shooters. The USP can also be converted from one type of trigger firing mode to a variety of others. This includes combination double-action and single-action (DA/SA) modes with a manual safety and decocking function, double action only (DAO) modes, including the HK proprietary LEM (Law Enforcement Modification) enhanced trigger system, and even double action/single action modes with no manual safety, as well as single action modes. Such a modular system allows individual tailoring of safety and trigger mechanisms to suit any requirement and any shooter.

The USP is available in both full-size frame and compact models with nine trigger/ firing mode configurations and three major calibers—.45 ACP, .40 S&W, and 9 mm. The first HK pistols covered by Heckler & Koch's Lifetime Warranty, USP and USP Compacts are truly universal pistols — simple to operate, easy to maintain, extremely reliable, and

Developed in parallel with the USP in the early 1990s, the HK Mark 23 was originally designed for the U.S. military's Special Operations Command. It has the unique distinction of being the only .45 ACP pistol to enter American military service since the









magazines

Polygonal barrel increases muzzle velocity and service One-piece machined steel slide The frame mounted Mark 23 decocking lever life, while reducing bore fouling, and eases cleaning. An protected by HK's proprietary is separate from the ambidextrous safety lever O-ring ensures optimal slide-to-barrel lockup for superior Hostile Environment coating that and allows the hammer to be lowered quietly accuracy. Threaded barrel pitch = 16 x 1 Right Hand prevents surface corrosion. and safely from the single action position. The HSP-type mechanica Molded into the frame are special accessory recoil reduction system grooves for attaching a reduces recoil forces to the shooter and pistol light or laser aimer. components by as much MARK 23 .45 ACP ring U.S. military testing, Mark 23 stols met the most stringent operational a combat handgun. Endurance testing nstrated a service life of over 30,000

# USP/USP COMPACT TRIGGER FIRING MODE AND SAFETY SYSTEMS CHARACTERISTICS (ALSO HK45 & HK45 COMPACT)

Variants ¦	Trigger system <sup>1</sup>	Trigger pull (Po	und-Force/Newtons )	Trigger travel	(mm approx.)	Control Lever/Safety <sup>4</sup>			
		SA	DA	SA²	DA <sup>3</sup>				
V1	DA/SA	4.5/20	11.2/50	7	14	S, D (L)			
V2	DA/SA	4.5/20	11.2/50	7	14	S, D (R)			
V3	DA/SA	4.5/20	11.2/50	7	14	D (L)			
V4	DA/SA	4.5/20	11.2/50	7	14	D (R)			
V5	DAO	-	11.2/50	-	14	S (L)			
V6	DAO	-	11.2/50	-	14	S (R)			
V7	LEM (enhanced DAO)	-	8 / 36	-	14	-			
V9	DA/SA	4.5/20	11.2/50	7	14	S (L)			
V10	DA/SA	4.5/20	11.2/50	7	14	S (R)			

DA = Double Action, SA = Single Action, DAO = Double Action Only / Single Action / Double Action / S = Safety, D = Decocking, (L) = Located on left, (R) = Located on right NOTE: Variant 8 is a U.S. government test variant and is essentially the same as V7.



USP TACTICAL BARREL THREAD PITCH

9 mm = 13.5 x 1 Left Hand .40 S&W = 14.5 x 1 Left Hand .45 ACP = 16 x 1 Left Hand

Single fire trigger/pistol grip

mechanism is similar to those

available for the MP5

Adjustable rear sight.





SP5K handguard functions

as a flash protector

Like all HK-made firearms, the SP5K is covered by a limited lifetime warranty for commercial customers. Sales to law enforce met and military users have a one year warranty.



MP5K STYLING AND HK QUALITY The semi-automatic SP5K captures the look and feel of the famous MP5K submachine gun.



SP5K CARRYING SLING The SP5K is equipped with an elastic "bungee" sling. The sling is easily installed on the receiver and makes firing the SP5K more stable and less

The new SP5K was developed by Heckler & Koch as a semiautomatic, civilian sporting pistol (hence the "SP" prefix) that matches the look and feel of the famous MP5K submachine gun.

The SP5K is designed and manufactured to meet the definition of "bungee" sling. The sling is easily installed by snapping it onto the a civilian pistol and marks the return of the roller delayed blowback sling swivel hardware located on the rear of the receiver. Using the system to an HK commercial product. This operating system is legendary in its accuracy and reliability. Originally developed on the Heckler & Koch G<sub>3</sub> rifle, it has been used on several HK firearms.

The SP5K retains many of the critical features of the MP5, including its precision machined components and attention-todetail quality. The SP5K is manufactured completely in Heckler & Koch's Oberndorf factory in southwest Germany.

The SP5K is a safe, robust, ergonomic large frame handgun. For more comfortable shooting, the SP5K is equipped with an elastic sling makes firing the SP5K more stable and reduces fatigue.

The overall length of the SP5K is approximately 14 inches slightly longer than an MP5K — due to its unique handguard. The SP5K handguard is designed with special ergonomic and safety features to protect the shooter's hand and provide a comfortable and stable grip.

Despite its size, the SP5K is well-suited for sporting use. Using the proven roller delayed blowback system; the SP5K's inherent accuracy makes it an excellent choice for target shooting and an ideal home security arm.

fatiguing.

And a wide variety of accessories can be added to increase its functionality. A Picatinny rail scope mount is attached to the upper receiver and allows for optional sights to be easily mounted.

Covered by Heckler & Koch's limited lifetime warranty, the HK SP5K is a faithful rendering of the iconic MP5K as a semi-automatic pistol.

MP5K TYPE SIGHTS

The SP5K is equipped with the same adjustable sighting system used on the selective fire MP5K.



INTEGRAL SCOPE MOUNT A Picatinny rail scope mount is included for the easy mounting of optics and accessories.



SPARE MAGAZINES 30-round, 15-round, and compact 10-round magazine

WATER RESISTANT AND DURABLE CASE

# The SP5K comes ready for action in its own hard shell case - manufactured to meet or

The SP5K uses the same recoil operated, roller delayed blowback system found on all MP5 models — famous for its reliability, accuracy, and safe functioning. Reports from MP5 users have some variants firing ten of thousands of rounds without any critical failures.

HK 10-round magazine

locking cocking

Mounting platforms manufactured

and accessories. (SP5K shown with

into the upper receiver for scopes

standard scope mount removed)



# UNCOMPLICATED MODULARITY

Ambidextrous selector lever with

pictographical symbols for "FIRE"

and "SAFE"

Like the MP5K, the SP5K fieldstrips into six basic assembly groups with the removal of a locking pins — making cleaning and maintenance quick and uncomplicated.









Thumb indentation on protective

handguard. The SP5K handguard

is engineered to keep fingers

safely away from the muzzle

during firing.

DELAYED ROLLER BLOWBACK SYSTEM

Anti-slip ridges on handguard

9 MM X 19

.....

# MR556A1 COMPETITON MODEL 5.56 MM X 45 NATO



ike the HK416, the MR556A1 natches the performance nd durability of its famous selective fire counterpart and s proven in all conditions... sand, mud, snow, and water.

For precision shooting, the six positon, adjustable MR buttstock can be tightlend and locked in place using an HK supplied tool.

The HK adjustable buttstock has a storage compartment for extra batteries and other mission essential gear.

HK large palm swell target grip with storage compartment for optimum shooting. Other accessory HK pistol grips available for custom fit. MR rifles can also accommodate standard grips made for M16/M4/ AR15 type rifles.

WARR ANT'

Ambidextrous safety/selector

lever. Unlike other AR-style rifles,

HK MRs can be placed on "SAFE"

even when the rifle is uncocked.

widest variety of 5.56 x 45 mm and Caliber .223 Remington Equipped with rugged, cartridges adjustable TROY micro sights.

Rail System) handguard. MR Series rifles can use either the same Free Floating Rail System as the 5.56 mm chambe HK416/417 or the MRS. Both ensure the barrel handles the does not come in contact with the handguard and accuracy is unaffected by accessories mounted on the rails. Even after the these handguard are removed and reinstalled, no re-zeroing of sights is required

The HK-proprietary gas piston operating system prevents propellant gases and carbon fouling from entering into the receiver area, increasing the reliability of the rifle. The same . identical operating system is used on the selective fire HK416 and HK417.



Cutaway view of MR556A1/HK416 operating system. Like the HK416, a piston driven operating system is the key to the reliability of the MR556A1.

"HK416 geometry" magazine well for reliable function -works with a variety of magazines including aluminum U.S.

Shown with the ergonomic profile MRS (Modular

5 56 MM

10, 20, and 30-round steel HK magazines available. A lightweight 30-round HK polymer magazine is also available.

MIL-SPEC and polymer EMAGs.

HK proprietary "keyhole" attachment system for



accessory Picatinny rails

MR Series rifles are manufactured in the USA of the highest quality American and German made components.

6.5 inch cold hammer-forged barrel made of unlined cannon grade steel.



The MR556A1 uses a wide assortment of accessories that fit the HK416 and other AR-type arms, including grips, buttstocks, sights, and magazines. To purchase HK accessories, visit www.hk-usa.com.

A direct descendant of the HK416, the MR556A1 is a semi-automatic rifle developed by Heckler & Koch as a premium level commercial/civilian firearm with match rifle capability. Like the selective fire HK416 and M27 IAR, the MR556A1 is a major product improvement over conventional AR-type rifles.

The MR556A1 uses the HK proprietary gas piston operating system, employing a piston and a solid operating "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms.

This method of operation virtually eliminates malfunctions that are common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. This is the same key feature critical to the success of the HK416 rifles used by leading military and law enforcement customers.

The MR556A1 is assembled in the USA using American and German made components and uses many of the same assemblies and accessories originally developed for the HK416.

Used with the either the HK Modular Rail System (MRS) or the Free Floating Rail System (FFRS), the barrel does not touch the handguard, ensuring the barrel/handguard relationship is truly free-floating for maximum accuracy. The MRS handguard was added in 2015 and has many of the features found on the FFRS but with a more ergonomic design.

The HK Free Floating Rail System (FFRS) handguard has four MIL-STD-1913 a 1 in 7 inch (178 mm) twist. It is also moderately "swagged" with a slightly Picatinny rails and allows all current accessories, sights, lights, and aimers used on M<sub>4</sub>/M<sub>16</sub>-type arms to be fitted to the MR Series. Both HK rail system handguards can be installed and removed with simple tools and return to zero when reinstalled

The MR556A1 also has a Picantinny rail machined into the top of its upper receiver for mounting optics and mechanical sights. Unlike earlier prototypes, major subassemblies, including the MR556A1 upper receiver/ barrel assembly, are fully interchangeable with other high quality AR-style firearms. MR556A1 upper receiver kits can be used to retrofit competing legacy AR systems.

Like the famous HK416, the MR556A1 uses a German-made barrel produced by Heckler & Koch's famous cold hammer-forging process. The highest quality steel is used in this unique manufacturing process producing a barrel that provides superior accuracy and long service life.

But unlike the HK416, the MR556A1 does not use a chrome-lined barrel. Chrome-lining can sometimes mask bore imperfections and negatively affect accuracy. For the new series of Heckler & Koch semi-automatic MR rifles, HK designers and engineers believe best accuracy comes with an unlined bore.

The unchromed barrel has an internal profile of 6 lands and grooves with

smaller internal diameter at the muzzle end than the chamber end. This feature has a positive effect on bullet accuracy and velocity. The thick, heavy contour 16.5-inch MR556A1 barrel also contributes to its excellent accuracy. A precise, enhanced two-stage trigger adds significantly to the accuracy

of the MR556A1 and an extended latch charging handle makes operating the rifle with a telescopic sight easier. The retractable buttstock can be locked into a solid, non-moving position by tightening an Allen screw in the bottom of the stock. Special target rifle takedown pins ensure the upper and lower receivers are firmly mated for accurate performance.

Designed to function with a wide variety of high quality 5.56 x 45 mm ammunition, the MR556A1 uses a C.I.P. dimensioned chamber (a chamber with dimensions specified by the Commission Internationale Permanente). The MR556A1 also functions reliably with most quality Caliber .223 Rem.

The MR556A1 is being produced with the same commitment to quality as German-made HK firearms. By using joint U.S./German manufacturing. Heckler & Koch leverages the relative strengths of two continents to make the preeminent AR-type firearm, combining the designs innovations of the USA and Germany into one product.

Using the HK MR556A1 as the platform to build a competitive rifle -and with input from many competitive shooters — the Heckler & Koch Competition Model was developed for both casual shooters and the most demanding competitor. Ideal for 3 gun matches — the Competition Model adds the most critical fundamental enhancements to the standard MR rifle.

Foremost among these additions are the new 14-inch Modular Rail System (MRS). Lightweight and easy to customize, the MRS allows sections of accessory rails to be added by the shooter where desired and presenting a more ergonomic and comfortable handguard surface when compared to rectangular full rail systems.

The extended length 14-inch MRS does not touch the barrel, preserving the "free-floating" barrel-to-handguard feature favored by competitive shooters and present in all MR rifles. An extended magazine release is also included for quick magazine changes.

An innovative compensator by Operator Suppressor Systems Inc. (OSS) replaces the standard MR flash hider. OSS is a leader in the development and manufacturing of sound and flash suppression and uses technologies originated in those fields to create a unique and highly effective

The standard MR stock is replaced by a MAGPUL CTR buttstock: easy to adjust, the CTR stock moves smoothly on the receiver extension and locks securely in position. Profile and weight make this buttstock ideal for competitive shooters.

All other standard features of the MR556A1 are retained on the MR556A1 Competition model — including a German-made long service barrel produced by Heckler & Koch's famous cold hammer-forging technology and

HK's famous piston operating system.

Found on HK arms like the G<sub>3</sub>6, HK<sub>4</sub>16 and the M<sub>2</sub>7 IAR, this system uses a gas piston and pusher rod in place of the more common hollow gas tube normally employed in "direct impingement" AR-style rifles.

The HK system improves reliability and reduces operator cleaning and maintenance as literally no carbon fouling or propellant gases are directed back into the weapon beyond the gas cylinder located above the barrel.

The Competition model is being produced in the USA, using joint U.S./ German manufacturing capabilities and components — combining the design innovations of the USA and Germany into a superior product. And it's covered by the Heckler & Koch Lifetime Warranty.







IDEAL COMPETITION RIFLE blends the HK MR566A1's legendary reliability and accuracy with the improved ergonomics of a rounded contour long handguard, adjustable MAGPUL buttstock, high performance OSS compensator, and enlarged nagazine release



Like its 5.56 mm counterpart, the MR762A1 is a direct descendant of the HK416/417 series, only in a semi-automatic rifle configuration developed for civilian users.

Using the HK-proprietary operating system, the MR762A1 is gas process uses the highest quality steel, producing a barrel operated and uses a piston and a solid operating "pusher" rod in that ensures superior accuracy, even after firing thousands of place of the common gas tube normally employed in AR15/M16/ M<sub>4</sub>-style weapons.

Pioneered by Heckler & Koch in the G36. HK416, and HK417: this method virtually eliminates malfunctions common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. The MR762A1 stays cleaner, reducing heat transfer to the bolt and bolt carrier, and drastically reducing wear and tear on other critical components. The service with MIL-STD-1913 "Picatinny" type rail capabilities allowing

life of all parts is increased substantially.

The MR762A1 uses a barrel produced by Heckler & Koch's famous cold hammer-forging process. This manufacturing rounds. The MR762A1 is produced at Heckler & Koch's American manufacturing facilities from both American and German-made

The MR762A1 uses many of the assemblies and accessories originally developed for the HK416/417 series including adjustable buttstocks, ergonomic pistol grips, mechanical sights, and handguards. All of the HK handguards are free-floating

accessories, sights, lights, and aimers used on M4/M16-type weapons to be fitted to the MR series. HK rail systems can be removed without special tools by the user and ensure 100% return to zero when reinstalled.

Ambidextrous operating controls are standard on the MR762A1, including a convertible charging handle and an ambidextrous selector lever. The MR762A1 uses the same 10- and 20-round translucent polymer box magazines made for the HK417: a 5-round magazine is also under development.

MR762A1 rifles are well-suited for a variety of applications including law enforcement tactical, police patrol, and general sport shooting. For hunting use, low capacity magazines are





Taking an essentially standard MR762A1 (caliber 7.62 x 51 mm NATO) semi-automatic rifle, Heckler & Koch turns it into a more effective precision rifle by an astute addition of the right optics and accessories. This "MOD 2" variant adds a streamlined handguard and HK pistol grip for greater functionality.

System (CSASS) in 2016.

MR762A1 Long Rifle Package (LRP) is a standard MR762A1 rifle with the addition of essential precision marksman

accessories. An enhanced version of the MR762A1 was adopted as the U.S. Army's Compact Semi-automatic Sniper

A Leupold 3-9 x 40 mm VX-R Patrol scope and mount, HK G28 adjustable cheekpiece buttstock, and LaRue Tactical BRM-S bipod are the primary add-ons that make the MR762A1 Long Rifle Package (LRP) more than a sum of its parts.

A semi-automatic rifle originally developed from the fully automatic HK417, the MR762A1 LRP employs the same HK proprietary gas piston operating system found on current HK rifles and carbines, using a "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms.

are common to direct impingement gas systems since hot carbon same key feature critical to the success of the current generation of HK rifles used by leading military and law enforcement

WARRANTY

The Long Rifle Package (LRP) comes

case with critical accessories.

ready-to-use in a Pelican Model 1720

The MR762A1 LRP uses a barrel produced by Heckler & Koch's famous cold hammer-forging process. The highest quality steel is used in this manufacturing method, producing a long-life barrel that provides superior performance with minimal degradation of accuracy and muzzle velocity after prolonged use. The barrels are manufactured in Germany and finished in the USA.

The MR762A1 used in the "Long Rifle Package" is being produced with the same commitment to quality as German-made series of precision rifles.

This method of operation virtually eliminates malfunctions that HK firearms. By using joint American and German manufacturing, Heckler & Koch leverages the relative strengths of two continents fouling and waste gases do not enter the receiver area. This is the to make the preeminent AR-type firearms, combining the design innovations of the USA and Germany into superior products.

Additional accessories in the Long Rifle Package include an OTIS cleaning kit, HK multi-tool, and the same Blue Force Gear sling used on the HK M27 IAR supplied to the USMC.

The rifle package, complete with one 20 and one 10-round magazine is shipped ready to use with the scope attached in a compact 42-inch Model 1720 Pelican case.

The MR762A1 LRP has all the features sought by civilian precision shooters as well as law enforcement organizations seeking a more basic and lighter weight alternative to the HK G28

**SUBMACHINE GUNS** Military/Law Enforcement

Developed by Heckler & Koch in the mid-1960s, the 9 mm system found on the famous HK G3 automatic rifle. Reliability, accuracy, ease of handling, simple maintenance, and safety all the elements of HK excellence are highlighted on the MP5. Firing from the closed-bolt position in all modes of fire make MP5 submachine guns extremely accurate and controllable. All HK MP5 models are manufactured using time-tested Heckler law enforcement users.

& Koch technological invocation and superior materials. Barrels MP5 submachine gun uses the same delayed blowback operating are made using cold hammer forging, a process pioneered and perfected by HK. Machined and stamped high strength steel and modern polymers make up the rest of the MP5. Continual product improvements over nearly 50 years of production have kept the MP5 up-to-date and technologically current; it is firmly established accessories gives the MP5 extraordinary flexibility to meet most as the world's pre-eminent submachine gun among military and any mission requirement.

Over 120 MP5 variants are available to address the widest range of tactical requirements. A selection of optional trigger groups allow for single fire only, full automatic, 2-round, and 3-round burst options. The weapon's unique modular design and a variety of optional buttstocks, forearms, sight mounts, and other



magazine release


paddle (below)





MP5K-PDW GERMAN FOLDING STOCK HK-USA MP5K-PDW models are normally kitted with Choate Machine & Tool buttstocks, Light weight UMP-type folding buttstock are available by special order.







#### MP5 MID LIFE IMPROVEMENT (MLI)

MP5 MLI has an "HKey" accessory rail handguard and scope mount rail as well as the same modular design features and components that allow any basic MP5 to be easily re-configured into a multitude of variants by simple swapping of buttstocks, trigger mechanisms, forearms, and adding other accessories like suppressors, optics, lights, and laser aimers. Available in European RAL8000 (brown/ green) color scheme or conventional black finish.

SUBMACHINE GUNS **UMP** 9 MM X 19 / .40 S&W / .45ACP Military/Law Enforcement


A truly modern submachine gun, the UMP is made using the latest in advanced polymers and high-tech materials. Available in 9 mm and also chambered for more powerful cartridges (.45 ACP and .40 S&W), the UMP is a cost-effective, state-of-the-art weapon that offers the advantages of a simple operating system, lightweight, low cost, uncompromising reliability, and modularity.


Like all HK submachine guns, the UMP fires from the closed bolt position for accuracy and safe handling.

Available as a select-fire submachine gun or semi-automatic only carbine, the HK UMP (Universal Machine Pistol) was designed with American law enforcement and military units in mind, as it includes a bolt catch feature to hold the bolt rearward when last round is fired.

The UMP can also be converted from between its three calibers (.45 ACP, .40 S&W, and 9 mm) simply by exchanging barrel, bolt, and magazine assemblies.

> All UMP have passive internal firing pin • blocks within the bolt that prevents the weapon from firing if dropped.







FLEXIBLE AND ADAPTABLE A large selection of accessories are available for the UMP and by exchanging a few key components, UMPs can be converted between calibers.



**RUGGED SIMPLICITY** The UMP uses a simple blowback operating system encased inside an advanced polymer receiver ensuring reliable and safe functioning.



**UNCOMPLICATED MODULARITY** The UMP fieldstrips into basic assembly groups with the removal of a single locking pin, making cleaning and maintenance fast and simple.



PERSONAL DEFENSE WEAPON MP7A1 4.6 MM X 30 Military/Law Enforcement

Smaller than a conventional submachine gun, the 4.6 mm MP7 A1 is a compact and lightweight Personal Defense Weapon that can be carried like a handgun yet is capable of rifle-like effectiveness.

The HK-developed 4.6 mm x 30 ammunition provides the penetration approaching that of an assault rifle round and is able less than 2 inches. to defeat the types of body armor frequently found in the hands of terrorists and criminal gangs, in particular that of the former Soviet Bloc special forces, now the standard NATO test target (CRISAT).

developed a Personal Defense Weapon system that will penetrate needed. The weapon can be field stripped in seconds without the CRISAT vest, comprised of 1.6 mm titanium plates and 20 layers of Kevlar, out to 200 meters and beyond.

Adopted and fielded by several of the world's leading special operations units, the gas-operated MP7 A1 fires from the closed the HK G<sub>3</sub>6 assault rifle to contain the powerful 4.6 mm cartridge.

The MP7 A1 handles like a pistol yet allows targets to be engaged like a rifle. With its 7-inch barrel, the HK MP7 A1 is capable of firing 10-shot semiautomatic groups at 45 meters of

Unlike competing designs, the handgun-like appearance, fully ambidextrous design, and intuitive controls of the MP7 A1 ensures immediate acceptance by all users.

The MP7 A1 is manufactured predominantly of carbon fiber In response to the NATO PDW requirement document D29, HK reinforced polymer with embedded metal components where tools and requires little cleaning due to its unique gas system.

> The lethal 4.6 mm x 30 cartridge produces minimal felt recoil (50% of a 9 mm NATO round) — assuring that multiple hits are easily obtainable in all modes of fire — incapacitating the target

bolt position, using a rotary locking bolt system similar to that of through penetration and permanent tissue destruction.

The MP7 A1 is fitted with a removable full length MIL-STD-1913 (Picatinny) rail on the top of the receiver for mounting a variety of optional targeting devices. Optional forearm rails are also available.

Standard folding mechanical peep sights can be fitted to the top rail or optional reflex, holographic, and other advanced sights can be attached in seconds without tools. Advanced optics like reflex (red dot sights) and holographic sights make aiming and target acquisition easy and intuitive whether the weapon is fired from the shoulder or at arms length like a handgun.

Special carrying devices are available for overt and discreet carry of the MP7 A1. Due to its lightweight, small size and minimal width the MP7 A1 is especially suitable for VIP protection details, pilots, drivers, guards, and support personnel who require handsfree carry of their defensive weapon while performing other tasks.








MP7A1 size comparison...smaller than a submachine gun and only slightly larger than a conventional handgun.



4.6 x 30 mm Ammunition

A variety of cartridges are available from several ammunition manufacturers\* for the MP7A1, including steel, full metal jacket, action, blank, training, and drill rounds. \*RUAG, Fiocchi, L-Tech, Liberty



A 4.6mm steel ball round will penetrate a CRISAT target (the equivalent of a Soviet special forces bullet-proof vest) at 200 meters. Other ammunition options available when over-penetration is a concern.



The size of the MP7A1 make it ideal for air crew, drivers, and support personnel.



Kevlar helmet penetration at 200 meters. The same 4.6 mm cartridge easily passes through automobile windshields with minimal deflection.



Carry options include concealed carry rigs. multi-purpose or elastic slings, and thigh holsters.

SELECTIVE FIRE RIFLES & CARBINES HK416 5.56 MM X 45 Military/Law Enforcement

......

The HK416 was developed by Heckler & Koch for US special operations forces as a major product improvement of M<sub>4</sub>/ M16-type carbines and rifles. Using the HK-proprietary gas piston system found on the G<sub>3</sub>6, the HK<sub>4</sub>16 does not introduce propellant gases and carbon fouling back into the weapon's interior, making it the most reliable of any M4/M16 type weapon.

The HK416 has been combat-proven in Southwest Asia and has designed by HK allows all current accessories, sights, lights, and also gained worldwide attention of military, law enforcement, and security users. In April 2007, the HK416 was selected as the new This HK rail system can be installed and removed without tools. Norwegian Army rifle.

In 2011, a variant of the HK416 was selected by the U.S. Marine Corps an their new M27 Infantry Automatic Rifle (IAR) in an propellant gases and the associated carbon fouling from entering innovative program to create a highly accurate, lightweight, and more reliable alternative to many of their currently fielded light machine guns.

The origins of the HK416 began with the realization of the deficiencies of the direct gas impingement (gas tube) operating system found on conventional M4/M16-style weapons.

video assessment, and extensive live-fire testing in extreme operational environments such as the U.S. Army Desert Proving Ground in Yuma, Arizona revealed multiple areas for weapon

improvement.

Upgrades were made to the internal operating system and various component parts, improving reliability in best and worse case scenarios, with all types of ammunition, with all barrel lengths, and with and without sound suppressors attached.

An innovative free-floating 4-quadrant rail system/handguard aimers used on M4/M16-type weapons to be fitted to the HK416.

The HK-proprietary gas system uses a piston driving an operating rod to control the function of the bolt, preventing the weapon's interior.

This increases the reliability of the weapon and extends the interval between stoppages. It also reduces operator cleaning time, heat transfer to the bolt and bolt carrier, and wear and tear

The HK416 uses a barrel produced by Heckler & Koch's famous for blank firing only. Input from the users of current M4/M16-type arms, high-speed cold hammer forging process; further improving reliability, service life, and operator safety during obstructed bore occurrences or in extreme extended firing sessions.

The highest quality steel is used in this unique manufacturing

process producing a barrel that provides superior accuracy for more than 20,000 rounds with minimal degradation of accuracy and muzzle velocity. HK416 variants are available with 10.4, 14.5, 16.5, and 20 inch (264, 368, 419, 508 mm) barrels.

.....

Some HK416 variants also have "OTB" (over-the-beach) capability and can be safely fired after being submerged in water and not completely drained.

In addition to the improvements in the baseline weapon, HK has produced corrosion resistant steel and polymer magazines as well as a proprietary buffer system to further enhance functional

An HK add-on 40 x 46 mm grenade launcher module can also be quickly attached to the rail system without tools.

For training, the proven and fielded HK Safety Blank Firing Attachment and Live Round Excluder kit can be used with all HK416 variants, eliminating the possibility of live rounds being loaded into and fired through a standard issue weapon outfitted

As the leading AR-based piston driven weapon system, the HK416 is unsurpassed in durability, safety, and accuracy. It is also the most cost-effective AR type weapon when viewed through total life cycle analysis.









**SELECTIVE FIRE RIFLES & CARBINES** HK416 A5 5.56 MM X 45 Military/Law Enforcement

As an advanced, product improved variant of the internationally acclaimed HK416 weapon system, the "A5" has several critical advantages over competing 5.56 mm M4/M16/AR systems as well as earlier versions of the HK416.

Foremost is a two-stage gas system that can be adjusted without tools. Using the HK-proprietary gas piston system found on the G<sub>3</sub>6, the A5, like all HK416 models, does not introduce propellant gases and carbon fouling back into the weapon's interior. This makes it much more shortened, radiused threaded surface area where the upper receiver reliable than conventional M4/M16 type weapons using a direct gas impingement operating system.

Modest design changes in the A5 lower receiver increase overall reliability and ambidextrous handling. Dual safety/selectors, magazine releases, and bolt catch release controls are found on both sides of the HK416 A5's lower receiver.

The HK416 A5 departs from the traditional black color found on many weapon with a green-brown RAL8000 color scheme being available. Similar to the American "flat dark earth" color, RAL8000 has special low IR observable properties and is camouflaged for many environments. Conventional black finishes are also available.

The A5 adjustable gas system can be manipulated without tools and has two settings, "N" for normal use and "S" for use with sound suppressors. The HK416 A5 is well suited for use with a wide variety of high quality sound suppressors and was extensively tested with the B&T Rotex V. The test included a 15,000 round durability test followed by firing 5,000 rounds with a Rotex V suppressor attached. The A5 successfully fired the full 20,000 rounds without any parts breakage.

The barrel-to-gas block fit has been modified for reduced gas slip and the barrel interface into the upper receiver has also been redesigned along the lines of the Heckler & Koch 7.62 mm HK417, leading to increased overall durability.

The strengthened upper receiver of the HK416 A5 includes a is attached to the barrel and a protective shoulder to shield the bolt release button from inadvertent activation. The upper receiver's Picatinny (MIL-SPEC-1913) rail has been extended slightly to enable sights to be mounted further to the rear.

Changes in the upper receiver takedown pin locking surface minimizes play between the upper and lower receiver. The interface between the A5 upper receiver and the free floating rail system/ handguard has also been changed with an additional assembly reference slot being added to ensure more precise alignment in the Picatinny rail surfaces.

The most prominent and obvious changes are found on the A5's redesigned lower receiver. Innovative and unique ambidextrous magazine releases and bolt catch release controls are present on both sides of the lower receiver.

This feature is found on few M4/M16 type weapons and makes the HK416 A5 truly ergonomic and ambidextrous in all of its controls. An

enlarged winter trigger guard has a rounded trigger guard bar added for use with heavy gloves and the extended HK417-style castle nut on the receiver extension means greater strength and reliability.

.....

On the 14.5, 16.5, and 20-inch barrel models, a front sight adaptor allows a flip-up front sight to be attached directly to the barrel for greater accuracy. To accommodate the new, adjustable gas system, the short length A5 carbine model is equipped with an 11-inch barrel.

All of the A5 variants still have the highly regarded, existing features of found on earlier, combat-proven models of the HK416.


The HK416 uses a barrel produced by Heckler & Koch's famous cold hammer forging process; further improving reliability, service life, and operator safety during obstructed bore occurrences or in extreme extended firing sessions.

The highest quality steel is used in this unique manufacturing process producing a barrel that provides superior accuracy after firing thousands of rounds with minimal degradation of accuracy and muzzle velocity. The A5 has HK's famous "OTB" (over-the-beach) capability and can be safely fired after being submerged in water and not completely

As the leading AR-based weapon system, the HK416 is unsurpassed in durability, safety, and accuracy. It is also the most cost-effective AR type weapon when viewed through total life cycle analysis.

HK416 A5 11-inch and 14.5-inch barrel models are available from HK-USA.





HK 30 round translucent

polymer magazine

**SELECTIVE FIRE RIFLES & CARBINES G36** 5.56 MM X 45 Military/Law Enforcement

.....





32

**SELECTIVE FIRE RIFLES & CARBINES** HK417 A2 7.62 MM X 51 Military/Law Enforcement

......

The HK417 A2 is an enhanced development of the tried-and-tested 7.62 mm x 51 HK417 assault rifle. The original HK417 was designed as a Commercial-Off-The-Shelf (COTS) alternative to 7.62 x 51 mm semi-automatic and select-fire rifles, carbines, and sniper rifle systems.

As the .30 caliber "big brother" to the combat proven 5.56 mm HK416, the HK417 shares similar operating control locations, assembly/disassembly, and appearance to current issue M16/M4-type weapons resulting in an immediate transfer of learned skills and "muscle memory" critical to proficient marksmanship and operation in high stress environments.

The A2 version of the HK417 adds important product improvements and new features to the original HK417 — including fully ambidextrous controls.

Available with three different barrel lengths, the HK417 A2 is gas operated and uses a gas piston and a solid operating "pusher" rod in place of the hollow gas tube normally employed in competing direct impingement AR-type weapons. And the piston-driven HK417 A2 gas system can be easily adjusted without tools. The A2 adjustable gas system also makes the weapon less sensitive to ammunition and barrel length changes, or when sound suppressors weights ranges from 125 to over 175 grains without a single parts failure or

Pioneered by Heckler & Koch in the G<sub>3</sub>6 and HK<sub>4</sub>16, the HK piston driven system of operation virtually eliminates malfunctions that are common to direct HK's famous proprietary cold-hammer forging process. The standard, hardened impingement gas systems. With the HK operating system, no hot carbon fouling chrome-lined barrel is available in 13-inch or 16.5-inch lengths. For optimal and waste gases enter the receiver area. The HK417 stays cleaner and heat

transfer to bolt components is drastically reduced. The service life of all parts, including the barrel, is increased substantially

Other HK417 A2 standard features include an interface for mounting 40 mm GLM/M320/HK169/HK269 add-on grenade launchers, a slim profile telescopic buttstock, as well as magazine release levers and bolt catch levers on both sides of the weapon.

Some redesigning of the original HK417 internals included improvements of the receiver, barrel interface, gas port, and the bore axis alignment increasing its accuracy and reliability. The HK417 A2 maximizes the capabilities of the 7.62 mm x 51 NATO round, approaching the performance of a precision marksman's rifle.

The objective of the original HK417 program was to guarantee no parts failures or stoppages in less than 10,000-15,000 rounds with little or no accuracy degradation. During HK-conducted desert testing, a single HK417 fired more than 15,000 documented rounds of assorted ammunition, including M118LR, M80 ball, M993 AP, and assorted commercial ammunition with bullet stoppage. This achievement has been matched and surpassed by the HK417 A2.

The HK417 is available with 13, 16.5, and 20-inch barrels — all made using accuracy, a specially treated chrome-lined 16.5- or 20-inch barrel is an option.

These optional barrels have resulted in less than 1 Minute Of Angle (MOA) groups. All three barrel lengths have conventional land and groove bore profiles with a 1 in 11-inch twist and are designed to function reliably with bullet weights ranging from less than 147 to 175 grains. HK417 barrels are threaded for flash hiders, muzzle compensators, and for sound suppressor attachment.


.....

Both 10- and 20-round translucent polymer box magazines have been developed for the HK417. These magazines will drop free and can be inserted into the beveled magazine well with a conventional upward motion and not the rocking motion common on some 7.62 mm rifles.


Ambidextrous operating controls are standard on the HK417, including the charging handle and an ambidextrous lever selector. Semiautomatic and fully-automatic modes of fire are available as a standard feature. All manner of existing accessories, including sights, laser aimers, pistol grips, slings, etc. can be fitted to the common attachment points and/or the MIL-STD-1913 Free-Floating Rail System (FFRS) handguard found on the HK417.

This patented HK417 rail system is user removable and mirrors that of the HK416 models. The HK Free-Floating Rail System handguard can be removed without special tools by the operator and ensures 100% return to zero for all mounted accessories. Other handguard options are also available.

Depending on the mission or combat situation — the HK417 A2 is the weapon of choice when a 7.62 mm x 51 rifle or carbine is required by military, law enforcement, and special forces operators.



free when released


















MG4 LIGHT MACHINE GUN 5.56 MM X 45 Military/Law Enforcement

Developed as part of the German Bundeswehr's "Infantryman of the Future" program, the MG4 is Heckler & Koch's latest 5.56 mm machine gun model

The driving concept behind the MG4 was to create an ultra-reliable, lightweight, compact machine gun capable of a high volume of fire while being deployed by one soldier in all terrains and environments. changes of hot barrels without the need for protective gloves. The MG4 meets all these requirements and offers significant technological advances, including bottom ejection from the receiver. Moreover, it is compatible with all NATO standard ammunition and works with many readily available ammunition boxes and ammunition adjustable for elevation and windage. pouches.

Adopted as the primary light machine gun by the German and Spanish military, the 5.56 mm MG4 machine gun was designed to be a safe and truly ambidextrous weapon; easy to handle for both rightand left-handed shooters. A sturdy, adjustable bipod provides stable

support for firing but for even greater accuracy, the MG4 can be fitted MG4 can be operated and fired. to the U.S. M112 tripod (with an adaptor) as well as a host of other mounts and tripods.

carrying handle fastened to the barrel allows for quick and easy

An adjustable 1,000 meter mechanical sight is standard and a MIL-STD-1913 Picatinny rail allows assorted optical sights and accessories to be easily mounted. The front sight folds down and is

Multiple variants include the standard MG4 E with a 17-3/4 inch barrel weighing approximately 17.5 pounds, a shorter "KE" variant with notable features. During desert testing in 2004, a single MG4 test a 14.5 inch barrel, and a vehicle mounted "EBW" variant.

To reduce the overall length of the MG4, the buttstock can be folded to the side of the receiver. Even with the buttstock folded, the

Other features include a shoulder support for sustained firing, and an ambidextrous safety/selector lever with safe and fully automatic The MG4 uses a long-life HK cold hammer-forged barrel; the folding "fire" positions. The MG4's folding cocking handle can be used to lock the bolt group when clearing a stoppage.

> Combined with its low weight (under 18 pounds) and its folding buttstock, the MG4 is an excellent choice for airborne operations or for use in confined areas. The short barrel MG4 KE variant is also available when space and size are even greater critical

But it's the MG4's durability and reliability that are its most gun successfully fired more than 102,000 rounds of ammunition and remained fully functional after conclusion of the testing.









# QUICK INDICATION OF THE LOADING STATUS

The protruding loading indicator is easily visible and is tactile even to a gloved hand. It not only indicates visually that there is a cartridge in the feed tray, but it also allows the user to feel the loading status in the dark.



# **BOLT CAN BE LOCKED IN ANY POSITION**

A safe and practical option is to lock the bolt in any position of its receiver. Activating the bolt lock prevents any accidental firing.



# SAFE BARREL LOCK, QUICK BARREL CHANGE

The carrying grip also performs as the barrel change handle. When track. Simply lift up the cocking lever and clamp it firmly against the it is folded down, the barrel is locked. To change the barrel, simply fold up the grip and unlock the barrel.



MACHINE GUNS

#### SIMPLE AND QUICK BARREL CHANGE

Heckler & Koch set the standard for durability of barrels. At the same time, changing the MG4 barrel could not be easier. MG4 barrels can be changed without using gloves, as the carrying grip is also the barrel change handle. Another critical advantage of the MG4 is the barrel can be changed independently of the bolt



# ERGONOMIC OPTIMIZED BIPOD

The bipod of the MG4 is robust and debris resistant. It can be simply folded up and stowed away in the ergonomically formed handguard. This allows the user to hold and transport the MG4 as comfortably as an assault rifle. It can be rotated and has variable height adjustment - a necessity for operational use in rough and uneven terrain.



INCORPORATES COCKING SAFETY

The MG4 bolt carrier incorporates a cocking safety that ensures the bolt is properly cocked and held by the sear prior to firing.

MACHINE GUNS MG5 MEDIUM MACHINE GUN 7.62 MM X 51 Military/Law Enforcement

Developed as the successor of the German military's 7.62 mm MG<sub>3</sub> general purpose machine gun, this modern, 21st-century design was originally known as the HK121. In June 2013, it was selected by the German defense or as a vehicle mounted/coaxial machine gun. Army and rechristened the "MG5." The MG5 opens a new era of universal belt-fed 7.62 mm x 51 weapons.

Compared to other machine guns, the MG5 offers a modular, rationally designed, and up-to date build standard, with numerous technical and ergonomic innovations.

The MG5 machine gun is a simple gas-operated weapon, firing from an open bolt in automatic mode only. It has a quick-detachable, air-cooled barrel, with a conventional rotary bolt locking function. The MG5 is belt fed, using standard NATO disintegrating belts with M13 links.


mounts and tripods already in service. The Universal model of the MG5 can be used by dismounted infantry in the ground role, as well as for air


The other MG5/HK121 variants – the shorter, lighter Infantry model, the turret/vehicle mounted EBW model, and Special Forces model with its spade grip— all have specialized features, but all possess common, core attributes. Unique for light or medium machine guns, the MG5's rate of fire can be switched between 600, 700, and 800 rounds per minute. Experience has shown that beyond 700 rpm it becomes difficult to accurately fire a medium machine gun from the shoulder. The HK MG5's adjustable rate of fire makes it a uniquely controllable machine gun. The HK MG5 also shares many features with the 5.56 mm HK MG4 light machine The mounting interface of the HK MG5 is compatible with existing MG3 gun that was successfully adopted into German military service in 2005.

The MG5 is fed from clip-on 50-round containers or separate belt boxes and is equipped with a pistol grip and rifle-type trigger. A variety of side-folding and fixed polymer buttstocks are available as well as a folding forend forward grip positioned under the gas tube.

On the Universal model, a conventional folding bipod is attached below the gas block, and the MG5 can an be installed on a wide variety of mounts and tripods. All MG5 models are fitted with a Picatinny-type rail on the top of the receiver which can accept standard mechanical sights as well as a variety of day and night sights and optics, giving the machine gun highly refined night fighting capability.

Currently the MG5 Infantry and Universal variants are available from HK-USA. Mounted (EBW) and Special Forces (S) variants are special order products. Black or new RAL8000 green/brown finish available.





GRENADE LAUNCHERS 40 MM X 46

Military/Law Enforcement

HK269 set for

right-side opening



On November 6, 2008, the U.S. Army "type-classified" the HK M320, opening the way for the first of 70,000 add-on grenade launchers to be issued to combat troops. This award came after more that three years of exhaustive developmental testing and user evaluation at the Army's Aberdeen Test Center in Aberdeen, Maryland, the U.S. Army Infantry Center at Fort Benning, Georgia, and Army test locations throughout the world The M320 is a multi-functional single-shot launcher that can be attached to a wide range of current issue U.S. weapons including the M4, M4A1 and M4 MWS carbines and M16A2 and M16A4 rifles as well as an assortment of HK weapons (HK416 and HK417). The M320 is currently fielded in U.S. combat operations.



with retractable buttstock

HK grenade launchers can be fired without a stock using a special bungee sling.



M4 Carbine with HK Grenade Launcher (GL Model "AG-M4") M320A1 includes M4 adapter kit, NSN 1010-01-557-2542



M16A4 Rifle with HK Grenade Launcher (GL Model "AG-M16A4") M320 includes M16 adapter kit. NSN 1010-01-566-9083



HK416 A5 carbine with HK Grenade Launcher (HK GLM fits HK416 A5 and "first gen" HK416)



various M4/M16-type and G36-type models.

HK Grenade Launcher adaptor kits



for reliable and safe operation

Military/Law Enforcement GRENADE MACHINE GUN 40 MM X 53

Adopted by the military forces of several NATO and allied countries — as well as select U.S. special operations units — the HK Grenade Machine Gun has been used in combat operations throughout Southwest Asia.

The HK Grenade Machine Gun has outperformed competing models in overall durability, ease of use, precision targeting, and safety. And the HK GMG is available as a series production unit below the purchase cost of competing systems.

Its advanced features, excellent accuracy, operator convertible feed direction and removable barrel, night fighting capability with NVGs, and unmatched operator safety features are all unique hallmarks of the HK GMG.

The HK GMG uses an aluminum receiver for reduced weight and manufacturing costs. Other features include a fluted chamber for equal pressure on cartridge case and positive extraction and ejection, advanced primer ignition, and a barrel that is easily

removable for field stripping without the use of tools. This is also an advantage in the event that an HE projectile becomes lodged in firing. the bore.

The bolt reciprocates on a massive guide rod and is stabilized by two steel rails, all of which are bolted to the receiver, eliminating the need for welding in the receiver.

The HK GMG upper mount (gun cradle) readily mounts to standard U.S. tripods, various vehicle mounts, or the lightweight, adjustable HK aluminum tripod. The HK tripod provides low-tohigh height position settings as well as provisions for the use of a ballast sack to reduce tripod movement during firing from the high standing position, as when firing from behind cover such as a wall or berm.

The upper mount also provides a wider, more stable set of control grips with ambidextrous firing levers and an adjustable shoulder support. This enables the operator to quickly index and accurately engage multiple and/or moving targets during free gun

Clearing the gun simply consists of lifting the feed tray cover and removing the belt. The position of the ambidextrous charging handle allows the shooter to cock and clear the gun without reaching near the ammunition belt and feed way.

Both the gun and tripod can be easily transported in a "backpack" configuration by a two-man team.

The HK GMG is also perfectly suited to vehicle turret and helicopter mounting. It is both accurate and easy to use, with an extremely smooth feed cycle and impressive safety features.

It is flexible, convertible to right or left-side feeding, and simple to maintain — with no tools being required for stripping or reassembly. All in all, a complete solution to the demanding requirements of effective ground fire support.



The HK GMG can quickly and easily be assembled and readied for use.




COMBAT PROVEN

The HK GMG has been fielded in combat operations in Southwest Asia.



FLEXIBLE DEPLOYMENT

GMGs can be mounted on a variety of vehicles.



# UPPER MOUNT (GUN CRADLE) The upper mount/gun cradle effectively buffers recoil using twin hydraulic

uffers and includes handles, a secondary trigger lever, a shoulder support rod MIL-STD-1913 Picatinny attachment points at the 3, 9, and 12 o'clock positions or mounting optional sighting systems, and the mounting for the ammunition box. The GMG receiver assembly is easy installed into the upper mount/gun radle in seconds without tools.



A robust, recoil operated inertia bolt with advanced primer ignition, firing from an open bolt position, directly chambers the cartridges out of the belt. The bolt fires all types of available 40 x 53mm grenades in either semi or fully automatic firing modes. Semi-automatic fire increases hits of target while reducing rounds fired.



# **GMG SAFETY FEATURES**

SAFETY/FIRE SELECTOR LEVER The safety/fire selector settings of safe, semi-automatic fire, and fully automatic fire. Setting the selector at "safe" blocks the trigger and locks the bolt in its

LOADING SAFETY

Opening the feed cover prevents the bolt from traveling forward endangering the operator's

BOLT LOCK This locks the bolt in position and permits the operator to safely clear the

FIRING PIN SAFETY This is independent safety system ensures that the firing pin cannot strike the primer until the cartridge is fully supported in the

COCKING SAFETY When the bolt is not pulled back completely, accidental firing is prevented by an integral, automatic mechanism which stops the

bolt from traveling forward.

BARREL AND COVER SAFETY The cover can only be closed if the barrel is properly mounted and ammunition belt is loaded on the feed



**GRENADE LAUNCHERS** 

FEED SYSTEM

Driven by the bolt, the system feeds and guides the linked cartridges in two smooth movements during the forward and rearward movement of the bolt. The feed direction can be readily reconfigured from the right-side to left-side by the operator in the field in minutes, without the



**OPERATING ELEMENTS** 

The safety/fire lever selector, trigger, and the charging handle are all located centrally on the end to the receivers



REMOTE CONTROLLED GUN MOUNTS

GMGs can be used on vehicles as main or secondary weapons.



**SDMR** SQUAD DESIGNATED MARKSMAN'S RIFLE 7.62 MM X 51 Military/Law Enforcement

A product of extensive customer input, the HK Squad Designated Marksman's Rifle is a modified, improved version of the Heckler & Koch G28 rifle. Offspring of the Compact Semi-Automatic Sniper System (CSASS) competition which HK won with common to direct impingement gas systems since hot carbon the M110A1 in April 2016 — the SDMR model is essentially the same weapon except for a handful on different features.

This new HK rifle is a lightweight variant of the combat proven and bolt carrier, and drastically reducing wear and tear on other 7.62 mm G28 in use by the German Army. The M110A1 capitalizes critical components. The service life of all parts is increased on the proven G28 design, meeting user requirements for accuracy, reliability, and size.

The M110A1 rifle is a substantial upgrade over current sniper rifles, enhancing accuracy and reliability while providing for a handier, more compact arm.

The M110A1 use a short stroke gas piston to actuate an operating rod which allows the weapon to run cooler and with less fouling of the bolt carrier group and chamber — drastically improving reliability.

Pioneered by Heckler & Koch in the G<sub>3</sub>6, HK<sub>4</sub>16, and HK<sub>4</sub>17; this method of operation virtually eliminates malfunctions fouling and waste gases do not enter the receiver area.

The M110A1 stays cleaner, reducing heat transfer to the bolt substantially.

The M110A1 has a 16.3 inch barrel that is chrome lined with a fluted chamber that aids in reliability when used with a suppressor. The barrel is produced by Heckler & Koch's famous cold hammer-forging process. This manufacturing process uses the highest quality steel, producing a barrel that ensures superior environments. accuracy, even after firing thousands of rounds.

The controls and interface of the M110A1 are similar to M4/

M16-type weapons, ensuring operator familiarity and simplifying

Ambidextrous operating controls are standard on the M110A1, including a convertible charging handle, as well as selector levers and magazine releases located on both sides of the lower

The HK M110A1 variants have some significant differences from standard Heckler & Koch G28/HK417/MR762 type rifles.

The M110A1 uses a Geissele designed slim-line, M-Lock compatible handguard. The HK M110A1 departs from the traditional black weapon color and uses a tan-brown color scheme analogous to "flat dark earth" — the finish also has special low IR observable properties and is camouflaged for many

There are several weight reduction features on the system, including lighter adjustable buttstocks, lighter bipod, lightening









reduction cuts in the castle nut, barrel nut, hand guard, and upper receiver. The AR-style forward assist is also eliminated. M110A1 rifles without optics, suppressors, and accessories weigh in at 8.8 pounds.

The M110A1 has ambidextrous controls, an improved trigger, and uses an updated one piece OSS suppressor. The M110A1 uses the same 10- and 20-round translucent polymer box

magazines made for the HK417, G28, and MR 7.62 mm rifles. And the HK M110A1 can be fitted with a wide variety of accessories

Other significant features of the HK M110A1 variants include

- Reticle options for the Schmidt & Bender Optic (CSASS variant)
- Geissele Trigger
- Geissele designed M-Lock compatible slim line handguard Non-Quick Detach Scope Mount (lighter weight, CSASS)

**SPECIAL PURPOSE** 

- Harris Bipod
- Buttstocks with upgraded capability (G28 adjustable or HK417 buttstock)
- Updated one-piece OSS suppressor





C' II' D	1 1 6	• • • • •
Civilian Prod	duct Spac	THESTIAN
	11114501114	7

Prop	HANDGUN MODEL	CALIBER	CAPACITY	OF FIRE	SIGHTS	GRIPS/STOCKS	(APPROX.)	(APPROX.)	EMPTY MAGAZINE	(APPROX.)	LENGTH	LENGTH
Processed   Action   1979   1500   1879	VP9	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.41 in / 137.5 mm	26.56 oz / 753 g	6.38 in / 162 mm	4.09 in / 104 mm	7.34 in / 186.5 mm
Profestional   Prof	VP40	.40 S&W	13/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.45 in / 138.5 mm	28.93 oz / 820 g	6.38 in / 162 mm	4.09 in / 104 mm	7.34 in / 186.5 mm
Proc.   Proc	VP9 Tactical	9 mm x 19	15/10	semi	adjustable	fully adjustable	1.32 in / 33.5 mm	5.41 in / 137.5 mm	30.20 oz / 855 g	6.38 in / 162 mm	4.70 in / 119 mm	7.95 in / 202 mm
Proceedings	VP40 Tactical	.40 S&W	13/10	semi	adjustable	fully adjustable	1.32 in / 33.5 mm	5.45 in / 138.5 mm	32.60 oz / 923 g	6.38 in / 162 mm	4.70 in / 119 mm	7.95 in / 202 mm
Part	VP9SK	9 mm x 19	10/13/15	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	4.57 in / 116 mm	36.40 oz / 747 g	5.73 in / 145.5 mm	3.39 in / 86 mm	6.61 in / 168 mm
POSC   Semilar	P30	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm
Page	P30	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm
Part	P30S	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm
Proc.   An OSAW   13/10   Semi   3-det   fully adjustable   1.37 in / 34.8 mm   S.43 in / 138 mm   27.52 oz / 780 g   6.42 in / 168 nm   6.45 in / 133 mm   7.7 in / 129 mm	P30S	.40 S&W	13/10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm
P30LS	P30L	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm
Proc	P30L	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm
P000X   9 mm x19	P30LS	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz/ 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm
Proposition	P30LS	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm
New York	P30SK	9 mm x 19	10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	4.57 in / 116 mm	23.99 oz/ 680 g	5.35 in / 136 mm	3.27 in / 83 mm	6.42 in / 163 mm
HK45 Tactical A.5 MCP 8/10 semi adjustable adj. backstrap 1.54 in/39 mm 5.91 in/130 mm 31.20 oz /880 g 6.63 in/165.5 mm 5.20 in/132 mm 8.50 in/216 mm PK45 Compact Tactical A.5 MCP 8/10 semi adjustable adj. backstrap 1.54 in/39 mm 5.51 in/140 mm 29.48 oz /810 g 6.00 in/152.5 mm 3.00 in/99 mm 7.24 in/130 mm 29.10 z /800 g 6.00 in/152.5 mm A.57 in/116 mm 7.91 in/20 Imm 7.90 in/90 mm 6.85 in/174 mm 5.00 in/190 mm 2.49 6 oz /710 g 5.55 in/141 mm 3.66 in/93 mm 6.85 in/174 mm 7.90 in/90 mm 7.90	P30SKS	9 mm x 19	10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	4.57 in / 116 mm	23.99 oz/ 680 g	5.35 in / 136 mm	3.27 in / 83 mm	6.42 in / 163 mm
HK45 Compact Lettical   A5 ACP   8/10   semi   3-dot   adj. backstrap   1.54 in / 39 mm   5.51 in / 140 mm   28.48 ez / 81 g   6.00 in / 152.5 mm   3.90 in / 59 mm   7.24 in / 138 mm	HK45	.45 ACP	10	semi	3-dot	adj. backstrap	1.54 in /39 mm	5.91 in / 150 mm	31.20 oz/ 880 g	6.63 in / 168.5 mm	4.46 in / 113.5 mm	8.03 in / 204 mm
HK-65 Compact Tactical   A-5 K/P   B/10   Semi   adjustable   adjust	HK45 Tactical	.45 ACP	10	semi	adjustable	adj. backstrap	1.54 in /39 mm	5.91 in / 150 mm	31.20 oz / 880 g	6.63 in / 168.5 mm	5.20 in / 132 mm	8.50 in / 216 mm
P2000   9 mm x19   13/10   semi   3-dot   adj. backstrap   1.37 in / 34.8 mm   5.07 in / 129 mm   24.96 cz / 710 g   5.55 in / 141 mm   3.66 in / 93 mm   6.85 in / 174 mm   P2000   A0 S8W   12/10   semi   3-dot   adj. backstrap   1.37 in / 34.8 mm   5.07 in / 129 mm   24.96 cz / 710 g   5.55 in / 141 mm   3.66 in / 93 mm   6.85 in / 174 mm   P2000   A0 S8W   9   semi   3-dot   adj. backstrap   1.27 in / 34.8 mm   4.55 in / 115.5 mm   24.00 cz / 680 g   5.18 in / 131.5 mm   3.26 in / 33 mm   6.40 in / 162.5 mm   1.57 in / 34.8 mm   4.55 in / 115.5 mm   24.00 cz / 680 g   5.18 in / 131.5 mm   3.26 in / 33 mm   6.40 in / 162.5 mm   1.57 in / 34 mm   4.55 in / 115.5 mm   24.00 cz / 680 g   5.18 in / 131.5 mm   3.26 in / 33 mm   6.40 in / 162.5 mm   1.57 in / 34 mm   4.55 in / 115.5 mm   24.00 cz / 680 g   5.18 in / 131.5 mm   3.26 in / 33 mm   6.40 in / 162.5 mm   1.57 in / 34 mm   4.55 in / 115.5 mm   24.00 cz / 680 g   5.18 in / 131.5 mm   3.26 in / 33 mm   6.40 in / 162.5 mm   1.57 in / 34 mm   4.55 in / 115.5 mm   24.00 cz / 680 g   5.18 in / 131.5 mm   3.26 in / 33 mm   6.40 in / 162.5 mm   1.57 in / 34 mm   4.55 in / 115.5 mm   24.00 cz / 680 g   5.18 in / 131.5 mm   3.26 in / 33 mm   5.50 in / 135 mm   22.00 cz / 770 g   6.22 in / 158 mm   4.25 in / 108 mm   7.68 in / 195 mm   1.57 in / 34 mm   1.57 in / 34 mm   4.55 in / 115 mm   22.00 cz / 770 g   6.22 in / 158 mm   4.25 in / 108 mm   7.68 in / 195 mm   1.57 in / 34 mm	HK45 Compact	.45 ACP	8/10	semi	3-dot	adj. backstrap	1.54 in / 39 mm	5.51 in / 140 mm	28.48 oz / 810 g	6.00 in / 152.5 mm	3.90 in / 99 mm	7.24 in / 184 mm
P2000	HK45 Compact Tactical	.45 ACP	8/10	semi	adjustable	adj. backstrap	1.54 in / 39 mm	5.51 in / 140 mm	29.12 oz / 830 g	6.00 in / 152.5 mm	4.57 in / 116 mm	7.91 in / 201 mm
P2000SK 9 mm x 19 10 seni 3-dot adj. backstrap 1.37 in / 34.8 mm 4.55 in / 115.5 mm 24.00 oz / 680 g 5.18 in / 131.5 mm 3.26 in / 83 mm 6.40 in / 162.5 mm P2000SK 4.05 SM 9 seni 3-dot adj. backstrap 1.27 in / 34 mm 4.55 in / 115.5 mm 24.00 oz / 680 g 5.18 in / 131.5 mm 3.26 in / 83 mm 6.40 in / 162.5 mm USP9 9 mm x 19 15/10 seni 3-dot fixed 1.26 in / 32 mm 5.31 in / 135 mm 27.00 oz / 770 g 6.22 in / 158 mm 4.25 in / 108 mm 7.68 in / 195 mm USP40 AO SAW 11/10 seni 3-dot fixed 1.26 in / 32 mm 5.31 in / 135 mm 28.96 oz / 820 g 6.24 in / 158 mm 4.25 in / 108 mm 7.68 in / 195 mm USP9 Compact 9 mm x 19 13/10 seni 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 25.50 oz / 780 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm USP40 Compact AO SAW 11/10 seni 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 27.50 oz / 780 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm USP40 Compact AO SAW 11/10 seni 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 27.50 oz / 780 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm USP45 Compact AS ACP 8 seni 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 27.50 oz / 780 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm USP45 Location 9 mm x 19 15/10 seni adjustable fixed 1.26 in / 32 mm 5.00 in / 120 mm 28.16 oz / 800 g 5.63 in / 143 mm 3.78 in / 96 mm 7.09 in / 180 mm USP9 Expert 9 mm x 19 15/18 seni adjustable fixed 1.26 in / 32 mm 5.00 in / 150 mm 32.80 oz / 100 g 6.73 in / 171 mm 5.09 in / 129 mm 8.64 in / 213 mm USP9 Expert 9 mm x 19 15/18 seni adjustable fixed 1.73 in / 44 mm 5.86 in / 220 mm 5.00 in / 150 mm 32.60 oz / 100 g 6.73 in / 171 mm 5.09 in / 120 mm SP9K 9 mm x 19 15/18 seni adjustable fixed 1.73 in / 44 mm 5.86 in / 220 mm 5.00 in / 150 mm 32.60 oz / 100 g 6.73 in / 171 mm 5.09 in / 120 mm 1.93 in / 324 mm SP9K 9 mm x 19 15/18 seni adjustable Retractable 3.07 in / 78 mm 9.45 in / 240 mm 5.00 in / 150 mm 9.45 in / 240 mm 3.30 oz / 786 mm 9.45 in / 240 mm 3.30 oz / 786 mm 9.45 in / 240 mm 3.30 oz / 786 mm 9.45 in / 240 mm 3.30 oz / 786 mm 9.45 in / 240 mm 3.30 oz	P2000	9 mm x 19	13/10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	5.07 in / 129 mm	24.96 oz / 710 g	5.55 in / 141 mm	3.66 in / 93 mm	6.85 in / 174 mm
P2000SK A0 SAW 9 semi 3-dot adj. backstrap 1.27 in / 34 mm 4.55 in / 115.5 mm 24.00 oz / 660 g 5.18 in / 131.5 mm 3.26 in / 83 mm 6.40 in / 162.5 mm  USP9 9 mm x 19 15/10 semi 3-dot fixed 1.26 in / 32 mm 5.31 in / 135 mm 27.20 oz / 770 g 6.22 in / 158 mm 4.25 in / 108 mm 7.68 in / 195 mm  USP40 A0 SAW 13/10 semi 3-dot fixed 1.26 in / 32 mm 5.31 in / 135 mm 28.96 oz / 820 g 6.22 in / 158 mm 4.25 in / 108 mm 7.68 in / 195 mm  USP9 A5 A5 ACP 12/10 semi 3-dot fixed 1.26 in / 32 mm 5.00 in / 127 mm 25.76 oz / 730 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm  USP9 Compact 9 mm x 19 13/10 semi 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 27.52 oz / 780 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm  USP40 Compact A5 ACP 8 semi 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 27.52 oz / 780 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm  USP45 Compact A5 ACP 8 semi 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 27.52 oz / 780 g 5.31 in / 135 mm 3.78 in / 96 mm 7.09 in / 180 mm  USP9 Stackal 9 mm x 19 15/10 semi adjustable fixed 1.26 in / 32 mm 5.00 in / 128 mm 28.16 oz / 800 g 6.57 in / 167 mm 4.86 in / 123.5 mm 8.40 in / 223 mm  USP9 Expect 9 mm x 19 15/13 semi adjustable fixed 1.26 in / 32 mm 5.90 in / 150 mm 32.80 oz / 1020 g 6.7 in / 171 mm 5.09 in / 129 mm 8.64 in / 123 mm  USP9 Expect 9 mm x 19 15/13 semi adjustable fixed 1.26 in / 32 mm 5.90 in / 150 mm 32.60 oz / 960 g 7.48 in / 190 mm 5.19 in / 129 mm 8.64 in / 123 mm  USP9 Expect 9 mm x 19 15/13 semi adjustable fixed 1.73 in / 44 mm 5.86 in / 149 mm 3.86 oz / 1020 g 6.7 in / 171 mm 5.09 in / 129 mm 8.70 in / 220 mm  SP5K 9 mm x 19 - 10/15/30 semi adjustable fixed 1.73 in / 44 mm 5.86 in / 149 mm 9.45 in / 240 mm 5.76 in / 140 mm 9.55 in / 140 mm 33.00 oz / 960 g 7.48 in / 190 mm 4.45 in / 130 mm 9.55 in / 140 mm 9.	P2000	.40 S&W	12/10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	5.07 in / 129 mm	24.96 oz / 710 g	5.55 in / 141 mm	3.66 in / 93 mm	6.85 in / 174 mm
USP9 9 mm x 19 15/10 semi 3-dot fixed 1.26 in / 32 mm 5.31 in / 135 mm 27.00 oz / 770 g 6.22 in / 158 mm 4.25 in / 108 mm 7.68 in / 195 mm USP40 .40 S&W 13/10 semi 3-dot fixed 1.26 in / 32 mm 5.31 in / 135 mm 28.96 oz / 820 g 6.22 in / 158 mm 4.25 in / 108 mm 7.68 in / 195 mm USP45 .45 ACP 12/10 semi 3-dot fixed 1.26 in / 32 mm 5.61 in / 142.5 mm 34.88 oz / 990 g 6.34 in / 161 mm 4.41 in / 112 mm 7.91 in / 291 mm USP40 Compact 9 mm x 19 13/10 semi 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 25.76 oz / 730 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm USP40 Compact .40 S&W 12/10 semi 3-dot fixed 1.38 in / 35 mm 5.00 in / 127 mm 27.52 oz / 780 g 5.31 in / 135 mm 3.58 in / 91 mm 6.81 in / 173 mm USP40 Compact .45 ACP 8 semi 3-dot fixed 1.38 in / 35 mm 5.04 in / 128 mm 28.16 oz / 800 g 5.63 in / 143 mm 3.78 in / 96 mm 7.09 in / 180 mm USP40 Compact .45 ACP 8 semi 3-dot fixed 1.38 in / 35 mm 5.04 in / 128 mm 28.16 oz / 800 g 5.63 in / 143 mm 3.78 in / 96 mm 7.09 in / 180 mm USP40 Compact .45 ACP 8 semi 3-dot fixed 1.26 in / 32 mm 5.50 in / 140 mm 28.16 oz / 800 g 6.57 in / 167 mm 4.86 in / 123.5 mm 8.40 in / 218 mm USP40 Compact .45 ACP 12/10 semi adjustable fixed 1.26 in / 32 mm 5.50 in / 140 mm 28.16 oz / 800 g 6.57 in / 167 mm 4.86 in / 123.5 mm 8.40 in / 218 mm USP40 Compact .45 ACP 12/10 semi adjustable fixed 1.26 in / 32 mm 5.50 in / 140 mm 28.16 oz / 800 g 6.57 in / 167 mm 4.86 in / 123.5 mm 8.40 in / 218 mm USP9 Expert 9 mm x 19 15/18 semi adjustable fixed 1.73 in / 44 mm 5.86 in / 149 mm 33.60 oz / 960 g 7.48 in / 190 mm 5.19 in / 132 mm 8.61 in / 218 mm USP9 Expert 9 mm x 19 15/18 semi adjustable fixed 1.53 in / 39 mm 5.90 in / 150 mm 33.60 oz / 960 g 7.48 in / 190 mm 5.19 in / 132 mm 8.64 in / 218 mm SP5KA 10.2 in / 220 mm 5.04 in / 220 mm 33.90 - 37.68 in / 220 mm 5.04 in / 220 mm 5.04 in / 220 mm 5.04 in / 220 mm 33.90 - 37.68 in / 220 mm 5.04 in	P2000SK	9 mm x 19	10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	4.55 in / 115.5 mm	24.00 oz / 680 g	5.18 in / 131.5 mm	3.26 in / 83 mm	6.40 in / 162.5 mm
USP40	P2000SK	.40 S&W	9	semi	3-dot	adj. backstrap	1.27 in / 34 mm	4.55 in / 115.5 mm	24.00 oz / 680 g	5.18 in / 131.5 mm	3.26 in / 83 mm	6.40 in / 162.5 mm
USP45	USP9	9 mm x 19	15/10	semi	3-dot	fixed	1.26 in / 32 mm	5.31 in / 135 mm	27.20 oz / 770 g	6.22 in / 158 mm	4.25 in / 108 mm	7.68 in / 195 mm
USP9 Compact 9 mm x 19 13/10 semi 3-dot fixed 1.38 in/ 35 mm 5.00 in/ 127 mm 25.76 oz/ 730 g 5.31 in/ 135 mm 3.58 in/ 91 mm 6.81 in/ 173 mm  USP40 Compact .40 S&W 12/10 semi 3-dot fixed 1.38 in/ 35 mm 5.00 in/ 127 mm 27.52 oz/ 780 g 5.31 in/ 135 mm 3.58 in/ 91 mm 6.81 in/ 173 mm  USP45 Compact .45 ACP 8 semi 3-dot fixed 1.38 in/ 35 mm 5.00 in/ 127 mm 27.52 oz/ 780 g 5.31 in/ 135 mm 3.58 in/ 91 mm 6.81 in/ 173 mm  USP45 Compact .45 ACP 8 semi 3-dot fixed 1.38 in/ 35 mm 5.04 in/ 128 mm 28.16 oz/ 800 g 5.63 in/ 143 mm 3.78 in/ 96 mm 7.09 in/ 180 mm  USP9 Tactical 9 mm x 19 15/10 semi adjustable fixed 1.26 in/ 32 mm 5.50 in/ 140 mm 28.16 oz/ 800 g 6.57 in/ 167 mm 4.86 in/ 123.5 mm 8.40 in/ 218 mm  USP45 Tactical .45 ACP 12/10 semi adjustable fixed 1.26 in/ 32 mm 5.90 in/ 150 mm 32.80 oz/ 1020 g 6.73 in/ 171 mm 5.09 in/ 129 mm 8.64 in/ 218 mm  USP9 Expert 9 mm x 19 15/18 semi adjustable fixed 1.73 in/ 44 mm 5.86 in/ 149 mm 33.60 oz/ 96 og 7.48 in/ 190 mm 5.19 in/ 132 mm 8.70 in/ 221 mm  MARK 23 .45 ACP 12 semi 3-dot fixed 1.53 in/ 39 mm 5.90 in/ 150 mm 39.36 oz/ 1120 g 7.76 in/ 195 mm 5.87 in/ 149 mm 9.65 in/ 245 mm  SEMI-AUTOMATIC RIFLE MODEL  MR556A1 .55 6 mm x 45 · 10/20/30 semi diopter fixed 2.40 in/ 61 mm 8.66 in/ 220 mm 5.04 lb / 2.29 kg 10.2 in/ 260 mm 4.53 in/ 115 mm 13.9 in/ 354 mm  MR56A1 .57 6 mm x 45 · 10/20/30 semi diopter fixed 2.40 in/ 78 mm 9.45 in/ 240 mm 9.45 in/ 240 mm 9.45 in/ 240 mm 37.75 - 100 in/ 959 - 104 imm  MR762A1 7.62 mm x 51 · 10/20 semi odjustable Retractable 3.23 in/ 82 mm 8.36 in/ 213 mm 9.84 b/ 4.48 kg 16.14 in/ 410 mm 16.50 in/ 420 mm 35.99-39.10 in/ 959-93.10 in/ 959-9	USP40	.40 S&W	13/10	semi	3-dot	fixed	1.26 in / 32 mm	5.31 in / 135 mm	28.96 oz / 820 g	6.22 in / 158 mm	4.25 in / 108 mm	7.68 in / 195 mm
USP40 Compact .40 S&W 12/10 semi 3-dot fixed 1.38 in/ 35 mm 5.00 in/ 127 mm 27.52 oz /780 g 5.31 in/ 135 mm 3.58 in/ 91 mm 6.81 in/ 173 mm USP45 Compact .45 ACP 8 semi 3-dot fixed 1.38 in/ 35 mm 5.04 in/ 128 mm 28.16 oz /800 g 5.63 in/ 143 mm 3.78 in/ 96 mm 7.09 in/180 mm USP9 Tactical 9 mm x 19 15/10 semi adjustable fixed 1.26 in/ 32 mm 5.50 in/ 140 mm 28.16 oz /800 g 6.57 in/ 167 mm 4.86 in/ 123.5 mm 8.40 in/ 218 mm USP45 Tactical .45 ACP 12/10 semi adjustable fixed 1.26 in/ 32 mm 5.90 in/ 150 mm 32.80 oz / 1020 g 6.73 in/ 171 mm 5.09 in/ 129 mm 8.64 in/ 218 mm USP9 Expert 9 mm x 19 15/18 semi adjustable fixed 1.73 in/ 44 mm 5.86 in/ 149 mm 33.60 oz /960 g 7.48 in/ 190 mm 5.19 in/ 132 mm 8.70 in/ 221 mm MARK 23 .45 ACP 12 semi 3-dot fixed 1.53 in/ 39 mm 5.90 in/ 150 mm 39.36 oz / 1120 g 7.76 in/ 195 mm 5.87 in/ 149 mm 9.65 in/ 245 mm SP5K 9 mm x 19 10/15/30 semi diopter fixed 2.40 in/ 61 mm 8.66 in/ 220 mm 5.04 lb/ 2.29 kg 10.2 in/ 260 mm 4.53 in/ 115 mm 13.9 in/ 354 mm SEMI-AUTOMATIC RIPLE MODEL  MR556A1 Competition Model 5.56 mm x 45 10/20/30 semi adjustable Retractable MACPUL CTR 3.07 in/78 mm 9.45 in/ 240 mm 9.45 in/ 240 mm 8.78 lb/ 3.98 kg N/A 16.50 in/ 420 mm 37.75-41.00 in 959-1041 mm NR762A1 7.62 mm x 51 10/20 semi adjustable Retractable 3.23 in/82 mm 8.36 in/ 213 mm 9.84 lb/ 4.48 kg 16.14 in/ 410 mm 16.50 in/ 420 mm 35.94-39.10 in 959-1041 mm NR762A1 7.62 mm x 51 10/20 semi Optica Retractable 3.23 in/ 82 mm 8.36 in/ 213 mm 10.55 lb/ 8.80 kg N/A 16.50 in/ 420 mm 35.94-39.10 in 91.39 93 mm NR75-4.30 in 91.30 in	USP45	.45 ACP	12/10	semi	3-dot	fixed	1.26 in / 32 mm	5.61 in / 142.5 mm	34.88 oz / 990 g	6.34 in / 161 mm	4.41 in / 112 mm	7.91 in /201 mm
USP45 Compact	USP9 Compact	9 mm x 19	13/10	semi	3-dot	fixed	1.38 in / 35 mm	5.00 in / 127 mm	25.76 oz / 730 g	5.31 in / 135 mm	3.58 in / 91 mm	6.81 in / 173 mm
USP9 Tactical 9 mm x 19 15/10 semi adjustable fixed 1.26 in / 32 mm 5.50 in / 140 mm 28.16 oz / 800 g 6.57 in / 167 mm 4.86 in / 123.5 mm 8.40 in / 218 mm  USP45 Tactical .45 ACP 12/10 semi adjustable fixed 1.26 in / 32 mm 5.90 in / 150 mm 32.80 oz / 1020 g 6.73 in / 171 mm 5.09 in / 129 mm 8.64 in / 218 mm  USP9 Expert 9 mm x 19 15/18 semi adjustable fixed 1.73 in / 44 mm 5.86 in / 149 mm 33.60 oz / 960 g 7.48 in / 190 mm 5.19 in / 132 mm 8.70 in / 221 mm  MARK 23 .45 ACP 12 semi 3-dot fixed 1.53 in / 39 mm 5.90 in / 150 mm 39.36 oz / 1120 g 7.76 in / 195 mm 5.87 in / 149 mm 9.65 in / 245 mm  SP5K 9 mm x 19 10/15/30 semi diopter fixed 2.40 in / 61 mm 8.66 in / 220 mm 5.04 lb / 2.29 kg 10.2 in / 260 mm 4.53 in / 115 mm 13.9 in / 354 mm  SEMI-AUTOMATIC RIFLE MODEL  MR556A1 5.56 mm x 45 10/20/30 semi adjustable Retractable 3.07 in / 78 mm 9.45 in / 240 mm 9.10 lb / 4.13 kg 14.60 in / 371 mm 16.50 in / 420 mm 33.90-37.68 in 861-957 mm  MR556A1 5.56 mm x 45 10/20/30 semi adjustable Retractable MAGPUL CTR 3.07 in / 78 mm 9.45 in / 240 mm 8.78 lb / 3.98 kg N/A 16.50 in / 420 mm 35.99-37.04 lm 959-10.41 mm  MR762A1 7.62 mm x 51 10/20 semi adjustable Retractable 3.23 in / 82 mm 8.36 in / 213 mm 9.84 lb / 4.48 kg 16.14 in / 410 mm 16.50 in / 420 mm 35.94-39.10 in 913-993 mm  MR762A1 7.62 mm x 51 - 10/20 semi adjustable Retractable 3.23 in / 82 mm 8.36 in / 213 mm 10.58 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94-39.10 in 913-993 mm  32.90-37.68 in 8.36 in / 213 mm 10.58 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94-39.10 in 913-993 mm  32.90-37.68 in 8.36 in / 213 mm 10.58 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94-39.10 in 913-993 mm  32.90-37.68 in 8.36 in / 213 mm 10.58 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94-39.10 in 913-993 mm  32.90-37.68 in 8.36 in / 213 mm 10.58 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94-39.10 in 913-993 mm	USP40 Compact	.40 S&W	12/10	semi	3-dot	fixed	1.38 in / 35 mm	5.00 in / 127 mm	27.52 oz / 780 g	5.31 in / 135 mm	3.58 in / 91 mm	6.81 in / 173 mm
USP9 Expert 9 mm x19 15/18 semi adjustable fixed 1.26 in / 32 mm 5.90 in / 150 mm 32.80 oz / 1020 g 6.73 in / 171 mm 5.09 in / 129 mm 8.64 in / 218 mm  MARK 23 .45 ACP - 12 semi 3-dot fixed 1.53 in / 39 mm 5.90 in / 150 mm 39.36 oz / 1020 g 7.48 in / 190 mm 5.19 in / 132 mm 8.70 in / 221 mm  MARK 23 .45 ACP - 12 semi 3-dot fixed 1.53 in / 39 mm 5.90 in / 150 mm 39.36 oz / 1120 g 7.76 in / 195 mm 5.87 in / 149 mm 9.65 in / 245 mm  SP5K 9 mm x19 - 10/15/30 semi diopter fixed 2.40 in / 61 mm 8.66 in / 220 mm 5.04 lb / 2.29 kg 10.2 in / 260 mm 4.53 in / 115 mm 13.9 in / 354 mm  SEMI-AUTOMATIC RIFLE MODEL  MR556A1 5.56 mm x45 - 10/20/30 semi adjustable Retractable 3.07 in / 78 mm 9.45 in / 240 mm 9.10 lb / 4.13 kg 14.60 in / 371 mm 16.50 in / 420 mm 33.90-37.68 in 861-957 mm  MR556A1 Competition Model 5.56 mm x45 - 10/20/30 semi adjustable Retractable MAGPUL CTR 3.07 in / 78 mm 9.45 in / 240 mm 8.78 lb / 3.98 kg N/A 16.50 in / 420 mm 37.75-41.00 in 959-1041 mm  MR762A1 7.62 mm x51 - 10/20 semi adjustable Retractable 3.23 in / 82 mm 8.36 in / 213 mm 9.84 lb / 4.48 kg 16.14 in / 410 mm 16.50 in / 420 mm 35.94-39.10 in 913-393 mm  MR762A1 7.62 mm x51 - 10/20 semi Optical Retractable 3.23 in / 82 mm 8.36 in / 213 mm 10.58 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94-39.10 in 913-393 mm	USP45 Compact	.45 ACP	8	semi	3-dot	fixed	1.38 in / 35 mm	5.04 in / 128 mm	28.16 oz / 800 g	5.63 in / 143 mm	3.78 in / 96 mm	7.09 in /180 mm
USP9 Expert 9 mm x 19 15/18 semi adjustable fixed 1.73 in / 44 mm 5.86 in / 149 mm 33.60 oz / 96o g 7.48 in / 190 mm 5.19 in / 132 mm 8.70 in / 221 mm 8.70 in / 221 mm 9.65 in / 245 mm 5.96 in	USP9 Tactical	9 mm x 19	15/10	semi	adjustable	fixed	1.26 in / 32 mm	5.50 in / 140 mm	28.16 oz / 800 g	6.57 in / 167 mm	4.86 in / 123.5 mm	8.40 in / 218 mm
MARK 23	USP45 Tactical	.45 ACP	12/10	semi	adjustable	fixed	1.26 in / 32 mm	5.90 in / 150 mm	32.80 oz / 1020 g	6.73 in / 171 mm	5.09 in / 129 mm	8.64 in / 218 mm
SP5K 9 mm x 19 - 10/15/30 semi diopter fixed 2.40 in / 61 mm 8.66 in / 220 mm 5.04 lb / 2.29 kg 10.2 in / 260 mm 4.53 in / 115 mm 13.9 in / 354 mm  SEMI-AUTOMATIC RIFLE MODEL  MR556A1 5.56 mm x 45 - 10/20/30 semi adjustable TROY micro set TROY micro set Semi adjustable ARGPUL CTR 3.07 in / 78 mm 9.45 in / 240 mm 9.10 lb / 4.13 kg 14.60 in / 371 mm 16.50 in / 420 mm 33.90-37.68 in 861-957 mm 87.75-41.00 in 959-1041 mm 9.45 in / 240 mm 9.45 in /	USP9 Expert	9 mm x 19	15/18	semi	adjustable	fixed	1.73 in / 44 mm	5.86 in / 149 mm	33.60 oz / 96o g	7.48 in / 190 mm	5.19 in / 132 mm	8.70 in / 221 mm
SEMI-AUTOMATIC RIFLE MODEL   MR556A1   5.56 mm x 45   - 10/20/30   semi adjustable   Retractable   3.07 in /78 mm   9.45 in /240 mm   9.10 lb / 4.13 kg   14.60 in / 371 mm   16.50 in / 420 mm   33.90-37.68 in   861-957 mm   861-957 mm   8.78 lb / 3.98 kg   N/A   16.50 in / 420 mm   37.75-41.00 in   959-1041 mm   MR762A1   7.62 mm x 51   - 10/20   semi adjustable   Retractable   3.23 in /82 mm   8.36 in /213 mm   9.84 lb / 4.48 kg   16.14 in / 410 mm   16.50 in / 420 mm   35.94-39.10 in   913-993 mm   MR762A1   7.62 mm x 51   - 10/20   semi Optical   Retractable   3.23 in /82 mm   8.36 in /213 mm   10.58 lb / 4.80 kg   N/A   16.50 in / 420 mm   35.94-39.10 in   913-993 mm   16.50 in /420	MARK 23	.45 ACP	- 12	semi	3-dot	fixed	1.53 in / 39 mm	5.90 in / 150 mm	39.36 oz / 1120 g	7.76 in / 195 mm	5.87 in / 149 mm	9.65 in / 245 mm
MR556A1 5.56 mm x 45 - 10/20/30 semi adjustable Retractable 3.07 in /78 mm 9.45 in /240 mm 9.10 lb / 4.13 kg 14.60 in / 371 mm 16.50 in / 420 mm 33.90–37.68 in 861–957 mm 8.756A1 Competition Model 5.56 mm x 45 - 10/20/30 semi — Retractable MAGPUL CTR 3.07 in /78 mm 9.45 in /240 mm 8.78 lb / 3.98 kg N/A 16.50 in / 420 mm 95.9-1041 mm 95.9-1041 mm 95.94 lb / 4.48 kg 16.14 in / 410 mm 16.50 in / 420 mm 35.94–39.10 in 913–99.30 mm 97.54 mm 97.54 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94–39.10 in 913–99.30 mm 97.54 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94–39.10 in 913–99.30 mm 97.54 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94–39.10 in 913–99.30 mm 97.54 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94–39.10 in 913–99.30 mm 97.54–39.10 in 913–99.30 mm 97.54 lb / 4.80 kg N/A 16.50 in / 420 mm 35.94–39.10 in 913–99.30 mm 97.54–39.10 in 913–99.30 mm 9	SP5K	9 mm x 19	- 10/15/30	semi	diopter	fixed	2.40 in / 61 mm	8.66 in / 220 mm	5.04 lb / 2.29 kg	10.2 in / 260 mm	4.53 in / 115 mm	13.9 in / 354 mm
TROÝ micro set  S61–957 mm  9.45 in /240 mm  8.78 lb / 3.98 kg  N/A  16.50 in /420 mm  37.75–41.00 in  959–1041 mm  9.84 lb /4.48 kg  16.14 in /410 mm  16.50 in /420 mm  16.50 in /420 mm  35.94–39.10 in  TROÝ micro set  TROÝ micro set  3.23 in /82 mm  MR762A1  7.62 mm x 51  7.6	SEMI-AUTOMATIC RIFLE MODEL											
MR556A1 Competition Model 5.56 mm x 45 - 10/20/30 semi — Retractable MAGPUL CTR 3.07 in /78 mm 9.45 in /240 mm 9.45 in /240 mm 9.775–41.00 in 959–1041 mm 16.50 in /420 mm 35.94–39.10 in 913–993 mm 959–1041 mm 959–1041 mm 959–1041 mm 959–1041 mm 959–1041 mm 959–1041 mm 955–1041 mm 9	MR556A1	5.56 mm x 45	- 10/20/30	semi	adjustable	Retractable	3.07 in /78 mm	9.45 in /240 mm	9.10 lb / 4.13 kg	14.60 in / 371 mm	16.50 in / 420 mm	33.90-37.68 in
MR762A1 7.62 mm x 51 - 10/20 semi adjustable Retractable 3.23 in /82 mm 8.36 in /213 mm 9.84 lb /4.48 kg 16.14 in /410 mm 16.50 in /420 mm 35.94-39.10 in 7ROY micro set TROY micro set 913-993 mm 91.54 mm 10.58 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 mm 35.94-39.10 in 7.62 mm x 51 - 10/20 semi Optical Retractable 3.23 in /82 mm 8.36 in /213 mm 10.58 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 in 91.34 mm 35.94-39.10 in 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 in 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 in 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 in 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 in 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 in 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 35.94-39.10 in 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.34 mm 91.34 lb /4.80 kg N/A 16.50 in /420 mm 91.34 mm 91.3	MR556A1 Competition Model	5.56 mm x 45	- 10/20/30		–	Retractable MAGPUL CTR	3.07 in /78 mm	9.45 in /240 mm	8.78 lb / 3.98 kg	N/A	16.50 in / 420 mm	37.75-41.00 in
MR762A1 7.62 mm x 51 - 10/20 semi Optical Retractable 3.23 in /82 mm 8.36 in /213 mm 10.58 lb /4.80 kg N/A 16.50 in / 420 mm 35.94–39.10 in	MR762A1	7.62 mm x 51	- 10/20	semi	adjustable	Retractable	3.23 in /82 mm	8.36 in /213 mm	9.84 lb /4.48 kg	16.14 in / 410 mm	16.50 in / 420 mm	35.94-39.10 in
		7.62 mm x 51	- 10/20	semi	Optical		3.23 in /82 mm			N/A	16.50 in / 420 mm	35.94-39.10 in

# Military/Law Enforcement Product Specifications

ANDGUN MODEL	CALIBER			SIGHTS	GRIPS/STOCKS	WIDTH (APPROX.)	HEIGHT (APPROX.)	WEIGHT WITH EMPTY MAGAZINE	SIGHT RADIUS (APPROX.)	BARREL LENGTH	OVERALL LENGTH	MODEL		CYCLIC RATE	MAGAZINE	MODES		STOCK	WIDIH	HEIGHT	EMPTY WEIGHT	SIGHT KADIUS	BARREL LENGTH	OVERALL LENGTH
P9	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.41 in / 137.5 mm	26.56 oz / 753 g	6.38 in / 162 mm	4.09 in / 104 mm	7.34 in / 186.5 mm	MODEL MP5A2	9 mm x 19	OF FIRE 800 rpm	15/30	OF FIRE S,F,2,3	SIGHTS	FS	(APPROX.) 1.96 in / 50 mm	(APPROX.) 10.23 in / 260 mm	5.97 lb / 2.71 kg	(APPROX.) 13.38 in / 340 mm	8.85 in / 225 mm	26.77 in / 680 mm
P40	.40 S&W	13/10	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	5.45 in / 138.5 mm	28.93 oz / 820 g	6.38 in / 162 mm	4.09 in / 104 mm	7.34 in / 186.5 mm	MP5A3	9 mm x 19	800 rpm	15/30	S,F,2,3	D	DC DC	1.96 in / 50 mm	10.23 in / 260 mm	7.16 lb / 3.25 kg	13.38 in / 340 mm	8.85 in / 225 mm	21–27.25 in/ 535 –694 mm
P9 Tactical	9 mm x 19	15/10	semi	adjustable	fully adjustable	1.32 in / 33.5 mm	5.41 in / 137.5 mm	30.20 oz / 855 g	6.38 in / 162 mm	4.70 in / 119 mm	7.95 in / 202 mm	MP5SFA2	9 mm x 19	•			ט	r.s FS	1.96 in / 50 mm	- ,	, ,	,	- , -	
P40 Tactical	.40 S&W	13/10	semi	adjustable	fully adjustable	1.32 in / 33.5 mm	5.45 in / 138.5 mm	32.60 oz / 923 g	6.38 in / 162 mm	4.70 in / 119 mm	7.95 in / 202 mm			•	15/30	S	D	1	. , , -	10.23 in / 260 mm	6.00 lb / 2.72 kg	13.38 in / 340 mm	8.85 in / 225 mm	21.65–27.55 in / 551–702 mm
P9SK	9 mm x 19	10/13/15	semi	3-dot	fully adjustable	1.32 in / 33.5 mm	4.57 in / 116 mm	36.40 oz / 747 g	5.73 in / 145.5 mm	3.39 in / 86 mm	6.61 in / 168 mm	MP5-N(RS)	9 mm x 19	800 rpm	15/30	S,F	D -	FS	1.96 in / 50 mm	10.23 in / 260 mm	7.16 lb / 3.25 kg	13.38 in / 340 mm	8.85 in / 225 mm	21–27.25 in / 535–694 mm
30	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	MP5K	9 mm x 19	900 rpm	15/30	S,F,2,3	D	RC	1.96 in / 50 mm	10.23 in / 260 mm	4.78 lb / 2.17 kg	13.38 in / 340 mm	4.52 in / 115 mm	12.79 in /325 mm
30	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	MP5K-PDW	9 mm x 19	900 rpm	15/30	S,F,2,3	D	FOLD	1.96 in / 50 mm	10.23 in / 260 mm	6.50 lb / 2.95 kg	10.23 in / 260 mm	5.51 in / 140 mm	14.5-23.74 in / 369-605 mm
30S	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	MP5SD1	9 mm x 19	800 rpm	15/30	S,F	D	RC	2.63 in / 60 mm	10.23 in / 260 mm	6.54 lb / 2.97 kg	13.38 in / 340 mm	5.74 in / 146 mm	21.65 in / 550 mm
30S	.40 S&W	13/10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	5.43 in / 138 mm	26.08 oz / 740 g	5.84 in / 148.5 mm	3.85 in / 98 mm	7.12 in / 181 mm	MP5SD3	9 mm x 19	800 rpm	15/30	S,F	D	RS	2.63 in / 60 mm	10.23 in / 260 mm	6.54 lb / 2.97 kg	13.38 in / 340 mm	5.74 in / 146 mm	26.37-31.69 in / 672-807 mm
30L	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	UMP9	9 mm x 19	600 rpm	30	S,2,F	D	FOLD	2.40 in / 61 mm	11.02 in / 280 mm	4.96 lb / 2.25 kg	12.80 in / 325 mm	7.87 in / 200 mm	17.71-27.16 in / 451-692 mm
30L	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	UMP40	.40 S&W	600 rpm	30	S,2,F	D	FOLD	2.40 in / 61 mm	12.00 in / 305 mm	4.96 lb / 2.25 g	12.80 in / 325 mm	7.87 in / 200 mm	17.71-27.16 in / 451-692 mm
30LS	9 mm x 19	15/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz/ 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	UMP45	.45 ACP	600 rpm	25	S,2,F	D	FOLD	2.40 in / 61 mm	12.79 in / 325 mm	5.40 lb /2.45 kg	12.80 in / 325 mm	7.87 in / 200 mm	17.71-27.16 in / 451-692 mm
30LS	.40 S&W	13/10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	5.43 in / 138 mm	27.52 oz / 780 g	6.42 in / 163 mm	4.45 in / 113 mm	7.71 in / 196 mm	MP7A1 PDW	4.6 x 30 mm	950 rpm	30	S,2,F	D	RS	1.77 in /45 mm	6.77 in /172 mm	4.40 lb /2.0 kg	12.80 in /325 mm	7.08 in /180 mm	16.53-25.19 in / 421-622 mm
30SK	9 mm x 19	10	semi	3-dot	fully adjustable	1.37 in / 34.8 mm	4.57 in / 116 mm	23.99 oz/ 680 g	5.35 in / 136 mm	3.27 in / 83 mm	6.42 in / 163 mm	G36C	5.56 mm x 45	750 rpm	30	S,2,F	O,DS,D	FOLD	2.51 in / 64 mm	10.94 in / 278 mm	6.52 lb / 2.96 kg	12.61 in / 315 mm	8.97 in / 228 mm	19.69-28.34 in / 502-722 mm
30SKS	9 mm x 19	10	semi	3-dot	fully adjustable	1.53 in / 38.8 mm	4.57 in / 116 mm	23.99 oz/ 680 g	5.35 in / 136 mm	3.27 in / 83 mm	6.42 in / 163 mm	G36K	5.56 mm x 45	750 rpm	30	S,2,F	O,DS,D	FOLD	2.51 in / 64 mm	12.59 in / 320 mm	7.58 lb / 3.44 kg		12.51 in / 318 mm	4.21-33.85 / 617-862 mm
K45	.45 ACP	10	semi	3-dot	adj. backstrap	1.54 in /39 mm	5.91 in / 150 mm	31.20 oz/ 880 g	6.63 in / 168.5 mm	4.46 in / 113.5 mm	8.03 in / 204 mm	HK416 10.4 in.	. 5.56 mm x 45	7-900 rpm	20/30	S,F	AS	RS	3.07 in /78 mm	9.45 in / 240 mm	7.21 lb / 3.27 kg	14.61 in / 371 mm	10.40 in / 264 mm	27.60-31.38 in / 701-797 mm
K45 Tactical	.45 ACP	10	semi	adjustable	adj. backstrap	1.54 in /39 mm	5.91 in / 150 mm	31.20 oz / 880 g	6.63 in / 168.5 mm	5.20 in / 132 mm	8.50 in / 216 mm	HK416 14.5 in.	. 5.56 mm x 45	7-900 rpm	20/30	S,F	AS	RS	3.07 in / 78 mm	9.45 in / 240 mm	8.24 lb / 3.74 kg	14.61 in / 371 mm	14.50 in / 368 mm	31.65-35.43 in / 804-900 mm
K45 Compact	.45 ACP	8/10	semi	3-dot	adj. backstrap	1.54 in / 39 mm	5.51 in / 140 mm	28.48 oz / 810 g	6.00 in / 152.5 mm	3.90 in / 99 mm	7.24 in / 184 mm	HK416 16.5 în.	. 5.56 mm x 45	7-900 rpm	20/30	S,F	AS	RS	3.07 in / 78 mm	9.45 in / 240 mm	8.4 lb / 3.81 kg	14.61 in / 371 mm	16.50 in / 419 mm	33.66 -37.44 in / 855-951 mm
K45 Compact Tactical	.45 ACP	8/10	semi	adjustable	adj. backstrap	1.54 in / 39 mm	5.51 in / 140 mm	29.12 oz / 830 g	6.00 in / 152.5 mm	4.57 in / 116 mm	7.91 in / 201 mm	HK416 A5 11 ii	n. 5.56 mm x 45	7-900 rpm	20/30	S,F	AS	RS	3.07 in / 78 mm	9.45 in / 240 mm	9.05 lb / 4.11 kg	20.79 in / 528 mm	19.88 in / 505 mm	37.05-40.83 in / 941-1037 mm
2000	9 mm x 19	13/10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	5.07 in / 129 mm	24.96 oz / 710 g	5.55 in / 141 mm	3.66 in / 93 mm	6.85 in / 174 mm	HK416 A5 14.5	in. 5.56 mm x 45	7-900 rpm	20/30	S,F	AS	RS	3.07 in / 78 mm	9.45 in / 240 mm	9.05 lb / 4.11 kg	20.79 in / 528 mm	19.88 in / 505 mm	37.05-40.83 in / 941-1037 mm
2000	.40 S&W	12/10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	5.07 in / 129 mm	24.96 oz / 710 g	5.55 in / 141 mm	3.66 in / 93 mm	6.85 in / 174 mm		n. 7.62 mm x 51	600 rpm	10/20	S.F	AS	RS	3.23 in / 82 m	8.39 in / 213 mm	9.62 lb / 4.36 kg	16.14 in / 410 mm	12.00 in / 305 mm	• • • • • • • • • • • • • • • • • • • •
2000SK	9 mm x 19	10	semi	3-dot	adj. backstrap	1.37 in / 34.8 mm	4.55 in / 115.5 mm	24.00 oz / 680 g	5.18 in / 131.5 mm	3.26 in / 83 mm	6.40 in / 162.5 mm		n. 7.62 mm x 51	600 rpm	10/20	S.F.	AS	PS.	3.23 in / 82 mm	8.39 în / 213 mm	10.16 lb / 4.61kg	16.14 in / 410 mm	16.00 in / 406 mm	
2000SK	.40 S&W	9	semi	3-dot	adj. backstrap	1.27 in / 34 mm	4.55 in / 115.5 mm	24.00 oz / 680 g	5.18 in / 131.5 mm	3.26 in / 83 mm	6.40 in / 162.5 mm		n. 7.62 mm x 51	600 rpm	10/20	S.F	AS	RS	3.23 in / 82 mm	8.39 in / 213 mm	10.93 lb / 4.96 kg	18.62 in / 473 mm	•	39.65-42.71 in / 1007-1087 mm
SP9	9 mm x 19	15/10	semi	3-dot	fixed	1.26 in / 32 mm	5.31 in / 135 mm	27.20 oz / 770 g	6.22 in / 158 mm	4.25 in / 108 mm	7.68 in / 195 mm			•	10/20	-,-		·	·	·	· -			·
SP40	.40 S&W	13/10	semi	3-dot	fixed	1.26 in / 32 mm	5.31 in / 135 mm	28.96 oz / 820 g	6.22 in / 158 mm	4.25 in / 108 mm	7.68 in / 195 mm	MG4 KE	5.56 mm x 45	775 rpm (±) 50	Dell	F	diopter	Folding	3.78 in / 96 mm	8.98 in / 228 mm	16.98 lb / 7.7 kg	23.62 in / 600 mm	· ·	29.53–37.40 in / 750– <b>950</b> mm
SP45	.45 ACP	12/10	semi	3-dot	fixed	1.26 in / 32 mm	5.61 in / 142.5 mm	34.88 oz / 990 g	6.34 in / 161 mm	4.41 in / 112 mm	7.91 in /201 mm	MG4 E	5.56 mm x 45	775 rpm (±) 50	Deit	-	diopter	Folding	3.78 in / 96 mm	8.98 in / 228 mm	17.42 lb / 7.9 kg	23.70 in / 602 mm		32.68 <b>–40.55</b> in / 830 <b>–1030</b> mm
SP9 Compact	9 mm x 19	13/10	semi	3-dot	fixed	1.38 in / 35 mm	5.00 in / 127 mm	25.76 oz / 730 g	5.31 in / 135 mm	3.58 in / 91 mm	6.81 in / 173 mm	,	7.62 mm x 51	600/700/800 rpm		F	diopter	Fixed Stock	4.72 in / 120 mm	11.22 in / 285 mm	21.83 lb / 9.9 kg	23.62 in / 600 mm	18.11 in / 460 mm	41.73 in / 1060 mm
SP40 Compact	.40 S&W	12/10	semi	3-dot	fixed	1.38 in / 35 mm	5.00 in / 127 mm	27.52 oz / 780 g	5.31 in / 135 mm	3.58 in / 91 mm	6.81 in / 173 mm		7.62 mm x 51	600/700/800 rpm	belt	F	diopter	Folding	4.72 in / 120 mm	9.72 in / 239 mm	24.69 lb / 11.2 kg	23.70 in / 602 mm		37.80 <b>-45.67</b> in / 960-1160 mm
SP45 Compact	.45 ACP	8	semi	3-dot	fixed	1.38 in / 35 mm	5.04 in / 128 mm	28.16 oz / 800 g	5.63 in / 143 mm	3.78 in / 96 mm	7.09 in /180 mm	GLM (M320)	40 mm x 46	•	•	М	L, DNS	•	2.56 in / 65 mm	6.35 in / 161 mm	2.80 lb / 1.27 kg	5.83 in / 148 mm	8.46 in / 215 mm	11.20 in / 285 mm
SP9 Tactical	9 mm x 19	15/10	semi	adjustable	fixed	1.26 in / 32 mm	5.50 in / 140 mm	28.16 oz / 800 g	6.57 in / 167 mm	4.86 in / 123.5 mm	8.40 in / 218 mm	HK169K	40 mm x 46			М	L	FOLD	3.39-4.06 in / 86-103 mm	6.14-11.06 in / 156-281 mm	3.75 lb / 1.70 kg	8.19 in / 208 mm	9.02 in / 229 mm	12.99-22.60 in / 330-574 mm
SP45 Tactical	.45 ACP	12/10	semi	adjustable	fixed	1.26 in / 32 mm	5.90 in / 150 mm	32.80 oz / 1020 g	6.73 in / 171 mm	5.09 in / 129 mm	8.64 in / 218 mm	HK269K	40 mm x 46			M	L	FOLD	3.39-4.06 in / 86-103 mm	6.14-11.06 in / 156-281 mm	3.75 lb / 1.70 kg	8.19 in / 208 mm	9.02 in / 229 mm	12.99-22.60 in / 330-574 mm
SP9 Expert	9 mm x 19	15/18	semi	adjustable	fixed	1.73 in / 44 mm	5.86 in / 149 mm	33.60 oz / 96o g	7.48 in / 190 mm	5.19 in / 132 mm	8.70 in / 221 mm	AG-C/EGLM	40 mm x 46	-		М	L <b>,</b> 0	-	3.50 in / 89 mm	8.07 in / 205 mm	3.30 lb / 1.50 kg	5.83 in / 148 mm	11.02 in / 280 mm	13.07 in / 348 mm
ARK 23	.45 ACP -	- 12	semi	3-dot	fixed	1.53 in / 39 mm	5.90 in / 150 mm	39.36 oz / 1120 g	7.76 in / 195 mm	5.87 in / 149 mm	9.65 in / 245 mm	GMG	40 mm x 53	350 rpm	32 rd box	F	0		8.90 in /226 mm	8.19 in / 208 mm	63.93 lb / 28 kg	-	18.74 in / 476 mm	46.46 in / 1180 mm
P5K	9 mm x 19 ·	- 10/15/30	semi	diopter	fixed	2.40 in / 61 mm	8.66 in / 220 mm	5.04 lb / 2.29 kg	10.2 in / 260 mm	4.53 in / 115 mm	13.9 in / 354 mm	M110A1 SDMR	7.62 mm x 51	-	10/20	S	AS	RS	2.95 in / 75 mm	8.38 in / 213 mm	8.73 lb / 3.96 kg	16.14 in / 410 mm	16.3 in / 414 mm	35.39-39.72 in / 899-1009 mm
								-				1144014 0010	S 7.62 mm x 51		10/20	S	AS	RS	2.95 in / 75 mm	8.38 in / 213 mm	8.73 lb / 3.96 kg	16.14 in / 410 mm	46.05-1444	35.39-39.72 in / 899-1009 mm

S - semi-automatic 2 - 2 round burst

FS - fixed stock FOLD - folding stock RS - retractable stock

While every attempt has been made to ensure that the technical specifications and information contained within this catalog is accurate and up-to-date, errors or omissions sometimes occur. Not all HK products available from HK-USA.

For over half a century, Heckler & Koch has been a leading designer and manufacturer of small arms and light weapons for law enforcement and military forces worldwide. HK is also the maker of premier brand firearms for the sporting and commercial markets. Its reputation for quality, innovation, and safety make Heckler & Koch a recognized leader in the development of technologically advanced products. And the long-term durability of all HK products make them especially cost-effective when subjected to total life cycle cost analysis.

As a major international force, Heckler & Koch has a vision that is simple yet demanding — "To be the world's premier small arms systems company."

With operations in Germany, the United Kingdom, France, and the United States, we continue to meet the ever-evolving needs and requirements of our customers. A major supplier of small arms to several NATO countries, Heckler and Koch is a worldwide leader in market positions for nearly all of its major product categories.

The foundation for everything we do is an unswerving commitment to excellence. This is accomplished through technological leadership, in depth product research and development, responsible marketing, and strategies that create and shape markets. We consider it a fundamental obligation to deliver the best possible products to our customers. The words "No Compromise" are more than a motto, they are the core of our corporate philosophy.



> CONTENTS	
Handguns VP9 / VP40 VP9 SK Subcompact P30 / P30S / P30L / P30LS P30SK / P30 SKS Subcompact HK45 / HK45 Tactical / HK45 Compact / HK45 Compact Tactical P2000 / P2000 SK USP / USP Compact / USP Specialized Pistols / Mark 23 SP5K	2-3 4-5 6-7 8-9 10-11 12-13 14-15
<b>Rifles</b> MR556A1 / MR556A1 Competition Model MR762A1 / MR762A1 Long Rifle Package II	18-19 20-21
Submachine Guns & Personal Defense Weapon MP5 Submachine Guns UMP Submachine Guns MP7A1 Personal Defense Weapon	22-23 24-25 26-27
Selective Fire Rifles & Carbines HK416 HK416 A5 G36 HK417 A2	28-29 30-31 32-33 34-35
Machine Guns MG4 Light Machine Gun MG5 Medium Machine Gun	36-37 38-39
Grenade Launchers Grenade Launcher Module (GLM/M320) HK169 / HK269 Grenade Machine Gun (GMG)	40 41 42-43
Special Purpose Squad Designated Marksman's Rifle(SDMR) Compact Semi-Automatic Sniper System (CSASS) & related	44 45
Specifications	46-47

#### HK WARRANTY

All HK firearms sold commercially in the USA are covered by a Limited Lifetime Warranty for the original, retail owner. Firearms purchased by the military or law enforcement are covered by a One Year Limited Warranty against material defects and workmanship. Warranty repair or

replacement is conducted at the discretion of Heckler & Koch.



### FIREARMS SAFETY

Read and follow all safety information in the operator's manuals. Store all firearms in a safe and secure location. Keep firearms away from children. Always be a safe operator.

NOTE: Not all Heckler & Koch products are available to commercial/ civilian customers. Some products are limited to military and law enforcement users only.



### **NEW HK USA FACTORY NOW OPEN**

Heckler & Koch has consolidated all existing American manufacturing in a new 55,000 square foot production facility that opened on September 11, 2017 in Columbus, Georgia.

To view a selection of HK military/law enforcement accessories, go to http://www.heckler-koch.com/en/military/accessories.html, to purchase accessories in the USA, visit the HK web shop at www.us.hkwebshop.com

Visit the new HK webshop at: www.us.hkwebshop.com for the latest in Heckler & Koch parts, accessories, apparel, and branded products.

An affiliate of Heckler & Koch GmbH of Oberndorf, Germany; Heckler & Koch USA currently has two American locations. HK Columbus (Georgia) is the primary location for manufacturing, distribution, administration, sales, customer support, and repair services for the U.S. commercial (civilian) market and law enforcement community. For more information contact:

### **HECKLER & KOCH USA**

5675 Transport Boulevard Columbus, GA 31907 USA Tel: (706) 568-1906 / Fax: (706) 568-9151 Email: cs@heckler-koch-us.com USA website: www.hk-usa.com HK Ashburn (Virginia) serves the U.S. military and federal law enforcement community with logistical support and acts as an administrative/sales support activity. HK Ashburn is also the center for armorers and specialized training on Heckler & Koch arms conducted by HK Training & Technical Services. For more information contact:

### **HECKLER & KOCH USA**

19980 Highland Vista Drive, Suite 190 Ashburn, VA 20147 USA Tel: (703) 450-1900 / Fax: (703) 450-8160 Email: info@heckler-koch-us.com USA website: www.hk-usa.com For information on Heckler & Koch military, law enforcement, and commercial products outside of the United States contact:

#### HECKLER & KOCH GMBH

Postfach 1329 D-78722 Oberndorf Germany Tel +49 7423/79-0 • Fax +49 7423/79-24 97 Global Website: www.heckler-koch.com Email: hkinfoboard@heckler-koch.de