



LHK
KNIVES

2011 CATALOG



K N I V E S

For over half a century, Heckler and Koch has been a leading designer and manufacturer of military, law enforcement, and civilian firearms. HK's reputation for quality, innovation, and safety make them a recognized leader in technologically advanced products.

This dedication to innovation continues with HK® Knives. These superior edged tools combine leading technology with artful and practical design. Patented functional technologies like our OTF mechanism, push-button autos with an integrated safety and the lightning fast Nitrous® assist opener are deployed throughout the product line. Plus, manufacturing processes adhering to tolerances usually reserved for the aerospace industry provide a go-together fit and finish.

Our customers live the HK motto on a daily basis – No Compromise. We consider it a fundamental obligation to deliver the best possible products to those we support, whether they are military forces defending our rights and freedom or law enforcement professionals maintaining order. You have our commitment that we will continuously pursue quality, innovation and performance in all of the products we offer.

NO COMPROMISE.



SCORCH™

BLISTER THE COMPETITION WITH A TACTICAL,
PRACTICAL DOUBLE AUTO-ACTION.

- * 2-in-1 double action with locking liner and ambidextrous dual thumb-studs
- * Spear-point or reverse tanto N680 highly corrosion resistant blade (57-59 HRC)
- * Compression molded glass filled nylon handle with tip-down pocket clip

Reverse Tanto

14925



14975

Spear-Point

BLADE LENGTH	3.16" (8.02cm)
BLADE THICKNESS	0.120" (3.05mm)
OPEN	7.54" (19.15cm)
CLOSED	4.38" (11.12cm)
WEIGHT	3.90oz (110.57g)
HANDLE THICKNESS	0.58" (14.73mm)

14925BK	\$160
14925SBK	\$160
14975BK	\$160
14975SBK	\$160

USA

14800 Tumult®

CREATE PANDEMONIUM WITH THIS
DOUBLE ACTION, OUT THE FRONT AUTO.

- * Double action out-the-front auto with ambidextrous thumb-slide
- * D2 tool steel modified clip-point blade (60-62 HRC)
- * 6061-T6 aluminum handle with reversible tip-down pocket clip



BLADE LENGTH	3.50" (8.89cm)
BLADE THICKNESS	0.100" (2.54mm)
HANDLE THICKNESS	0.44" (1.12cm)
OPEN	8.10" (20.57cm)
CLOSED	4.60" (11.68cm)
WEIGHT	3.00oz (85.05g)

USA

14800	\$260
14800S	\$260
14800BK	\$295
14800SBK	\$295

14700 14750

KEEP EVERYTHING SAFE AND SECURE
WITH THIS LIGHTWEIGHT, PUSH BUTTON AUTO.

- * Push button auto with integrated safety mechanism
- * Hollowground modified drop-point 440C stainless steel blade (58-60HRC)
- * Machined 6061 T-6 aluminum handle with movable pocket clip



	14700	14750
BLADE LENGTH	3.75" (9.53cm)	2.89" (7.34cm)
BLADE THICKNESS	0.124" (3.15mm)	0.120" (3.05mm)
HANDLE THICKNESS	0.53" (1.33cm)	0.50" (1.27cm)
OPEN	8.42" (21.39cm)	6.69" (16.99cm)
CLOSED	4.68" (11.98cm)	3.88" (9.86cm)
WEIGHT	4.14oz (117.37g)	2.60oz (73.71g)

USA

14700	\$135
14700S	\$135
14700BK	\$150
14700SBK	\$150
14750	\$120
14750S	\$120
14750BK	\$135
14750SBK	\$135



14950 Fugitive™

AN ELUSIVE FOLDER THAT MEETS THE
MOST DISCRIMINATE OF NEEDS.

- ✦ Locking liner mechanism with ambidextrous dual thumb-studs
- ✦ Drop-point N680 highly corrosion resistant blade (57-59HRC)
- ✦ Compression molded glass filled nylon handle with tip-down pocket clip



BLADE LENGTH	3.17" (8.05cm)
BLADE THICKNESS	0.120" (3.05mm)
OPEN	7.53" (19.12cm)
CLOSED	4.36" (11.07cm)
WEIGHT	4.10oz (116.24g)
HANDLE THICKNESS	0.65" (16.51mm)

14950BK \$130
14950SBK \$130

USA

SOLDAT™

A DUTY BOUND WARRIOR THAT DELIVERS
TECHNOLOGY AND PERFORMANCE.

- * Manual push button locking mechanism with thumb-hole opener
- * Tanto or drop point N680 highly corrosion resistant blade (57-59HRC)
- * Molded Grivory® textured and contoured handles with reversible tip-up pocket clip



14411
Drop-Point

14410
Tanto

BLADE LENGTH	3.30" (8.38cm)
BLADE THICKNESS	0.114" (2.89mm)
OPEN	7.70" (19.55cm)
CLOSED	4.40" (11.17cm)
WEIGHT	2.80oz (79.37g)
HANDLE THICKNESS	0.76" (19.30mm)

USA

14410BK \$70
14410SBK \$70
14411BK \$70
14411SBK \$70

14650

P30

MODELED AFTER THE HK P30, WE
COMBINED FUNCTION AND PERSONALITY.

- * Locking liner mechanism with thumb-stud opener
- * Modified drop-point 8CR13 stainless steel blade (58-60HRC)
- * Black molded thermoplastic handle with P30 texture and tip-down pocket clip



BLADE LENGTH 2.95" (7.49cm)
BLADE THICKNESS 0.100" (2.54mm)
HANDLE THICKNESS 0.45" (1.14cm)
OPEN 6.75" (17.15cm)
CLOSED 3.88" (9.85cm)
WEIGHT 2.20oz (62.37g)

IMPORT

14650BT #45
14650SBT #45

14460

Nitrous® Blitz™

SURVIVE AN ALL OUT BLITZKRIEG WITH THE
EASE AND CONTROL OF THE NITROUS®

- * Modified locking liner with Nitrous Assist® mechanism single thumb-stud opener
- * Modified clip-point 154CM stainless steel blade (58-61HRC)
- * Black G10 handle scales with dual 6AL4V titanium liners and a removable tip-down pocket clip



BLADE LENGTH 3.40" (8.63cm)
BLADE THICKNESS 0.100" (2.54mm)
HANDLE THICKNESS 0.43" (1.09cm)
OPEN 8.00" (17.27cm)
CLOSED 4.60" (11.68cm)
WEIGHT 2.70oz (76.54g)

USA

14460 #140
14460S #140
14460BT #155
14460SBT #155

ASCENDER[®]

IT RISES ABOVE THE FRAY WITH A SLIM GRIP.

- ✦ Locking-liner mechanism with dual thumb-studs
- ✦ Tanto or drop-point 9CR13 stainless steel blade (58-60HRC)
- ✦ Black G10 handle scales with black oxide hardware and deep pocket clip



Tanto



Drop-Point

	14301/14302	14351/14352
BLADE LENGTH	2.92" (7.42cm)	3.86 (9.80cm)
BLADE THICKNESS	0.100" (2.54mm)	0.120" (3.05mm)
HANDLE THICKNESS	0.41" (1.04cm)	0.41" (1.04cm)
OPEN	7.00" (17.78cm)	9.25" (23.50cm)
CLOSED	4.02" (10.21cm)	5.34" (13.56cm)
WEIGHT	3.00oz (85.05g)	5.40oz (153.00g)

IMPACT

14301BT	\$60	14302BT	\$60
14301SBT	\$60	14302SBT	\$60
14351BT	\$75	14352BT	\$75
14351SBT	\$75	14352SBT	\$75

PIKA®

A CONSPICUOUS LOCK BACK WITH AN AGGRESSIVE FLAIR.

- * Lock back mechanism with ambidextrous thumb stud or hole
- * Drop-point or tanto 9CR13 stainless steel blade (58-60HRC)
- * Glass filled nylon handle with 420J stainless steel liners and multiple placement pocket clip



14402SBK
Drop-Point

14412



14452SBK

Tanto

	14402/14452	14412
BLADE LENGTH	3.50" (8.89cm)	2.90" (7.37cm)
BLADE THICKNESS	0.118" (2.92mm)	0.110" (2.79mm)
HANDLE THICKNESS	0.45" (11.49mm)	0.44" (11.09mm)
OPEN	8.32" (21.13cm)	6.97" (17.71cm)
CLOSED	4.82" (12.24cm)	4.07" (10.34cm)
WEIGHT	3.74oz (106.03g)	2.75oz (77.96g)

IMPORT

14402SBK \$45
14412 \$40
14452SBK \$45

14320 Monochrome®

A STEADFAST COMPANION THAT OFFERS STRUCTURE,
STRENGTH AND EASE OF USE.

- * Monolock mechanism with ambidextrous thumb-studs
- * Drop-point utility N690 stainless steel blade(58-60HRC)
- * 420J stainless steel handle with removable tip-down pocket clip



BLADE LENGTH	3.04" (7.72cm)
BLADE THICKNESS	0.115" (2.92mm)
HANDLE THICKNESS	0.35" (9.00mm)
OPEN	7.37" (18.72cm)
CLOSED	4.345" (10.04cm)
WEIGHT	3.84oz (108.86g)

IMPORT

14320BK \$60
14320SBK \$60

14440 Ally®

THE ACCOMPLICE YOU NEED FOR ANY MAJOR OR MINOR TASK.

- * Monolock mechanism with ambidextrous round hole opener
- * Modified clip-point AUS8 stainless steel blade(58-60HRC)
- * One piece 420J stainless steel handle assembly with tip-down pocket clip and glass breaker tip



BLADE LENGTH	2.80" (7.11cm)
BLADE THICKNESS	0.115" (2.92mm)
HANDLE THICKNESS	0.30" (0.76cm)
OPEN	6.87" (17.46cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.92oz (82.78g)

IMPORT

14440SB \$40



14100

FIX YOURSELF IN A SOLID POSITION.

- * Modified drop-point 440C stainless steel blade with recurve (58-60HRC)
- * Full tang handle; molded black thermoplastic scales
- * Snap-fit molded Kydex® thermoplastic sheath, movable belt loop carry



BLADE LENGTH	3.62" (9.19cm)
BLADE THICKNESS	0.150" (3.82mm)
HANDLE THICKNESS	0.57" (1.46cm)
OVERALL LENGTH	7.62" (19.35cm)
WEIGHT	8.30oz (235.30g)

14100	\$90
14100S	\$90
14100BT	\$105
14100SBT	\$105

USA

14536

Instigator®

THIS SKELETONIZED RINGLEADER COMBINES SIMPLIFIED
FORM WITH PURE FUNCTION.

- * Modified Wharncliff AUS-8 stainless steel blade (58-60HRC)
- * Full tang skeletonized handle
- * Snap-Fit molded Kydex®/thermoplastic sheath with leather



BLADE LENGTH	3.28" (8.33cm)
BLADE THICKNESS	0.123" (3.12mm)
HANDLE THICKNESS	0.12" (3.12mm)
OVERALL LENGTH	7.38" (18.79cm)
WEIGHT	2.30oz (65.2g)

IMPORT

14536BP #50

ACCESSORIES

Combo Pack

Includes:

- 14441T - Multi-tool with Pouch
- 14442L - LED Light
- 14440SB - Ally™ Knife

Packaged in a HK pistol case. IMPORT
14440SB-COMBO.....\$100.00



20 Tools in One

Needle nose pliers, multiple blades, strap cutter, wire cutter and crimper, screw driver, file and more. Carry pouch and 9 piece bit set included. IMPORT

14441T.....\$40.00



LED Light

LED light with run time of up to 10 hours and a removable pocket clip. 70 Lumens/3 Watts; Requires 3AAA batteries not included. IMPORT

14442L.....\$40.00



HK T-Shirt

T-shirt with embroidered HK logo on chest. 100% preshrunk cotton.

M, L, XL, XXL.....\$20.00



HK Cap

Adjustable velcro strap hat with embroidered red logo on front and embroidered white colored "Heckler & Koch" writing on back. 100% cotton.

ONE SIZE.....\$20.00



HK Polo Shirt

Polo shirt with HK logo on the chest. Double seams on sleeve, collar and hem. 100% cotton.

L, XL, XXL.....\$40.00



DriFit T-Shirt

Olive Drab Green DriFit Tshirt 100% Microdenier Polyester. Moisture wicking, anti-microbial and anti-static fabric.

L, XL, XXL.....\$30.00



HK[®]
KNIVES

VISIT US ON THE WEB AT
WWW.HK-KNIVES.COM

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.

NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED?

This Warranty does not cover normal wear, resharpening of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's HK Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, prybar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. **MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.**

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. HK or Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. HK's knives carry no warranty except as expressly contained herein. HK and Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is Federally regulated (refer to catalog inside cover for Federal Statutes), always check permissibility within your state or locality as non-Federal personnel may be precluded from ownership or use by State laws. **NO EXCEPTIONS WILL BE MADE.**

SHIPPING OF AUTOMATIC KNIVES

All AUTOMATIC knives shipped by Benchmade will be done via the following couriers, UPS, FedEx, etc. and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via alternate couriers, UPS, FedEx, etc. This is in accordance with the policies of the U.S. Postal Service. Thank you.

ARE HK ASSIST OPEN KNIVES LEGAL?

Even though the HK assist opener models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit hk-knives.com for the latest information.

MODEL FEATURE CODES

S	Partially Serrated, No Blade Coating		
SBK	Partially Serrated, Black Ceramic Coating	BK	Black Ceramic Coating
SBT	Partially Serrated, Black Teflon® Coating	BT	Black Teflon® Coating
SBX	Partially Serrated, Black Oxide Coating	BX	Black Oxide Coating

The following are trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Fugitive, Scorch, Soldat.

The following are registered trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Ascender, Ally, Blitz, Instigator, Monochrome, Nitrous, Pika, Tumult, BenchKote (BK); BK1; BT2; ComboEdge; LifeSharp.

NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Safety Lock for Automatic Folding

Knife- U.S. Patent No. 5,822,866; Blade Lock Mechanism for Folding Knife (Modified Locking Liner) - U.S. Patent No. 5,755,035. ©2011 BENCHMADE KNIFE CO., INC. • Printed in the USA • Other Patents Pending



300 BEAVERCREEK ROAD
OREGON CITY, OR 97045

ADDRESS SERVICE REQUESTED

PRSRT STD
US POSTAGE
PAID
OREGON CITY, OR
PERMIT NO. 25

