



KNIVES

2013 CATALOG



# NO COMPROMISE

For more than a half century, Heckler and Koch has been a leading designer and manufacturer of military, law enforcement and civilian firearms. HK's commitment to quality, innovation and safety makes them an industry leader in reliability and technology.

This dedication continues with HK Knives, where superior edged tools combine leading technology with practical design. These advancements are deployed throughout the product line with technologies like Nitrous® Assist and OTF. In addition, aerospace industry tolerance standards provide a complementary fit and finish.

Our customers live the HK motto - No Compromise - and for this reason you have our commitment that we will continuously pursue innovation and performance in all of the products we offer.



SCORCH® - CODE 3



# DUAL ACTION



Reverse Tanto

Spear-Point

## SCORCH® THIN BLUE LINE

6000000 \$175  
A portion of the proceeds from these knives are donated to foundations supporting the families of officers who have made the ultimate sacrifice.

**NEW**

## SCORCH®

**Spear-Point** 14975

**Reverse Tanto** 14925

- 2-in-1 dual action with locking liner and ambidextrous thumb-studs
- Spear-point or reverse tanto N680 highly corrosion resistant blade (57-59 HRC)
- Injection molded glass-filled nylon handle with tip-down pocket clip



14925BK	\$160	BLK
14925SBK	\$160	SERR/BLK
14975BK	\$160	BLK
14975SBK	\$160	SERR/BLK
6000000	\$175	SERR/BLK

<b>BLADE LENGTH</b>	3.16" (8.03cm)
<b>BLADE THICKNESS</b>	0.124" (3.15cm)
<b>HANDLE THICKNESS</b>	0.58" (14.73mm)
<b>OPEN</b>	7.54" (19.15cm)
<b>CLOSED</b>	4.38" (11.13cm)
<b>WEIGHT</b>	3.90oz (110.56g)

# OTF



## EPIDEMIC™

- Double action OTF auto with ambidextrous, red anodized thumb-button
- D2 tool steel, spear-point blade (60-62 HRC)
- 6061-T6 aluminum handle with reversible tip-down pocket clip



14850	\$285	
14850BK	\$300	BLK

<b>BLADE LENGTH</b>	3.50" (8.89cm)
<b>HANDLE THICKNESS</b>	0.55" (13.97mm)
<b>OPEN</b>	8.29" (20.88cm)
<b>CLOSED</b>	4.78" (12.14cm)
<b>WEIGHT</b>	3.86oz (109.43g)



## SCORCH® CODE 3

- 2-in-1 dual action with locking liner and ambidextrous thumb-studs
- Reverse tanto blade design
- D2 tool steel blade (60-62HRC)
- Textured G10 handles with full stainless steel liners and stainless pocket clip



6000006	\$225	BLK
6000007	\$225	SERR/BLK

<b>BLADE LENGTH</b>	3.16" (8.03cm)
<b>BLADE THICKNESS</b>	0.124" (3.15cm)
<b>HANDLE THICKNESS</b>	0.58" (14.73mm)
<b>OPEN</b>	7.54" (19.15cm)
<b>CLOSED</b>	4.38" (11.13cm)
<b>WEIGHT</b>	3.90oz (110.6g)

**NEW**



## TUMULT®

- Double action OTF auto with ambidextrous action
- D2 tool steel, clip-point blade (60-62 HRC)
- 6061-T6 aluminum handle with reversible tip-down pocket clip



14800	\$285	
14800BK	\$300	BLK

<b>BLADE LENGTH</b>	3.50" (8.89cm)
<b>HANDLE THICKNESS</b>	0.44" (11.18mm)
<b>OPEN</b>	8.10" (20.57cm)
<b>CLOSED</b>	4.60" (11.68cm)
<b>WEIGHT</b>	3.00oz (85.05g)

# AUTOMATICS



## ENTOURAGE™

**Large** 14701  
**Mini** 14751

- New auto with enlarged push button and integrated safety
- 440C stainless steel, flat grind tanto blade (58-60 HRC)
- Enhanced spring design for improved response time
- Black anodized, machined 6061 T-6 aluminum handle with tip-up steel carry clip



	14701	14751
<b>14701BK</b>	\$170	BLK
<b>14701SBK</b>	\$170	SERR/BLK
<b>14751BK</b>	\$155	BLK
<b>14751SBK</b>	\$155	SERR/BLK
<b>BLADE LENGTH</b>	3.74" (9.50 cm)	2.87" (7.29 cm)
<b>HANDLE THICKNESS</b>	0.53" (13.46 mm)	0.49" (12.45 mm)
<b>OPEN</b>	8.44" (21.44 cm)	6.78" (17.22 cm)
<b>CLOSED</b>	4.70" (11.94 cm)	3.91" (9.93cm)
<b>WEIGHT</b>	4.50oz (127.57g)	3.70oz (107.16g)

# ASSISTS




## NITROUS BLITZ®

- Modified locking-liner with Nitrous® Assist mechanism single thumb-stud opener
- Modified clip-point 154CM stainless steel blade (58-61HRC)
- Black G10 handle scales with dual TI liners and tip-down pocket clip.



	14460	14460BT	14460SBT
<b>14460</b>	\$140	BLK	
<b>14460BT</b>	\$155	SERR/BLK	
<b>14460SBT</b>	\$155		
<b>BLADE LENGTH</b>	3.40" (8.63cm)		
<b>HANDLE THICKNESS</b>	0.43" (1.09cm)		
<b>OPEN</b>	8.00" (17.27cm)		
<b>CLOSED</b>	4.60" (11.68cm)		
<b>WEIGHT</b>	2.70oz (76.54g)		

Tanto



## MP5

**Drop-Point** 6000010/6000011  
**Tanto** 6000012/6000013

- Push button automatic with integrated safety
- 6000010 and 6000011 feature a drop-point blade
- 6000012 and 6000013 feature a tanto blade
- 154CM stainless steel (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle and extended back spacer with reversible steel carry clip

Drop-Point



NEW

	6000010	6000011	6000012	6000013
	\$225	\$225	\$225	\$225
	BLK	SERR/BLK	BLK	SERR/BLK
<b>BLADE LENGTH</b>	3.4" (8.64cm)			
<b>BLADE THICKNESS</b>	0.124" (3.15cm)			
<b>HANDLE THICKNESS</b>	0.62" (15.75mm)			
<b>OPEN</b>	8.50" (21.59cm)			
<b>CLOSED</b>	5.00" (14.17cm)			
<b>WEIGHT</b>	3.90oz (110.6g)			




## P30 ASSIST

- Locking-liner assisted opening mechanism with thumb-stud opener
- Modified drop-point 8CR13 stainless steel blade (57-59HRC)
- Black molded thermoplastic handle with P30 texture and tip-down pocket clip

IMPORT

	6000008	6000009
	\$60	\$60
	BLK	SERR/BLK
<b>BLADE LENGTH</b>	2.95" (7.49cm)	
<b>BLADE THICKNESS</b>	0.100" (2.54cm)	
<b>HANDLE THICKNESS</b>	0.48" (12.19mm)	
<b>OPEN</b>	6.75" (17.15cm)	
<b>CLOSED</b>	3.88" (9.86cm)	
<b>WEIGHT</b>	2.81oz (79.7g)	

# FOLDERS



## CONSPIRACY™ FOLDER

- High traction G10 handle with titanium monolock
- 9CR13 drop-point blade (58-60 HRC)
- Heavy-duty 0.18" thick blade

### IMPORT

14201BT	\$100	BLK	<b>BLADE LENGTH</b>	3.60" (9.14cm)
14201SBT	\$100	SERR/BLK	<b>HANDLE THICKNESS</b>	0.63" (15.88mm)
			<b>OPEN</b>	7.55" (19.18cm)
			<b>CLOSED</b>	4.07" (10.34cm)
			<b>WEIGHT</b>	6.35oz (180.5g)

# FOLDERS



## PIKA®

**Drop-Point** 14412/14402SBK  
**Tanto** 14452SBK

- Lock-back mechanism with ambidextrous thumb-stud or hole
- 8CR13 stainless steel blade (58-60HRC)
- Glass-filled nylon handle with 420J stainless steel liners and multiple placement pocket clip

### IMPORT

			14402/14452	14412
14402	\$45		<b>BLADE LENGTH</b>	3.50" (8.89cm)
14402SBK	\$45	SERR/BLK	<b>HANDLE THICKNESS</b>	0.45" (11.49mm)
14412	\$40		<b>OPEN</b>	8.32" (21.13cm)
14452SBK	\$45	SERR/BLK	<b>CLOSED</b>	4.82" (12.24cm)
			<b>WEIGHT</b>	3.74oz (106.03g)
				2.90" (7.37cm)
				0.44" (11.09mm)
				6.97" (17.71cm)
				4.07" (10.34cm)
				2.75oz (77.96g)



## ALLY®

- Monolock mechanism with ambidextrous thumb-hole opener
- Modified clip-point AUS8 stainless steel blade (58-60HRC)
- One-piece 420J stainless steel handle assembly with tip-up pocket clip and glass-breaker tip

### IMPORT

14440SB	\$40	SERR/BLK	<b>BLADE LENGTH</b>	2.80" (7.11cm)
			<b>HANDLE THICKNESS</b>	0.30" (7.60mm)
			<b>OPEN</b>	6.87" (17.46cm)
			<b>CLOSED</b>	4.10" (10.41cm)
			<b>WEIGHT</b>	2.92oz (82.78g)



## SOLDAT®

- Manual push button locking mechanism with ambidextrous thumb-hole opener
- N680 highly corrosion resistant steel, tanto or drop-point (57-59HRC)
- Molded Grivory® handle with reversible tip-up pocket clip



14410BK	\$70	BLK	<b>BLADE LENGTH</b>	3.30" (8.38cm)
14410SBK	\$70	SERR/BLK	<b>HANDLE THICKNESS</b>	0.76" (19.30mm)
			<b>OPEN</b>	7.70" (19.55cm)
			<b>CLOSED</b>	4.40" (11.17cm)
			<b>WEIGHT</b>	2.80oz (79.37g)

# NO COMPROMISE

It can be a difficult, thankless job. Working long hours and staying vigilant are necessary. Being prepared for those unfortunate but all too common confrontations requires you and your gear to be at their best. HK knives are built solid and reliable for just those kinds of scenarios.



Plan D - 14125BK



# FIXED



## PLAN D

- Fixed Wharncliffe style blade with curved profile
- N680 stainless steel blade (57-59 HRC)
- Contoured Grivory® handle scales with signature HK® texture
- Low profile, molded sheath with ambidextrous clip designed for duty belts



14125BK \$80 BLK

**BLADE LENGTH** 2.90" (7.37cm)  
**BLADE THICKNESS** 0.114" (2.904cm)  
**HANDLE THICKNESS** 0.54" (13.72mm)  
**OVERALL LENGTH** 5.65" (14.359mm)  
**WEIGHT** 2.37oz (67.27g)

# FIXED



## CONSPIRACY™ FIXED

- High traction, black G10 handle scales
- 9CR13 tanto blade (58-60 HRC)
- Heavy-duty 0.20" thick blade
- Includes nylon-molded sheath

### IMPORT

14101BT \$80 BLK  
 14101SBT \$80 SERR/BLK

**BLADE LENGTH** 4.80" (12.19cm)  
**HANDLE THICKNESS** 0.70" (17.78mm)  
**OVERALL LENGTH** 9.00" (22.86cm)  
**WEIGHT** 11.22oz (318.08g)



## INSTIGATOR®

- Modified Wharncliffe AUS-8 stainless steel blade (58-60HRC)
- Full-tang skeletonized handle
- Snap-Fit molded Kydex®/thermoplastic sheath with tether

### IMPORT

14536BP \$50 BLK

**BLADE LENGTH** 3.28" (8.33cm)  
**HANDLE THICKNESS** 0.12" (3.12mm)  
**OVERALL LENGTH** 7.38" (18.79cm)  
**WEIGHT** 2.30oz (65.2g)

# TOOLS/MISC.

## ALLY® COMBO

All combo packs are packaged in a genuine HK pistol case. **IMPORT.**

14440SB-COMBO \$110



14441T



14440SB



14442L

## MULTITOOLS/LIGHTS



### UTILITY

Needle nose pliers, multiple blades, strap cutter, wire cutter and crimper, screwdriver, file and more. Carry pouch and 9-piece bit set included. **IMPORT**

14441T.....\$40.00



### TACTICAL

Needle nose pliers, knife blade, strap cutter, four-tooth front sight adjustment for AR-15 / M-16, shotgun choke key, cuff key and double-lock tool, carbide glass breaker, file with scraping end, saw blade. Carry pouch and 9-piece bit set included. **IMPORT**

14443T.....\$75.00



### 100-Lumen LED Light

Advanced tactical light with 3 function settings: low / high / strobe. Max Run Time: 10 hours. Batteries: CR123 Lithium (Batteries not included) **IMPORT**

14444L.....\$55.00



### 70-Lumen LED Light

LED flashlight with removable pocket clip. Max Run Time: 10 hours. Batteries: 3 AAA (not included) **IMPORT**

14442L.....\$40.00

## EXTRAS



### Dri-Fit Shirt

Black long-sleeve Dri-Fit shirt 100% microderm polyester, moisture wicking, antimicrobial and antistatic fabric. **IMPORT**

MD, L, XL, XXL.....\$45.00



### HK Knife Rack

984231F.....\$25.00



### HK Cap

Adjustable Velcro strap hat with embroidered red logo on front and embroidered white "Heckler & Koch" writing on back. 100% cotton.

ONE SIZE.....\$20.00

# WARRANTY

## LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased. **NO EXCEPTIONS WILL BE MADE.**

## WHAT IS COVERED?

This Warranty covers replacement parts and labor.

## WHAT IS NOT COVERED?

This Warranty does not cover normal wear, sharpening of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's HK Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. **MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20.**

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. HK or Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. HK's knives carry no warranty except as expressly contained herein. HK and Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties that extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

## ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated, always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. **NO EXCEPTIONS WILL BE MADE.**

## SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). In accordance with the policies of the U.S. Postal Service. Thank you.

## ARE HK ASSIST-OPEN KNIVES LEGAL?

Even though the HK assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit [hk-knives.com](http://hk-knives.com) for the latest information.

## MODEL FEATURE CODES

<b>SERR</b>	Partially Serrated
<b>BLK</b>	Black Blade

The following are registered trademarks of Mentor Group, L.L.C., used under license: Epidemic, Entourage, Conspiracy, Ascender, Ally, Blitz, Conspiracy, Epidemic, Fugitive, Instigator, Monochrome, Nitrous, Pika, Scorch, Soldat, Tumult, BenchKote (BK), BK1, BT2, ComboEdge, LifeSharp. NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Safety Lock for Automatic Folding Knife- U.S. Patent No. 5,822,866; Blade Lock Mechanism for Folding Knife (Modified Locking Liner)- U.S. Patent No. 5,755,035. ©2013 BENCHMADE KNIFE CO., INC. • Printed in the USA • Other Patents Pending



300 BEAVERCREEK ROAD  
OREGON CITY, OR 97045

ADDRESS SERVICE REQUESTED

**TELEPHONE**  
800.800.7427  
503.655.6004

**EMAIL**  
[info@benchmade.com](mailto:info@benchmade.com)

**WEB**  
[hk-knives.com](http://hk-knives.com)



PRSR STD  
US POSTAGE  
**PAID**  
OREGON CITY, OR  
PERMIT NO. 25

