




# WEAPONS SYSTEM

Military & Law Enforcement Products



**HECKLER & KOCH**

21480 Pacific Boulevard • Sterling, Virginia 20166 U.S.A. • Tel (703) 450-1900 • Fax (703) 450-8160



# HK USP Compact Pistols

The HK USP Compact is a small frame pistol capable of firing the most powerful cartridges in 9mm, .40 S&W, and .45 ACP. Based on the full-size USP models, these handy pistols combine compact size with optimum effective shooting performance.

USP Compacts are smaller and lighter than large frame USPs. The reduction in trigger reach and grip circumference increases concealability and enhances shooting ergonomics. Unlike some subcompact semiautomatic pistols that use a difficult to shoot "two-finger grip" frame, the USP Compact uses a narrow, full-hand grip frame with a choice of interchangeable extended or flush-fitting magazine floorplates. This makes the pistol easy to shoot without sacrificing concealability.

Like their large frame predecessors, USP Compacts are designed with the demanding needs of the American shooter in mind. Features favored by US civilian, law enforcement, and military users provided the design criteria for both the full size USP and the USP Compact.

All variants of the USP Compact have modified contoured slide and frame for effective concealability. Variants 1-7 also have a no snag, bobbled hammer.

Contact HK for a list of holsters manufactured for HK pistols.

Low profile 3-dot sights, adjustable for windage and elevation, are standard on the USP Compact. Optional tritium sights are also available.

Extractor doubles as loaded chamber indicator

One piece machined steel slide. Choice of stainless steel or matte black Hostile Environment finish

**USP9 COMPACT 9mm**  
Stainless Steel Model with 13-round metal magazine

USP Compacts have an ambidextrous magazine release lever which is shielded by the flared trigger guard from inadvertent actuation. The magazine release lever can be pressed with the thumb or index finger of the firing hand, without adjusting the firing grip.

Standard flat magazine floorplate

The extended slide release is contoured to reduce wear and tear on clothing when the pistol is carried concealed.

All variants of the USP Compact have a modified contoured slide and frame for effective concealability. Variants 1-7 also have a no snag, bobbled hammer.

The USP control lever has a positive stop and automatically returns to the "fire" position after decocking. The control lever, featured on many variants of the USP and USP Compact, allows these pistols to be safely carried "cocked and locked".

Flared recurve trigger guard

USP45 Compact model is only 5% larger than 9mm and .40 caliber Compact models.

**USP45 COMPACT**  
CALIBER .45 ACP with 8-round metal magazine

## Convertible Fire Modes and Controls

The USP Compact can also be converted from one type of trigger firing mode to another. This includes combination double-action and single-action modes and double action only modes. The USP Compact is currently available in four calibers and nine trigger / firing mode configurations, or virtually any firing mode imaginable.

USP Compact	Bobbed Hammer	Double Action & Single Action	Control Lever (Left Side)	Control Lever (Right Side)	Control Lever (Manual Safety)	Control Lever (Decocking)	Caliber Availability
Variant 1	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 2	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 3	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 4	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 5	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 6	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 7	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 8	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 9	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG
Variant 10	•	•	•	•	•	•	.45, .40, 9mm, 357 SIG



Polygonal barrel made by cold-hammer forging ensures increased barrel life and accuracy on par with full size USP models.

Double action only Variant 7 has no control lever. Control lever function can be switched to accommodate left-handed users or removed entirely for a smooth sided DAO model.

UTL Mark II light output is rated at 115 Lumens, fifty times greater than a D cell flashlight.

Highly contoured frame, slide, and operating controls reduce wear and tear on clothing and help speed holstering.

**USP357 COMPACT  
CALIBER 357 SIG  
with 12-round metal magazine**

Universal mounting grooves are molded in the polymer frame of the USP Compact. These grooves allow the Mark II HK Universal Tactical Light (shown above) and a variety of other accessories to be mounted on the HK USP Compact without modification to the pistol.

**NEW**

The USP Compact uses metal magazines to keep grip size to a minimum. Magazines for the USP Compact also have two different interchangeable floor plates. One flat and one extended magazine floor plate with a finger extension are supplied with each USP Compact for the choice of grip options. Magazine floor plates can be easily removed without tools during disassembly.

Grooved target trigger

**USP COMPACT .40 S&W  
Variant 7 (double action only model)  
with 12-round metal magazine**

Grip dimensions on USP Compacts are well-suited to shooters with small hands.

Extended magazine floorplate

The frame mounted control lever, a combination safety and decocking lever, has a slimline profile for compactness but is still quickly accessible, unlike the slide mounted safeties common on many semi-automatic pistols.

bobbed hammer. The extended slide release is contoured to reduce wear and tear on clothing when the pistol is carried concealed.

Using a modified linkless Browning-type action, the USP Compact is built to take the punishment of high energy +P and +P+ loads.

To reduce the length of the slide and barrel on the USP Compact, the mechanical recoil reduction system found on large frame USPs has been replaced by a specially designed flat

compression spring contained in the captive recoil spring assembly by a polymer absorber bushing. Service life is still engineered to exceed 20,000 rounds.

The frame mounted control lever, a combination safety and decocking lever, has a slimline profile for compactness but is still quickly accessible, unlike the slide mounted safeties common on many semiautomatic pistols.

By using the same modular approach to the internal components found on large frame USPs, the control lever function of the USP Compact can be switched from the left to the right side of the pistol for left-handed shooters.

Simple to maintain, the USP Compact is a reliable, safe, accurate, and highly concealable pistol with the performance of a full size handgun.



# HK USP Pistols

The HK USP (Universal Self-loading Pistol) is the first HK pistol designed especially for American shooters. Features favored by US law enforcement and military users provided the design criteria for the USP. Its controls are uniquely American, influenced by such famous designs as the Government Model 1911 pistol.


The control lever, a combination safety and decocking lever, is frame mounted and quickly accessible, unlike the slide mounted safeties common on many semi-automatic pistols.

Using a modified Browning-type action with a special patented recoil reduction system, the USP is built to take the punishment of powerful +P and +P+ loads. The recoil reduction system reduces recoil effects on pistol components and also lowers the recoil forces felt by the shooter. The USP recoil reduction system is insensitive to ammunition types and requires no special adjustment or maintenance. It functions effectively in all USP models.


By using a modular approach to the internal components, the control lever function of the USP can be switched from the left to the right side of the pistol for left-handed shooters. The USP can also be converted from one type of trigger firing mode to another. This includes combination double-action and single-action (DA/SA) modes and double action only (DA-Only) modes. The USP is available in both standard frame and compact models with nine trigger/firing mode configurations and three calibers—.45 ACP, .40 S&W, and 9mm. USP slides are available in both matte black and stainless steel.

USP45 CALIBER .45 ACP  
with 12-round metal magazine

Three-dot sights (optional)  
tritium sights available



Major metal components on the USP are protected from wear and corrosion by HK's special Hostile Environment (HE) finish. Stainless steel models of the USP and are also available.



Polygonal bore profile for increased velocity, easier cleaning, and longer barrel life

Patented recoil reduction system was tested and proven in the HK MK 23, MOD 0 semi-automatic pistol issued to the US Special Operations Command.

Universal mounting grooves for installing accessories

USP9 CALIBER 9MM  
with 15-round polymer magazine

The ambidextrous magazine release lever is shielded by the trigger guard from inadvertent actuation. It can be easily operated using the thumb or index finger without adjusting the grip of the firing hand.

One-piece machined steel slide



USP40 CALIBER .40 S&W  
with 13-round polymer magazine

Reinforced polymer frame. HK pioneered the use of composite materials in production handguns more than twenty-five years ago with the development of the VP70Z and P9S pistols.

Optional remote pressure switch for HK UTL



# HK P7 Pistols

P7 pistols can be drawn, cocked, and fired accurately faster than any other pistol. The unique HK cocking lever allows the P7 to be carried safely with a round in the chamber, yet it is ready to fire by the intentional tightening of the fingers around the grip. Releasing the cocking lever decocks the P7 immediately and renders it completely safe. The cocking lever also doubles as a slide release lever.

The unique P7 gas system retards the movement of the recoiling slide during firing and eliminates the need for a conventional locking mechanism.

A low profile slide contributes to the balanced center of gravity and overall compact size of the P7. Made of high grade steel, the low profile slide keeps the recoiling mass to a minimum.

Combined with the optimal grip angle of 110°, the result is an accurate, low recoil pistol; well suited for military and law enforcement users.

Single control lever function can be changed to opposite side for left hand users. The control lever allows the USP to be carried "cocked & locked" and has a positive stop, returning to the "fire" position after decocking. The slide can still be actuated when the control lever is placed in the "safe" position (where applicable).

Stepped grip combined with the tapered magazine well, makes magazine changes fast and precise. The sides of the magazine well have finger recesses that also aid in magazine removal.

With its fluted chamber, the P7 will extract and eject an empty shell even if the extractor is missing. The extractor, which doubles as a loaded chamber indicator, only aids in making extraction smooth and uniform.

Three-dot sights, optional tritium sights available

Lanyard loop

**P7M8 9MM with 8-round metal magazine**

P7 pistols have a constant uniform single-action trigger pull for all rounds fired. Unlike conventional double action pistols, here is no change in trigger pull between critical first and second shots.

Cocking lever controls make P7 pistols completely ambidextrous.

Fixed, polygonal barrel made by cold hammer forging ensures accuracy and increased barrel life.

**P7M13 9MM with 13-round metal magazine**

The HK MKII UTL (Universal Tactical Light) is a compact, high intensity light that can be installed on the accessory grooves of all USPs in seconds without tools.

Ambidextrous magazine release

Firing pin assembly can be removed without tools

Slide retaining button

Slide and frame constructed of high grade steel

Oversized trigger guard for use with gloves

Grip circumference on both the P7M8 and P7M13 is small. Easy to shoot for small handed users and very compact and concealable.

USP FIRE MODES & CONTROL FUNCTIONS (conversion by HK armorer only)									
	Double Action	Single Action	Double Action Only	Control Lever (Left Side)	Control Lever (Right Side)	Control Lever (Manual Safety)	Control Lever (Decocking)	Control Lever (No Decocking)	Caliber Availability
Variant 1	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 2	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 3	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 4	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 5	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 6	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 7	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 9	•	•	•	•	•	•	•	•	.45 / .40 / 9mm
Variant 10	•	•	•	•	•	•	•	•	.45 / .40 / 9mm

HK USPs are available in nine different firing configurations and three calibers.



# HK Mark 23 Pistol

The HK Mark 23 Caliber .45 ACP pistol gives shooters match grade accuracy equal to that of the finest custom made handguns—yet they exceed the most stringent operational requirements ever demanded of a combat handgun.

The Mark 23 provides this accuracy without the need for hand-fitted parts common in custom-built match pistols costing thousands of dollars more.

One of the most thoroughly tested handguns in history, the MK23/Mark 23 project originated in 1991 when HK began development for the U.S. Special Operations Command, the unit that directs the activities of America's most elite military units, including the Navy SEALs and the Army Special Forces.

On May 1, 1996, the first MK 23 pistols were delivered to the U.S. Special Operations Command for operational deployment, making the MK 23 the first caliber .45 ACP pistol to enter U.S. military service since the venerable Government Model 1911A1.

The HK Mark 23 is a military and law enforcement model of the U.S. Government issue MK 23, MOD 0 Offensive Handgun and is available in limited numbers. Designated the "Mark 23", it is almost identical to the MK 23, MOD 0 pistol used by the Special Operations Command, right down to its threaded barrel. The principal differences are slide inscriptions (Mark 23 as opposed to MK 23) and a barrel manufactured to SAAMI headspace specifications.

HK polygonal bore profile increases muzzle velocity and service life, while reducing bore fouling and eases cleaning.

One-piece machined steel slide

Molded into the frame are special accessory grooves for attaching a light or laser aimer.

A threaded insert in the trigger guard is used to secure accessories to the pistol.

**MARK 23 .45 ACP  
with 12-round metal magazine  
(MK23 USSOCOM Issue Pistol  
NSN: 1005-01-426-8951)**

The weapon is aimed using either iron sights or an optional laser aiming module. The iron sights provide a 3-dot sight picture with white or optional self-luminous tritium dots and are positioned to allow sight alignment with the optional sound & flash suppressor attached.

Military and law enforcement 12-round steel magazine

The USP-type mechanical recoil reduction system reduces recoil forces to the shooter and components of the pistol by as much as 30%.

**MARK 23 .45 ACP  
with suppressor, laser  
aiming module, and  
12-round metal magazine**

Ambidextrous magazine release

The Laser Aiming Module (LAM) is a combination visible/invisible (infrared) laser aimer and illuminator (flashlight); it easily mounts in the pistol's accessory grooves. The LAM was developed by Insight Technology Inc. of Manchester, NH for the U.S. Special Operations Command. LAM not available from HK.



The frame mounted MK 23 decocking lever is separate from the ambidextrous safety lever. It allows the hammer to be lowered quietly and safely from the single action position. When the hammer is down, the ambidextrous frame mounted safety lever is locked in the fire position so that the pistol is always ready for double action operation. When the hammer is "cocked and locked" in single action mode with the safety lever on "safe", the decocker is blocked so that the pistol is always ready for single action operation.

Even with the safety lever engaged, the slide can still be manipulated to load and clear the pistol.

The extended slide release lever and the ambidextrous magazine release are easily actuated without adjustment of the firing grip using the firing hand thumb or index finger.

Reinforced polymer frame

Lanyard loop

An innovative design feature found on both the Mark 23 and USP45 Tactical pistol is a high temperature rubber O-ring that seals and centers the barrel in the slide until unlocking of the barrel. The O-ring has a significant effect on accuracy, lasts more 20,000 rounds, and can be replaced without tools in seconds.

To meet operational environmental requirements, the pistol was function tested at +140 and -25° F, exposed to 2 hours of submersion in sea water at 66 feet, placed in surf, salt-fog, sand-dust, mud, icing, unlubricated, and fouled environments. A special maritime surface coating protected the pistol from any corrosion, in all of these operational environments.

During testing, MK 23 pistols met the most stringent operational and accuracy requirements ever demanded of a combat handgun. Endurance testing demonstrated a service life of over 30,000 rounds of +P ammunition. To meet the reliability requirement, the pistol had to demonstrate a minimum of 2,000 mean rounds between stoppages (MRBS) with both M1911 ball and +P ammunition. All pistols exceeded the 2,000 MRBS with an average of 6,000 MRBS. In more than 450 accuracy test firings from a precision firing fixture, MK 23 pistols far exceeded the government requirement, averaging 1.44 inches, with 65 groups of less than one inch. There were four groups of .5 inches, with 5 rounds going through the same hole!

# HK USP45 Tactical Pistol

An enhanced version of the USP45, the Tactical is designed for users who need the features found on the Mark 23, but in a smaller and more affordable pistol. The USP45 Tactical pistol approaches the precision found on the Mark 23 by adding an extended threaded barrel with rubber O-ring, adjustable trigger, and adjustable target-type sights to the USP45.

High profile front sight permits normal sight alignment with sound suppressor mounted

Extractor (opposite side) doubles as a loaded chamber indicator.

Rear target sight features micrometer adjustment for windage and elevation. Fixed 3-dot or tritium sights available as an option.

Threaded barrel for use with a sound suppressor (available from HK).

Universal mounting grooves for installing accessories like the HK UTL weapons light and laser aimer

**NEW**

**USP45 TACTICAL .45 ACP with 12-round metal magazine**

Improved match single-action and double-action trigger pull with adjustable trigger stop to eliminate overtravel

12-round magazine with extended floorplate for optimal grip and weapon retention

Match grade trigger passes 1.5 meter drop test requirement.

Lanyard loop

USP45 Tactical pistols use the same patented recoil reduction system found on the full frame USP and the Mark 23. When the pistol is fired, the impulse of the rearward traveling barrel and slide are effectively buffered, eliminating the direct transmission of recoil forces to the pistol's frame and the shooter's hand.

Sound and flash suppressor does not interfere with iron sights or LAM and can be adjusted to compensate for point of aim/point of impact deviations. By adding water to the unit, it provides an extraordinary 33-35 dB sound reduction and can be indexed to any MK 23 to eliminate point-of-impact changes when attached. Suppressor developed by Knight Armament Corp. of Vera Beach, FL for the U.S. Special Operations Command.



# HK Submachine Guns

Heckler & Koch MP5 submachine guns employ the same delayed blowback operated roller-locked bolt system found in the famous HK G3 Automatic Rifle. All the elements of HK excellence; reliability, ease of handling, simple maintenance, and safety are highlighted on the MP5. Firing from the closed-bolt position during all modes of fire makes MP5 submachine guns extremely accurate and controllable.

Used by military and law enforcement units in more than fifty nations, the MP5 is firmly established as the world's preeminent submachine gun. Over 120 variants of the HK MP5 submachine gun are available to address the widest range of tactical requirements.

A selection of optional trigger groups allow for single fire only, full automatic, 2-round, and 3-round burst options. The weapon's unique modular design and a variety of optional buttstocks, forearms, sight mounts, and other accessories gives the MP5 extraordinary flexibility to meet most any mission requirement.

Sturdy folding buttstock

Adjustable rotary diopter sights

Threaded barrel with three lugs for accessory attachment

Ambidextrous safety/selector lever

MP5K vertical foregrip

## MP5K-PDW 9MM with Navy trigger group

The MP5K-PDW (Personal Defense Weapon) is a compact submachine gun designed for vehicle operators, air crew members, security details, and others who require a small, but powerful weapon. While comparable in performance to full size MP5s, the size and weight of the MP5K-PDW make this weapon the ideal choice where a rifle or full-sized submachine gun is unmanageable and a handgun is a poor compromise.

Quick detachable scope mounting platforms

## MP5SFA2 9MM with SF trigger group

The MP5SF (single fire) carbine is a semi-automatic only variant of the MP5 fitted with a trigger group that prevents full automatic firing. Comes with a detachable flash hider as a standard feature.

Single Fire (SF) trigger group can be replaced with other MP5 trigger groups to allow burst and full automatic firing

## HK Trigger Groups

SEF Trigger Group	Numerical Trigger Group	SF (Single Fire) Trigger Group	0-1-2 Trigger Group	0-1-3 Trigger Group	Navy Trigger Group	2-Round Burst Trigger Group
S safe E single fire (semi-automatic) F fully automatic	S safe 1 single fire (semi-automatic) 20/25 fully automatic	semi-automatic safe	two-round burst semi-automatic safe	three-round bursts semi-automatic safe	fully automatic semi-automatic safe	

SEF and Numerical trigger groups have a single safety/selector lever on the left side, all other groups have safety/selector levers on both sides.



**MP5KA4 9MM  
with 3-round burst trigger group  
(NSN: 1005-01-259-2895)**

The MP5K is the ultimate close quarters weapon. At 4.4 pounds and less than 13 inches long, the MP5K is easily concealed and carried. All MP5Ks can be fitted with an optional folding buttstock.



Compact 15-round 9mm magazine (interchangeable with 30-round magazines)

All MP5 submachine guns use a free floating, cold-hammer forged barrel and fire from the highly accurate closed-bolt position.



**MP5A3 9MM  
shown with optional 0-1-2  
trigger group and tactical  
forearm light**

Retractable buttstock extended. MP5s can be fitted with a variety of buttstock options including receiver caps, retractable, fixed, and folding buttstocks.

0-1-2 Trigger Group includes "automatic double-tap" 2-round burst capability

Tactical forearm light can be mounted on most HK submachine guns and rifles.

30-round 9mm magazine

Briefcase safety button

Briefcase trigger

**MP5K 9MM  
with standard "SEF"  
trigger group**

Detachable flash hider



The MP5K can be fired from inside a specially designed briefcase.

Ideal as a squad car carbine to supplement or replace the 12 gauge shotgun, especially for small stature officers. Less recoil, greater range, and more ammunition capacity than a shotgun.

Mounting bracket for optional pull-thru cleaning kit



**3-Round Burst Trigger Group**  
fully automatic  
three-round burst  
semi-automatic  
safe




# HK Submachine Guns (continued)

Developed especially for one of America's most elite special operations units, the MP5 "Navy" model comes standard with an ambidextrous trigger group and threaded barrel. Operationally tested and proven, this configuration represents the essence of the modern submachine gun.

For specialized applications requiring fully realized sound and flash suppression, several MP5SD models are available. The removable sound suppressor is integrated into the weapon's design and conforms to the normal length and profile of a conventional, unsuppressed submachine gun.

The MP5/40 and MP5/10 are product improved variants of the 9mm MP5 chambered for the more powerful .40 S&W and 10mm Auto cartridges. Although the operation and functioning principles of the MP5/40 and MP5/10 are identical to the 9mm MP5, several user inspired improvements have been incorporated into the design, including a new bolt catch device that holds the bolt group rearward after the magazine is empty. New lightweight synthetic magazines are durable and ensure reliable feeding under the most extreme conditions. Like all MP5s, the MP5/40 and MP5/10 can be disassembled without tools for cleaning and maintenance.



MP5/40A2 .40 S&W  
with with 3-round burst  
trigger group



MP5-N 9MM with "Navy" trigger  
group. The Navy model was developed  
for the elite US Navy SEAL Teams.  
(NSN:1005-01-360-7146)

"Navy" trigger groups and all HK  
trigger groups with "pictogram"  
markings are completely  
ambidextrous.

Paddle and button  
magazine release common  
on most HK long guns



MP5 Navy models have  
threaded barrels and  
can be used with or  
without an optional wet  
technology stainless steel  
sound suppressor.

Optional wet technology sound suppressor fits the  
threaded barrels of the MP5/10 and MP5/40. By  
adding 5 cc of water to this stainless steel suppressor, the  
weapon's report is reduced an additional 3-5 dB. Wet  
technology sound suppressors can also be fired full of  
water without damage.



Ported barrel lowers velocity and sound signature of departing projectiles

Optional front and rear tritium sights available

The MP5SD uses an integral aluminum or optional wet technology stainless steel sound suppressor. It does not require use of subsonic ammunition for effective sound reduction like most conventional sound suppressed submachine guns.

Ammunition for the MP5/40 is completely compatible with .40 S&W pistols.

**MP5SD3 9MM with integral aluminum sound suppressor and standard "SEF" trigger group (NSN: 1005-01-144-3036)**

High-strength translucent polymer magazines for the MP5/40 and MP5/10 are 30% lighter and corrosion resistant.

A high degree of interchangeability of parts, accessories, and buttstocks exist between the 10mm Auto and .40 caliber MP5 models and 9mm MP5s.

Ammunition Performance Comparison Table			
	Cartridge Specifications	Velocity (FPS) muzzle/100 meters	Muzzle Energy (Foot Pounds) muzzle/100 meters
9mm Parabellum*	Winchester	1225/1007	383/259
	115 gr. Silvertip		
	Winchester	1010/921	333/277
.40 S&W*	147 gr. Subsonic		
	Winchester	1205/1018	500/357
	155 gr. Silvertip		
10mm Auto**	Winchester	990/891	390/317
	180 gr. JHP		
	Winchester	1401/1099	768/475
.45 ACP*	175 gr. Silvertip		
	Norma	1473/1142	825/496
	170 gr. JHP		
.45 ACP*	Winchester	1000/888	411/324
	185 gr. Silvertip		
	Proload	1000/880	411/318
.45 ACP*	185 gr. JHP		
* Manufacturer's data		** Actual MP5/10 data	

The MP5/10 will feed and function reliably with all types of 10mm Auto rounds, both high and low impulse.

The bolt catch on the MP5/10 and MP5/40 holds the bolt to the rear after the last round of the magazine is fired. Depressing the bolt catch releases the bolt to chamber the first round of a loaded magazine.

**MP5/10A3 10MM Auto with 2-round burst trigger group and optional stainless steel screw-on sound suppressor**

Ambidextrous safety/selector levers, slings, and sling pins are standard on all MP5/10 and MP5/40 submachine guns.

Optional dual magazine clamps, like those for 9mm MP5 magazines, are available for MP5/10 and MP5/40 magazines.

2-round burst trigger group provides the operator with ambidextrous safety/selector levers for safe, semi-automatic, two-round burst, and fully automatic fire modes.

The firepower, penetration, and hard-hitting potential of a 10mm MP5 is greater than a .45 ACP Thompson submachine gun. At any range, the projectile fired from a 10mm MP5 has nearly twice the energy of a comparable 9mm, .40 S&W, or .45 ACP cartridge. In 1994, the U.S. Federal Bureau of Investigation (FBI) adopted the MP5/10 as their new submachine gun.



# HK G36 Weapon System

A new development for HK, the G36 is a true modular weapon system in caliber 5.56x45mm NATO (.223 Remington). Constructed almost entirely of a tough, carbon fiber reinforced polymer material and using a simple, self-regulating gas system, the G36 provides the user with a lightweight weapon that delivers high performance with extremely low maintenance. The barrel of the G36 can be exchanged by unit armorers to create a rifle, carbine, or light support variant using the same common receiver. Exhaustively tested and currently fielded with the German Armed Forces (including the new NATO Rapid Reaction Force), the G36 is now available to U.S. law enforcement and military customers.

The low mass of the bolt and ergonomic in-line relationship of the barrel and the buttstock translate to a highly-controllable weapon when fired in the fully automatic mode of fire.

Right side folding buttstock allows for normal operation and firing when folded.

Ambidextrous safety/selector lever allows for easy actuation without adjusting the firing grip.

Ambidextrous bolt catch button. The bolt catch holds the bolt to rear on the last round fired and can be disabled by the shooter without tools, allowing the bolt to close when the magazine is fired empty.

**G36K 5.56MM CARBINE** with 12.5 inch barrel, dual sighting system, and buttstock folded

Ambidextrous magazine release lever

The G36 gas system does not direct fouling back into the weapon's interior like conventional gas operated rifles. This insures reliable operation even after firing more than 15,000 rounds without cleaning. The polymer components can easily be cleaned with water-based cleaning solutions, or even water.

Special 4-prong flash hider virtually eliminates muzzle flash.


Integral mounting rail allows the HK UTL (Universal Tactical Light) to be installed in seconds.

MG36 assembled with heavy profile barrel for sustained automatic firing

Integral cartridge case deflector doubles as a buttstock retainer when the stock is folded.

Birdcage style, combination flash hider and rifle grenade launcher (22mm outside diameter)

Detachable folding bipod



## G36 Accessories

Accessories include a dual combat sight system, passive night vision module, quick-detachable tactical light and laser, folding bipod, and blank firing attachments. Other accessories are under development.






Tough 30-round translucent polymer magazines lock together without magazine clamp. They are 30% lighter than metal magazines and are corrosion proof.

Standard "Navy" trigger group with safe, semi-automatic, and fully automatic modes of fire and pictogram markings. Optional single-fire trigger group also available.

### G36E 5.56MM RIFLE with 18.9 inch barrel and 1.5X "Export" optical sight

Dual combat sighting system. 3.5X optical sight topped with electronic red dot sight. Sights are independently adjustable to meet the operational requirements of user. 1.5X optical sight also available.



OPTICAL SIGHT  
RETICLE PATTERN

- 1 Lead mark for firing at targets moving from left to right at a speed of approximately 15 km/h at a range of 200 meters.
- 2 Point of aim at 200 meter range.
- 3 Circular reticle (interior diameter 1.75 m man size at 400 meter range)
- 4 Lead mark for targets moving from right to left at a speed of approximately 15 km/h at 200 meter range.
- 5 Horizontal line to determine whether the weapon is canted.
- 6 Point of aim for firing at approximately 400 meter range.
- 7 Point of aim for firing at 600 meter range.
- 8 Point of aim for firing at 800 meter range.
- 9 Man size of 1.75 meter at ranges X.



The location and function of the G36 operating controls mirror those of the roller-locked HK rifles and MP5 submachine guns, reducing training time and cost.

### MG36 5.56MM LIGHT SUPPORT WEAPON (LSW) with heavy 18.9 inch barrel, dual sighting system, and folding bipod

G36s operate reliably with frangible training ammunition without special muzzle devices. Blank and safety blank firing devices that use conventional blank ammunition are available as accessories.




# HK Rifles & Carbines

Heckler & Koch rifles and carbines are recognized as the most technologically and tactically advanced weapons in the world. Reliability, modular construction, a true "system" approach, and a complete line of shoulder arms and accessories make HK the world leader in tactical armament.

Using the robust and reliable delayed blowback roller-locked bolt operating system first developed by HK engineers for

the G3 automatic rifle, Heckler & Koch has created a variety of weapons designed to meet any tactical need. The HK33, HK33K, and HK53 are refinements of the delayed blowback roller-locked bolt operating system into weapons firing the proven and popular 5.56mm x 45mm NATO (caliber .223) round.

Common throughout each weapon group is the ability to use many interchangeable assembly groups and components. This provides the ability to train personnel within one weapon group and have them competent with the entire weapon system.



*Cold-hammer forged barrel ensures unmatched accuracy and service life*

*Accessory claw-lock scope mount and telescopic sight. HK scope mounts attach to rifles and submachine guns without tools at special points that ensure 100% return to zero. HK scope mounts do not interfere with the use of the weapon's iron sights.*



**HK33KA2 5.56MM CARBINE** with 12.7 inch barrel and "0-1-25" trigger group

*The G3K is a compact carbine-sized weapon firing the full power 7.62 x 51mm cartridge.*



**G3KA4 7.62MM CARBINE** with 12.4 inch barrel and "0-1-20" trigger group

*Battle-proven rotary diopter sights common to most HK long guns.*

*20-round 7.62mm magazine*



*Standard assault rifle of the German Bundeswehr since 1959 and used by more than fifty nations.*



Cocking lever on HK rifles folds out of the way and allows the shooter's firing hand to remain in place on the pistol grip while the non-firing hand works the bolt.

**HK33A2 5.56MM RIFLE**  
with 15.4 inch barrel and  
"0-1-25" trigger group

Extremely durable and reliable  
25-round 5.56mm magazine  
(an optional 30-round  
magazine is also available).

Numerical trigger group  
common on many HK assault  
rifles provides for safe, semi-automatic,  
and fully automatic modes of fire.

Bipod attachment point

All HK 5.56mm rifles and  
carbines come standard with  
1 in 7 inch twist rifling.

Optional ambidextrous  
3-round burst trigger group

Straight line buttstock and  
roller-locked bolt system  
provide unmatched  
controllability in burst or  
sustained fire modes.

Special 4-prong flash hider  
virtually eliminates muzzle flash

The HK53, only two inches longer  
than a 9mm MP5 SMG, offers the  
compact size and handiness of a  
submachine gun combined with the  
increased range and hard-hitting  
firepower of a high velocity  
rifle cartridge.

**HK53A3 5.56MM CARBINE**  
with 8.31 inch barrel and  
3-round burst trigger group

All HK rifles and carbines are designed around modular assembly  
groups (buttstock, trigger, forearm, etc.) and can be field stripped  
within seconds without tools, making cleaning and maintenance  
quick and easy.

Combination flash hider  
and rifle grenade launcher  
(22mm outside diameter)

High strength stamped  
steel construction

**G3A3 7.62MM RIFLE**  
with 17.7 inch barrel  
and "0-1-20" trigger group

The G3 rifle was the first HK firearm developed using the delayed blowback  
roller-locked operation common to most current Heckler and Koch submachine  
guns, rifles, and machine guns.



# HK Special Application Products

Critical tactical situations call for specialized products designed to meet unique demands. HK's extensive line of special purpose products include precision marksman rifles, light and general purpose machine guns, shotguns, grenade launchers, and signalling devices.

## FABARM FP6 PUMP-ACTION 12 GAUGE SHOTGUN

Manufactured by Fabbrica Bresciana Armi S.p.A. (FABARM) of Brescia, Italy; the FP6 is the preferred manually operated shotgun in Europe.

Tough polymer stock can be replaced with accessory pistol grip or folding stock

Durable corrosion resistant finish on receiver and internal parts

3-inch chamber

Free carrier for quick, smooth reloading

Twin steel action bars

Quick change barrel. Hot barrels can be changed in seconds without the need of a protective glove.

Semi-automatic sniper rifle-like accuracy when needed from a belt-fed machine gun due to its heavy free floating barrel

Adjustable folding bipod allows traverse of 60 degrees

Optional 6x42 Hensoldt telescopic sight with illuminated reticle and point blank range (less than 100 meters) elevation turret.

The PSG1, HK's preeminent precision marksman's rifle, is designed to deliver surgically accurate multiple shots to distant targets.

Buttstock with adjustable length, pivoting butt plate, and vertically adjustable cheekpiece.

## PSG1 7.62MM SNIPER RIFLE

Fixed mount for unquestionable zero retention

Forward assist for silent loading

5-round magazine (also accepts standard 20-round magazines)

Adjustable contoured handgrip

Crisp three pound trigger pull and adjustable trigger shoe

Harmonic stabilizer to induce consistent barrel "whip" for increased accuracy

## EFL 19MM (EMERGENCY FLARE LAUNCHER)

Capable of being cocked and operated with one hand, this magazine-fed 19mm flare launcher can fire a signal flare to a height of 200 feet.

5-shot detachable magazine

## P2A1 26.5MM FLARE PISTOL

A single-shot, break-open action signal pistol, the P2A1 fires a variety of signal, illumination, and parachute flares to an altitude of 1,000 feet with a burn time of six to 25 seconds.

Anschutz T-way for accessory attachment



### HK69A1 40MM GRENADE LAUNCHER

Lightweight at only 5.8 pounds, the HK69A1 is designed to fire a variety of low velocity 40mm ammunition (including CS, HE, AP, nonlethal, and flares) to ranges of 400 meters with a degree of accuracy not available from competing designs.

HK barrels are made by deep drilling, not cold hammer forging. Cold hammer forging is an ideal way to make rifle barrels, but results in an overly rigid shotgun barrel with many internal stresses.

Ladder sight for long range targets (100-400 meters)

Precision flip-up dual aperture short range sight (50 and 100 meters)

Break-open action and separate manual hammer allows the HK69A1 to be loaded and unloaded without being cocked

Rifled steel barrel for increased range, accuracy, and durability

Quick handling 20-inch barrel with heat shield is threaded for a variety of choke tubes, ensuring tactical flexibility.

Ambidextrous safety lever

Adjustable retractable stock can be fired as a pistol or from the shoulder

Quick detachable scope mounting platforms

Adjustable 1,200 meter sight

Receiver engineered for a minimum 60,000 round service life

Standard ambidextrous 3-round burst trigger group

Belt or optional box magazine feed mechanism

Mechanical recoil buffer system incorporated in buttstock

Heavyweight polygonal barrel, free-floating and cold-hammer forged for accuracy and long life (15,000 rounds).

Quick detachable scope mounting system ensures 100% zero retention even after repeated dismounting

Optional detachable 10X Hensoldt telescopic sight

Buttstock with adjustable length butt plate and vertically adjustable cheekpiece.

Forward assist (not shown) for silent loading

Adjustable folding bipod

Extended ambidextrous safety/selector lever

20-round magazine (also accepts 5-round magazines)

PSG1 trigger mechanism with crisp three pound trigger pull and adjustable trigger shoe


**MSG90 7.62MM SNIPER RIFLE**  
The MSG90 has many of the same features found on the PSG1, but weighs only 14 pounds.



# Accessories


An extensive line of accessories is available for Heckler & Koch weapons. Designed and manufactured to the same exacting standards, HK accessories add functionality and highlight the true systems approach used in developing these firearms. A variety of instructional aids including wall charts, posters, and video tapes are also available.

Contact Heckler & Koch, Inc. for more information.



## Pistol Accessories

## Rifle Accessories





The image displays four distinct cleaning kits arranged in a 2x2 grid. Each kit consists of a black carrying case with the 'Ilex' logo in red, a yellow patch, and a collection of cleaning tools. The tools include various brushes (some with red handles), cleaning rods, and patches. The kits are labeled as follows:

- Carbine & Submachine gun cleaning kit** (top left): Includes a long cleaning rod, several brushes, and patches.
- Handgun cleaning kit** (top right): Includes a shorter cleaning rod, brushes, and patches.
- Rifle & Machine Gun cleaning kit** (bottom left): Includes a long cleaning rod, brushes, and patches.
- Shotgun cleaning kit** (bottom right): Includes a long cleaning rod, brushes, and patches.

## Submachine Gun Accessories





# SPECIFICATIONS

	caliber	cyclic rate of fire	magazine capacity	modes of fire	sights	stocks	width <sup>1</sup> (in.)	height <sup>2</sup> (in.)	weight (pounds) (w/o magazine)	sight radius (in.)	barrel length (in.)	overall length (in.)
P7M8	9MMX19	-	8	S	3-DOT	-	1.14	5.10	1.72	5.83	4.13	6.73
P7M13	9MMX19	-	13	S	3-DOT	-	1.30	5.30	1.87	5.83	4.13	6.90
USP9	9MMX19	-	10/15	S	3-DOT	-	1.26	5.35	1.65	6.22	4.25	7.64
USP40	.40 S&W	-	10/13	S	3-DOT	-	1.26	5.35	1.66	6.22	4.25	7.64
USP45	.45 ACP	-	10/12	S	3-DOT	-	1.26	5.55	1.74	6.34	4.41	7.87
USP9 Compact	9MMX19	-	10/13	S	3-DOT	-	1.14	5.00	1.47	5.35	3.58	6.81
USP40 Compact	.40 S&W	-	10/12	S	3-DOT	-	1.14	5.00	1.53	5.35	3.58	6.81
USP357 Compact	357 SIG	-	10/12	S	3-DOT	-	1.14	5.00	1.53	5.35	3.58	6.81
USP45 Compact	.45 ACP	-	8	S	3-DOT	-	1.14	5.06	1.60	5.63	3.80	7.09
Mark 23	.45 ACP	-	10/12	S	3-DOT	-	1.53	5.90	2.42	7.76	5.87	9.65
USP45 Tactical	.45 ACP	-	10/12	S	TARGET	-	1.26	5.90	1.90	6.34	4.92	8.64
EFL	19MM	-	5	M	-	-	1.45	5.75	.49	-	-	3.15
P2A1	26.5MM	-	-	M	-	-	1.50	5.70	1.50	-	6.10	7.90
MP5A2	9MMX19	800 RPM	15/30	S, F	D	FS	1.96	8.26	5.59	13.38	8.85	26.77
MP5A4	9MMX19	800 RPM	15/30	S, 3, F	D	FS	1.96	8.26	5.59	13.38	8.85	26.77
MP5A3	9MMX19	800 RPM	15/30	S, F	D	RS	1.96	8.26	6.47	13.38	8.85	21.00/27.25
MP5A5	9MMX19	800 RPM	15/30	S, 3, F	D	RS	1.96	8.26	6.47	13.38	8.85	21.00/27.25
MP5SFA2 <sup>(*)</sup>	9MMX19	-	15/30	S	D	FS	1.96	8.26	5.61	13.38	8.85	28.00
MP5SFA3 <sup>(*)</sup>	9MMX19	-	15/30	S	D	RS	1.96	8.26	6.49	13.38	8.85	22.33/28.58
MP5-N(FS)	9MMX19	800 RPM	15/30	S, F	D	FS	1.96	8.26	5.59	13.38	8.85	26.77
MP5-N(RS)	9MMX19	800 RPM	15/30	S, F	D	RS	1.96	8.26	6.47	13.38	8.85	21.00/27.25
MP5K	9MMX19	900 RPM	15/30	S, F	D	-	1.96	8.26	4.40	10.25	4.50	12.80
MP5KA4	9MMX19	900 RPM	15/30	S, 3, F	D	-	1.96	8.26	4.40	10.25	4.50	12.80
MP5K-N	9MMX19	900 RPM	15/30	S, F	D	-	1.96	8.26	4.40	10.25	5.50	13.75
MP5K-PDW	9MMX19	900 RPM	15/30	S, F	D	FOLDING	1.96	8.26	6.14	10.25	5.50	14.50/23.75
MP5/10A2	10MM AUTO	800 RPM	30	S, F	D	FS	1.96	8.26	5.88	13.38	8.85	26.77
MP5/10A3	10MM AUTO	800 RPM	30	S, F	D	RS	1.96	8.26	6.41	13.38	8.85	21.00/27.25
MP5/40A2	.40 S&W	800 RPM	30	S, F	D	FS	1.96	8.26	5.88	13.38	8.85	26.77
MP5/40A3	.40 S&W	800 RPM	30	S, F	D	RS	1.96	8.26	6.41	13.38	8.85	21.00/27.25
MP5SD1	9MMX19	800 RPM	15/30	S, F	D	RC	2.36	8.26	6.17	13.38	5.73	21.67
MP5SD2	9MMX19	800 RPM	15/30	S, F	D	FS	2.36	8.26	6.83	13.38	5.73	30.42
MP5SD3	9MMX19	800 RPM	15/30	S, F	D	RS	2.36	8.26	7.63	13.38	5.73	25.68/31.69
MP5SD4	9MMX19	800 RPM	15/30	S, 3, F	D	RC	2.36	8.26	6.17	13.38	5.73	21.67
MP5SD5	9MMX19	800 RPM	15/30	S, 3, F	D	FS	2.36	8.26	6.83	13.38	5.73	30.42
MP5SD6	9MMX19	800 RPM	15/30	S, 3, F	D	RS	2.36	8.26	7.63	13.38	5.73	25.68/31.69
MP5SD-N	9MMX19	800 RPM	15/30	S, F	D	RS	2.36	8.26	7.83	13.38	5.73	25.68/31.69
HK53A2	5.56MM	700 RPM	25/30	S, F	D	FS	2.05	8.26	5.96	15.40	8.31	29.72
HK53A3	5.56MM	700 RPM	25/30	S, F	D	RS	2.05	8.26	6.73	15.40	8.31	22.17/29.72
HK33KA2	5.56MM	700 RPM	25/30	S, F	D	FS	2.28	8.26	8.05	18.89	12.68	34.06
HK33KA3	5.56MM	700 RPM	25/30	S, F	D	RS	2.28	8.26	8.82	18.89	12.68	26.38/34.06
HK33A2	5.56MM	750 RPM	25/30	S, F	D	FS	2.28	8.26	8.40	18.89	15.35	36.20
HK33A3	5.56MM	750 RPM	25/30	S, F	D	RS	2.28	8.26	8.80	18.89	15.35	29.15/36.20
HK23E	5.56MM	800 RPM	BELT OR 25/30	S, 3, F	D	FS	5.24	8.26	19.18	26.97	17.72	40.55
G36K <sup>(*)</sup>	5.56MM	750 RPM	30/100	S, F	O, DS	FOLDING	2.44	9.72	6.62	-	12.52	24.21/33.78
G36 <sup>(*)</sup>	5.56MM	750 RPM	30/100	S, F	O, DS	FOLDING	2.44	9.72	7.28	-	18.90	29.84/39.29
MG36 <sup>(*)</sup>	5.56MM	750 RPM	30/100	S, F	O, DS	FOLDING	2.44	11.42	7.87	-	18.90	29.84/39.29
G3A3	7.62MM	600 RPM	5/20	S, F	D	FS	2.28	8.26	9.70	22.52	17.71	40.38
G3A4	7.62MM	600 RPM	5/20	S, F	D	RS	2.28	8.26	10.40	22.52	17.71	33.10/40.15
G3KA3	7.62MM	600 RPM	5/20	S, F	D	FS	2.28	8.26	9.00	20.00	12.40	35.25
G3KA4	7.62MM	600 RPM	5/20	S, F	D	RS	2.28	8.26	9.70	20.00	12.40	28.00/35.25
HK21E	7.62MM	800 RPM	BELT OR 20/50	S, 3, F	D	FS	5.24	8.26	20.50	26.97	22.05	44.88
PSG1	7.62MM	-	5/20	S	O, 6x, H	ASS	2.32	10.16	17.86	10x scope	25.59	47.56
MSG90	7.62MM	-	5/20	S	O, 10x, H	ASS	2.56	10.23	14.11	6x scope	23.62	45.87
HK69A1	40MM	-	-	M	LADDER	RS	2.25	8.00	5.77	13.50	14.00	18.24/28.90
FP6	12 GAUGE	-	5	PUMP	BLADE	FS, FOLDING	2.25	8.10	6.60	-	20.00	31.00/41.25

buttstock open <sup>1</sup>without magazine <sup>2</sup>with flash hider <sup>3</sup>specifications shown with Export sight

**Modes of fire:** M – manually operated, S – semiautomatic, 2 – 2 round burst, 3 – 3 round burst, F – fully automatic

**Buttstock Configurations:** RC – receiver cap, FS – fixed stock, RS – retractable stock, ASS – adjustable sniper stock

**Sights:** O – optical sight, H – Hensoldt scope, D – diopter/rotary, X – magnification, DS – dual sighting system

State and local law enforcement customers, please direct all inquiries to the HK Law Enforcement Sales Department, (703) 450-1900 extensions 272, 289, & 290.

Federal agencies and DOE/NRC contractors, please direct all inquiries to the HK Federal Law Enforcement Staff, (703) 450-1900 extension 205.

Military services, please direct all inquiries to the HK Military Sales Department, (703) 450-1900 extension 209.

Specifications and model availability subject to change without notice.