


HECKLER & KOCH
WEAPONS
SYSTEM
 Military & Law Enforcement Products



HECKLER & KOCH

21480 Pacific Boulevard • Sterling, Virginia 20166 U.S.A. • Tel (703) 450-1900 • Fax (703) 450-8160 • www.hecklerkoch-usa.com

HK USP Compact Pistols

The HK USP Compact is a small frame pistol capable of firing the most powerful cartridges in 9mm, .40 S&W, and .45 ACP. Based on the full-size USP models, these handy pistols combine compact size with optimum effective shooting performance.

USP Compacts are smaller and lighter than large frame USPs. The reduction in trigger reach and grip circumference increases concealability and enhances shooting ergonomics. Unlike some subcompact semiautomatic pistols that use a difficult to shoot “two-finger grip” frame, the USP Compact uses a narrow, full-hand grip frame with a choice of interchangeable extended or flush-fitting magazine floorplates. This makes the pistol easy to shoot without sacrificing concealability.

Like their large frame predecessors, USP Compacts are designed with the demanding needs of the American shooter in mind. Features favored by US civilian, law enforcement, and military users provided the design criteria for both the full size USP and the USP Compact.

All variants of the USP Compact have modified contoured slide and frame for effective concealability. Variants 1-7 also have a no snag, bobbled hammer.

Contact HK for a list of holsters manufactured for HK pistols.

Low profile 3-dot sights, adjustable for windage and elevation, are standard on the USP Compact. Optional tritium sights are also available.

Extractor doubles as loaded chamber indicator

One piece machined steel slide. Choice of stainless steel or matte black Hostile Environment finish



USP9 COMPACT 9MM
Stainless Steel Model with 13-round metal magazine

USP Compacts have an ambidextrous magazine release lever which is shielded by the flared trigger guard from inadvertent actuation. The magazine release lever can be pressed with the thumb or index finger of the firing hand, without adjusting the firing grip.

Standard flat magazine floorplate

The extended slide release is contoured to reduce wear and tear on clothing when the pistol is carried concealed.

All variants of the USP Compact have a modified contoured slide and frame for effective concealability. Variants 1-7 also have a no snag, bobbled hammer.



The USP control lever has a positive stop and automatically returns to the “fire” position after decocking. The control lever, featured on many variants of the USP and USP Compact, allows these pistols to be safely carried “cocked and locked”.

Flared recurve trigger guard

USP45 Compact model is only 5% larger than 9mm and .40 caliber Compact models.

USP45 COMPACT
CALIBER .45 ACP with 8-round metal magazine

Convertible Fire Modes and Controls

The USP Compact can also be converted from one type of trigger firing mode to another.

USP Compact	FIRE MODES & CONTROL FUNCTIONS (conversion by HK certified armorer only)						Caliber Availability
	Bobbed Hammer	Double Action & Single Action	Double Action Only	Control Lever (Left Side)	Control Lever (Right Side)	Control Lever (Manual Safety)	
Variant 1	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 2	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 3	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 4	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 5	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 6	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 7	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 9	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG
Variant 10	●	●	●	●	●	●	.45, .40, 9mm, 357 SIG

This includes combination double-action and single-action modes and double action only modes. The USP Compact is currently available in four calibers and nine trigger / firing mode configurations, or virtually any firing mode imaginable.

Polygonal barrel made by cold-hammer forging ensures increased barrel life and accuracy on par with full size USP models.

Double action only Variant 7 has no control lever. Control lever function can be switched to accommodate left-handed users or removed entirely for a smooth sided DAO model.

bobbed hammer. The extended slide release is contoured to reduce wear and tear on clothing when the pistol is carried concealed.

Using a modified linkless Browning-type action, the USP Compact is built to take the punishment of high energy +P and +P+ loads.

To reduce the length of the slide and barrel on the USP Compact, the mechanical recoil reduction system found on large frame USPs has been replaced by a specially designed flat compression spring contained in the captive recoil spring assembly by a polymer absorber bushing. Service life is still engineered to exceed 20,000 rounds.

The frame mounted control lever, a combination safety and decocking lever, has a slimline profile for compactness but is still quickly accessible, unlike the slide mounted safeties common on many semiautomatic pistols.

By using the same modular approach to the internal components found on large frame USPs, the control lever function of the USP Compact can be switched from the left to the right side of the pistol for left-handed shooters. Optional ambidextrous control levers are also available for all frame sizes of the USP.

Simple to maintain, the USP Compact is a reliable, safe, accurate, and highly concealable pistol with the performance of a full size handgun.

UTL Mark II light output is rated at 115 Lumens, fifty times greater than a D cell flashlight.

Grooved target trigger

USP COMPACT .40 S&W Variant 7 (double action only model) with 12-round metal magazine

Grip dimensions on USP Compacts are well-suited to shooters with small hands.

Extended magazine floorplate

Highly contoured frame, slide, and operating controls reduce wear and tear on clothing and help speed holstering.

The frame mounted control lever, a combination safety and decocking lever, has a slimline profile for compactness but is still quickly accessible, unlike the slide mounted safeties common on many semi-automatic pistols.



USP357 COMPACT CALIBER 357 SIG with 12-round metal magazine

Universal mounting grooves are molded in the polymer frame of the USP Compact. These grooves allow a variety of accessories to be mounted on the HK USP Compact without modification to the pistol.

The USP Compact uses metal magazines to keep grip size to a minimum. Magazines for the USP Compact also have two different interchangeable floor plates. One flat and one extended magazine floor plate with a finger extension are supplied with each USP Compact for the choice of grip options.



A feature on all USP and Mark 23 models is the patented HK Lock-Out Safety Device. When engaged, it locks the handgun's action by blocking any movement of the hammer strut and hammer. The handgun is locked and can not fire until unlocked.

HK USP Pistols

The HK USP (Universal Self-loading Pistol) is the first HK pistol designed especially for American shooters. Features favored by US law enforcement and military users provided the design criteria for the USP. Its controls are uniquely American, influenced by such famous designs as the Government Model 1911 pistol.

The control lever, a combination safety and decocking lever, is frame mounted and quickly accessible, unlike the slide mounted safeties common on many semi-automatic pistols.

Using a modified Browning-type action with a special patented recoil reduction system, the USP is built to take the punishment of powerful +P and +P+ loads. The recoil reduction system reduces recoil effects on pistol components and also lowers the recoil forces felt by the shooter. The USP recoil reduction system is insensitive to ammunition types and requires no special adjustment or maintenance. It functions effectively in all USP models.


By using a modular approach to the internal components, the control lever function of the USP can be switched from the left to the right side of the pistol for left-handed shooters. The USP can also be converted from one type of trigger firing mode to another. This includes combination double-action and single-action (DA/SA) modes and double action only (DA-Only) modes. The USP is available in both standard frame and compact models with nine trigger/firing mode configurations and three calibers—.45 ACP, .40 S&W, and 9mm. USP slides are available in both matte black and stainless steel.

USP45 CALIBER .45 ACP
with 12-round metal magazine

Three-dot sights (optional tritium sights available)



Major metal components on the USP are protected from wear and corrosion by HK's special Hostile Environment (HE) finish. Stainless steel models of the USP are also available.




USP9 CALIBER 9MM
with 15-round polymer magazine

The ambidextrous magazine release lever is shielded by the trigger guard from inadvertent actuation. It can be easily operated using the thumb or index finger without adjusting the grip of the firing hand.

Polygonal bore profile for increased velocity, easier cleaning, and longer barrel life

Patented recoil reduction system was tested and proven in the HK MK 23, MOD 0 semi-automatic pistol issued to the US Special Operations Command.

Universal mounting grooves for installing accessories



One-piece machined steel slide

USP40 CALIBER .40 S&W
with 13-round polymer magazine

Reinforced polymer frame. HK pioneered the use of composite materials in production handguns more than twenty-five years ago with the development of the VP70Z and P9S pistols.

Optional remote pressure switch for HK UTL

HK P7 Pistols

P7 pistols can be drawn, cocked, and fired accurately faster than any other pistol. The unique HK cocking lever allows the P7 to be carried safely with a round in the chamber, yet it is ready to fire by the intentional tightening of the fingers around the grip. Releasing the cocking lever decocks the P7 immediately and renders it completely safe. The cocking lever also doubles as a slide release lever.

The unique P7 gas system retards the movement of the recoiling slide during firing and eliminates the need for a conventional locking mechanism.

A low profile slide contributes to the balanced center of gravity and overall compact size of the P7. Made of high grade steel, the low profile slide keeps the recoiling mass to a minimum.

Combined with the optimal grip angle of 110°, the result is an accurate, low recoil pistol; well suited for military and law enforcement users.

Single control lever function can be changed to opposite side for left hand users. The control lever allows the USP to be carried "cocked & locked" and has a positive stop, returning to the "fire" position after decocking. The slide can still be actuated when the control lever is placed in the "safe" position (where applicable).

Stepped grip combined with the tapered magazine well, makes magazine changes fast and precise. The sides of the magazine well have finger recesses that also aid in magazine removal.

With its fluted chamber, the P7 will extract and eject an empty shell even if the extractor is missing. The extractor, which doubles as a loaded chamber indicator, only aids in making extraction smooth and uniform.

Three-dot sights, optional tritium sights available

Lanyard loop

P7M8 9MM with 8-round metal magazine

P7 pistols have a constant uniform single-action trigger pull for all rounds fired. Unlike conventional double action pistols, here is no change in trigger pull between critical first and second shots.

Cocking lever controls make P7 pistols completely ambidextrous.

Fixed, polygonal barrel made by cold hammer forging ensures accuracy and increased barrel life.

P7M13 9MM with 13-round metal magazine

Firing pin assembly can be removed without tools

Slide retaining button

Ambidextrous magazine release

Slide and frame constructed of high grade steel

The HK MKII UTL (Universal Tactical Light) is a compact, high intensity light that can be installed on the accessory grooves of all USPs in seconds without tools.

Oversized trigger guard for use with gloves

USP FIRE MODES & CONTROL FUNCTIONS (conversion by HK armourer only)	Control Lever (Left Side)		Control Lever (Right Side)		Control Lever (Right Side) Chamber Availability
	Control Lever (Left Side)	Control Lever (Right Side)	Control Lever (Left Side)	Control Lever (Right Side)	
Variant 1	•	•	•	•	45 / 40 / 38mm
Variant 2	•	•	•	•	45 / 40 / 38mm
Variant 3	•	•	•	•	45 / 40 / 38mm
Variant 4	•	•	•	•	45 / 40 / 38mm
Variant 5	•	•	•	•	45 / 40 / 38mm
Variant 6	•	•	•	•	45 / 40 / 38mm
Variant 7	•	•	•	•	45 / 40 / 38mm
Variant 8	•	•	•	•	45 / 40 / 38mm
Variant 9	•	•	•	•	45 / 40 / 38mm
Variant 10	•	•	•	•	45 / 40 / 38mm

HK USPs are available in nine different firing configurations and three calibers.

Grip circumference on both the P7M8 and P7M13 is small. Easy to shoot for small handed users and very compact and concealable.

Mark 23

The HK Mark 23 Caliber .45 ACP pistol gives shooters match grade accuracy equal to that of the finest custom made handguns—yet they exceed the most stringent operational requirements ever demanded of a combat handgun.

The Mark 23 provides this accuracy without the need for hand-fitted parts common in custom-built match pistols costing thousands of dollars more.

One of the most thoroughly tested handguns in history, the MK23/Mark 23 project originated in 1991 when HK began development for the U.S. Special Operations Command. With deliveries beginning in 1996, the MK 23 became the first caliber .45 ACP pistol to enter U.S. military service since the venerable Government Model 1911A1.

The HK Mark 23 is a military and law enforcement model of the U.S. Government issue MK 23, MOD 0 Offensive Handgun and is available in limited numbers. Designated the "Mark 23", it is almost identical to the MK 23, MOD 0 pistol used by the Special Operations Command, right down to its threaded barrel. The principal differences are slide inscriptions (Mark 23 as opposed to MK 23) and a barrel manufactured to SAAMI headspace specifications.



HK polygonal bore profile increases muzzle velocity and service life, while reducing bore fouling and eases cleaning.

One-piece machined steel slide

Molded into the frame are special accessory grooves for attaching a light or laser aimer.

A threaded insert in the trigger guard is used to secure accessories to the pistol.

MARK 23 .45 ACP with 12-round metal magazine (MK23 USSOCOM Issue Pistol NSN: 1005-01-426-8951)

Coarse reset left-hand threads resist damage and ensure suppressors remain tight during prolonged firing.

Military and law enforcement 12-round steel magazine

Lanyard loop

Rear target sight features micrometer adjustment for windage and elevation. Fixed 3-dot or tritium sights available as an option.

Extractor doubles as a loaded chamber indicator.

Threaded o-ring barrel for use with a sound suppressor (available from HK).



Match grade single-action and double-action trigger pull with adjustable trigger stop to eliminate overtravel

USP45 TACTICAL .45 ACP with 12-round metal magazine

USP45 Tactical

An enhanced version of the USP45, the Tactical is designed for users who need the features found on the Mark 23, but in a smaller and more affordable pistol. The USP45 Tactical pistol approaches the precision found on the Mark 23 by adding an extended threaded barrel with a rubber O-ring, match trigger with adjustable trigger stop, and adjustable target-type sights to the USP45.

USP Expert

Using the common lineage of the USP and developed in conjunction with internationally renowned pistol shooters, the USP Expert achieves the highest levels of accuracy by combining features of the USP Tactical and Mark 23 pistols with a new longer slide design. The result is a USP well suited to a wide variety of tactical shooting scenarios.

The frame mounted MK 23 decocking lever is separate from the ambidextrous safety lever. It allows the hammer to be lowered quietly and safely from the single action position. When the hammer is down, the ambidextrous frame mounted safety lever is locked in the fire position so that the pistol is always ready for double action operation. When the hammer is "cocked and locked" in single action mode with the safety lever on "safe", the decocker is blocked so that the pistol is always ready for single action operation.

Even with the safety lever engaged, the slide can still be manipulated to load and clear the pistol.

Low profile adjustable sights are standard

The extractor on all USP Experts doubles as a loaded chamber indicator.



The extended slide release lever and the ambidextrous magazine release are easily actuated without adjustment of the firing grip using the firing hand thumb or index finger.

Ambidextrous control levers located on both sides of the frame

Elongated target slide is milled from a single piece of high grade steel. The additional length enhances the balance and accuracy of the USP Expert as well as reducing felt recoil and muzzle whip during shooting.

Reinforced polymer frame

An innovative design feature found on the Mark 23, USP45 Tactical, and USP Expert pistols is a high temperature rubber O-ring that seals and centers the barrel in the slide until unlocking of the barrel. The O-ring has a significant effect on accuracy, lasts more than 20,000 rounds, and can be replaced without tools in seconds.

USP45 EXPERT .45 ACP with 12-round metal magazine

Match grade single-action and double-action trigger pull with adjustable trigger stop eliminates over travel

USP Experts are the perfect "same cartridge" companions to HK's new UMP submachine guns.

12-round magazine with extended floorplate for optimal grip and weapon retention

Rear target sight features micrometer adjustment for windage and elevation. Optional tritium adjustable sights also available.

"Wet" technology screw-on sound suppressor provides maximum sound reduction and can be "indexed" to converge the point-of-aim and the point-of-impact on the target.



Universal mounting grooves for installing accessories like the HK UTL MK II weapons light or a laser aimer

USP40 EXPERT .40 S&W with 16-round polymer magazine

USP45 Tactical and USP Expert pistols use the same patented recoil reduction system found on the full frame USP and the Mark 23. When the pistol is fired, the impulse of the rearward traveling barrel and slide are effectively buffered, eliminating the direct transmission of recoil forces to the pistol's frame and the shooter's hand.

A near perfect .40 S&W tactical pistol, the USP40 Expert has a special jet funnel magazine well extension to speed reloading and uses an extended 16-round polymer magazine.

HK MP5 Submachine Guns

Heckler & Koch MP5 submachine guns employ the same delayed blowback operated roller-locked bolt system found in the famous HK G3 Automatic Rifle. All the elements of HK excellence; reliability, ease of handling, simple maintenance, and safety are highlighted on the MP5. Firing from the closed-bolt position during all modes of fire makes MP5 submachine guns extremely accurate and controllable.

Used by military and law enforcement units in more than fifty nations, the MP5 is firmly established as the world's preeminent submachine gun. Over 120 variants of the HK MP5 submachine gun are available to address the widest range of tactical requirements. A selection of optional trigger groups allow for single fire only, full automatic, 2-round, and 3-round burst options. The weapon's unique modular design and a variety of optional buttstocks, forearms, sight mounts, and other accessories gives the MP5 extraordinary flexibility to meet most any mission requirement.



MP5K-PDW 9MM with Navy trigger group

The MP5K-PDW (Personal Defense Weapon) is a compact submachine gun designed for vehicle operators, air crew members, security details, and others who require a small, but powerful weapon. While comparable in performance to full size MP5s, the size and weight of the MP5K-PDW make this weapon the ideal choice where a rifle or full-sized submachine gun is unmanageable and a handgun is a poor compromise.



MP5SFA2 9MM with SF trigger group

The MP5SF (single fire) carbine is a semi-automatic only variant of the MP5 fitted with a trigger group that prevents full automatic firing. Comes with a detachable flash hider as a standard feature. (Not available for individual purchase)

MP5 Trigger Groups

SEF Trigger Group	Numerical Trigger Group	SF (Single Fire) Trigger Group	0-1-2 Trigger Group	0-1-3 Trigger Group	Navy Trigger Group	2-Round Burst Trigger Group
S safe E single fire (semi-automatic) F fully automatic	S safe 1 single fire (semi-automatic) 20/25 fully automatic	semi-automatic safe	two-round burst semi-automatic safe	three-round bursts semi-automatic safe	fully automatic semi-automatic safe	fully automatic two-round burst semi-automatic safe

SEF and Numerical trigger groups have a single safety/selector lever on the left side, all other groups have safety/selector levers on both sides.

Accessory claw-lock scope mount and optional reflex sight. HK scope mounts attach to submachine guns without tools at special points that ensure 100% return to zero. HK scope mounts do not interfere with the use of the weapon's iron sights.

Dual front sling attachment points

Optional tactical forearm light can be mounted on most HK submachine guns and rifles.

New MP5 Universal Retractable Buttstock in extended position. MP5s can be fitted with a variety of buttstock options including receiver caps, retractable, fixed, and folding buttstocks. The Universal MP5 Retractable Buttstock has extended forks and dual rear sling attachment points.

MP5A3 (F Model) 9MM shown with optional 0-1-2 trigger group

0-1-2 Trigger Group includes "automatic double-tap" 2-round burst capability

Magazine clamp holds additional magazine

Low-profile sight mount with optional holographic sight

All MP5 submachine guns use a free floating, cold-hammer forged barrel and fire from the highly accurate closed-bolt position.

Optional wet technology sound suppressor; by adding 5 cc of water to this stainless steel suppressor, the weapon's report is reduced an additional 3-5 dB. Wet technology sound suppressors can also be fired full of water without damage.

Optional Modular Rail System forearm with detachable vertical foregrip accepts a vast array of rail mounted accessories including those of the U.S. SOPMOD kit.

Optional extended safety/selector lever

MP5 9MM with folding stock and 2-round burst trigger group

Side folding buttstock (weapon can be fired with stock folded).

Detachable flash hider

The MP5K is the ultimate close quarters weapon. At 4.4 pounds and less than 13 inches long, the MP5K is easily concealed and carried. All MP5Ks can be fitted with an optional folding buttstock and some models can be fired from inside a specially designed briefcase (below).

30-round 9mm magazine

Ideal as a squad car carbine to supplement or replace the 12 gauge shotgun, especially for small stature officers. Less recoil, greater range, and more ammunition capacity than a shotgun.



Compact 15-round 9mm magazine (interchangeable with 30-round magazines)

MP5KA4 9MM with 3-round burst trigger group (NSN: 1005-01-259-2895)

3-Round Burst Trigger Group	
	fully automatic
	three-round burst
	semi-automatic
	safe

HK MP5 Submachine Guns (continued)

Developed especially for one of America's most elite special operations units, the MP5 "Navy" model comes standard with an ambidextrous trigger group and threaded barrel. Operationally tested and proven, this configuration represents the essence of the modern submachine gun.

For specialized applications requiring fully realized sound and flash suppression, several MP5SD models are available. The removable sound suppressor is integrated into the weapon's design and conforms to the normal length and profile of a conventional, unsuppressed submachine gun.



MP5 Navy models have threaded barrels and can be used with or without an optional wet technology stainless steel sound suppressor.


Operating controls like those of other HK weapons simplifies training.

MP5-N 9MM with "Navy" trigger group. The Navy model was developed for the elite US Navy SEAL Teams. (NSN:1005-01-360-7146)

Detachable hooded front sight post. Optional tritium sights are also available.

"Navy" trigger groups and all HK trigger groups with "Pictogram" markings are completely ambidextrous.

Paddle and button magazine release common on most HK long guns



Optional aluminum Quick Connect sound suppressor mounts on the UMP's hammer forged barrel in less than one second

Optional vertical foregrip mounted on accessory Picatinny rail

Flip-up rear sight with peep and Patridge apertures. Adjustable for windage and elevation with an Allen wrench.

Closed bolt operation ensures rifle-like accuracy at extended ranges. Bolt incorporates forward assist notch and firing pin safety.

Eight molded-in hard points for accessory rail attachment on the upper receiver

Flared magazine well for speedy magazine changes



Study folding stock with rubber cheekpiece and buttpad. The UMP can be fired with the stock folded.

Oversized trigger guard for easy operation while wearing gloves.

Textured pistol grip with internal storage space

Empty weight of only 4.6 pounds

Detachable handstop

Quick Connect muzzle for fast accessory attachment without the needs for muzzle threads.

25-round magazine

UMP40 .40 S&W with "Navy" trigger group

Tough, lightweight, 30-round polymer magazine with ammunition viewing strips.

NEW

Ammunition Performance Comparison Table			
	Cartridge Specifications	Velocity (FPS) muzzle/100 meters	Muzzle Energy (Foot Pounds) muzzle/100 meters
9mm Parabellum*	Winchester 115 gr. Silvertip	1225/1007	383/259
	Winchester 147 gr. Subsonic	1010/921	333/277
	Winchester 155 gr. Silvertip	1205/1018	500/357
40 S&W*	Winchester 180 gr. JHP	990/891	390/317
	Winchester 185 gr. Silvertip	1000/888	411/324
	Proload 185 gr. JHP	1000/880	411/318

Optional front and rear tritium sights available

Ported barrel lowers velocity and sound signature of departing projectiles

"SEF" trigger group with safe (S), single fire (E), and full automatic (F)

The MP5SD uses an integral aluminum or optional wet technology stainless steel sound suppressor. It does not require use of subsonic ammunition for effective sound reduction like most conventional sound suppressed submachine guns.

Bolt catch holds bolt rearward when last round is fired

Optional Picatinny rail allows a wide variety of scopes and aiming devices to be easily mounted

MP5SD3 9MM with integral aluminum sound suppressor and standard "SEF" trigger group (NSN: 1005-01-144-3036)

Polymer construction reduces weight and eliminates surface corrosion.

NEW

UMP45 .45 ACP with with 2-round burst trigger group

Extended ambidextrous safety/selector lever combined with Pictogram firing mode markings

Oversized ambidextrous magazine release. Operating controls similar to those of other HK weapons.

UMP Trigger Groups

SF (Single Fire) Trigger Group	0-1-2 Trigger Group	Navy Trigger Group	2-Round Burst Trigger Group

UMP Submachine Guns

The renowned hard-hitting performance of the classic .45 ACP cartridge and the more recently developed .40 S&W cartridge is now available in a truly modern submachine gun from HK, the UMP. Available as a select-fire submachine gun or semi-automatic only carbine, the HK Universal Machine Pistol was designed especially for American law enforcement and military organizations.

The UMP is a cost-effective, state-of-the-art weapon that offers the user the advantages of light weight, low initial purchase and maintenance costs, uncompromising reliability, and precision accuracy with low felt recoil.



HK G36 Weapon System

A new development for HK, the G36 is a true modular weapon system in caliber 5.56x45mm NATO (.223 Remington). Constructed almost entirely of a tough, carbon fiber reinforced polymer material and using a simple, clean shooting, self-regulating gas system, the G36 provides the user with a lightweight weapon that delivers high performance with extremely low maintenance. The barrel of the G36 can be exchanged by unit armorers to create a rifle, short carbine, carbine, or light support variant using the same common receiver. Exhaustively tested and currently fielded with the German and Spanish Armed Forces (including the new NATO Rapid Reaction Force), the G36 is now available to U.S. law enforcement and military customers.

G36 barrels can be easily removed by the unit armorer with a special torque wrench.

G36 5.56MM RIFLE with 18.9 inch barrel



Chrome-plated, cold hammer forged 18.9 inch barrel with 1 in 9 inch twist rifling. Optional 15.4 inch "CQB" barrel with 1 in 9 inch twist available.

The low mass of the bolt and ergonomic in-line relationship of the barrel and the buttstock translate to a highly-controllable weapon when fired in the fully automatic mode of fire.

Picatinny rail with adjustable iron sights

G36K 5.56MM CARBINE with 12.5 inch barrel, iron sights, and buttstock folded

The G36 gas system does not direct fouling back into the weapon's interior like conventional gas operated rifles. This insures reliable operation even after firing more than 15,000 rounds without cleaning. The polymer components can easily be cleaned with water-based cleaning solutions, or even water.

Right side folding buttstock allows for normal operation and firing when folded.

Integral cartridge case deflector doubles as a buttstock retainer when the stock is folded.

Special 4-prong flash hider virtually eliminates muzzle flash.



Integral mounting rail allows the HK UTL (Universal Tactical Light) to be installed in seconds (left).

Storage compartment in pistol grip

Ambidextrous bolt catch button. The bolt catch holds the bolt to rear on the last round fired and can be disabled by the shooter without tools, allowing the bolt to close when the magazine is fired empty.


Tough 30-round translucent polymer magazines lock together without magazine clamp. They are 30% lighter than metal magazines and are corrosion proof.

MG36 assembled with heavy profile barrel for sustained automatic firing



Bird cage-style combination flash hider and rifle grenade launcher (22mm outside)

Detachable folding bipod



G36 Accessories

Accessories include a dual combat sight system, passive night vision module, quick-detachable tactical light and laser, folding bipod, and blank firing attachments. Other accessories are under development.



1.5x Export optical sight and carry handle (3x also available)

Ambidextrous cocking lever doubles as forward assist and can be used to silently chamber a round.

Accessory long sight rail from Knight Armaments Corp. has a folding rear sight and allows a wide variety of sighting systems to be mounted to G36 weapons.

Quick detachable Hensoldt NSA 80 II Passive Night Vision Module mounted on standard optical sight. No zeroing is required as the periscope design allows the operator to use the same head position, zero, and reticle during low-light shooting.



Iron sights "co-locate" through reflex sight



Optional modular rail system from KAC allows a wide array of accessories including lights and sights to be added.

Magazines clamp together without accessory clamp

Buttstock release lever

Rear sling attachment points for multi-purpose HK sling

Two round burst trigger group shown. Five different trigger groups available (see chart below).



Optional Aimpoint reflex sight

Shortened four-prong flash hider

G36 COMMANDO 5.56MM SHORT CARBINE with 9 inch barrel
The G36 Commando is actually shorter than an MP5 with the buttstock folded

NEW

Accessory vertical foregrip

Shortened forearm with six hard points for attaching accessories

Dual sighting system powered with ambient light through open port during daylight periods

Dual combat sighting system. 3.0X optical sight topped with electronic red dot sight. Sights are independently adjustable to meet the operational requirements of user. 1.5X optical sight also available.

OPTICAL SIGHT RETICLE PATTERN

- Lead mark for firing at targets moving from left to right at a speed of approximately 15 km/h at a range of 200 meters.
- Point of aim at 200 meter range.
- Circular reticle (interior diameter 1.75 m man size at 400 meter range)
- Lead mark for targets moving from right to left at a speed of approximately 15 km/h at 200 meter range.
- Horizontal line to determine whether the weapon is canted.
- Point of aim for firing at approximately 400 meter range.
- Point of aim for firing at 600 meter range.
- Point of aim for firing at 800 meter range.
- Man size of 1.75 meter at ranges X.



Removable magazine well eases cleaning of receiver and chamber areas

Locking pin storage holes

The location and function of the G36 operating controls mirror those of the roller-locked HK rifles, and UMP and MP5 submachine guns, reducing training time and cost.

100-round dual drum magazine can also be used in G36 rifles and carbines. Optional 10-round magazines also available.

Ambidextrous safety/selector lever allows for easy actuation without adjusting the firing grip.

Non-slip rubber buttplate

MG36 5.56MM LIGHT SUPPORT WEAPON (LSW) with heavy 18.9 inch barrel, dual sighting system, and folding bipod
Limited Availability

G36 Trigger Groups

SEF Trigger Group	SF (Single Fire) Trigger Group	0-1-2 Trigger Group	Navy Trigger Group	2-Round Burst Trigger Group
S safe	semi-automatic	two-round	fully automatic	fully automatic
E single fire (semi-automatic)	safe	semi-automatic	semi-automatic	two-round burst
F fully automatic		safe	safe	semi-automatic
				safe


HK Rifles & Carbines

Heckler & Koch rifles and carbines are recognized as the most technologically and tactically advanced weapons in the world. Reliability, modular construction, a true “system” approach, and a complete line of shoulder arms and accessories make HK the world leader in tactical armament.

Using the robust and reliable delayed blowback roller-locked bolt operating system first developed by HK engineers for the G3 automatic rifle, Heckler & Koch has created a variety of weapons designed to meet any tactical need. The HK53 uses a refinements of the delayed blowback roller-locked bolt operating system into weapons firing the proven and popular 5.56mm x 45mm NATO (caliber .223) round.

Common throughout each weapon group is the ability to use many interchangeable assembly groups and components. This provides the ability to train personnel within one weapon group and have them competent with the entire weapon system.

Derived from the G36 and UMP respectively, the SL8-1 rifle and USC carbine are semi-automatic utility arms that make extensive use of durable, reinforced carbon-fiber polymer. Their size, weight, inherently safe design, and ease of handling make them ideal candidates for law enforcement long arms.



Standard assault rifle of the German Bundeswehr since 1959 and used by more than fifty nations.


High strength stamped steel construction



Battle-proven rotary diopter sights common to many HK long guns.

The G3K is a compact carbine-sized weapon firing the full power 7.62 x 51mm cartridge.

20-round 7.62mm magazine



Modular Picatinny rail sight mounting systems can be easily removed and installed by the shooter and allow the widest variety of optical sights to be attached.

Integral cartridge case deflector

Removable rear sight is adjustable for windage and elevation

Vertically adjustable cheekpiece

Adjustable buttstock—the length of the buttstock can also be changed by up to two inches by sliding the buttplate backward or forward.


Ergonomic thumbhole stock

Ambidextrous safety/selector lever

Ambidextrous bolt catch

SL8-1 5.56MM RIFLE

NEW
Polymer 10-round magazine



Accessory claw-lock scope mount and telescopic sight. HK scope mounts attach to rifles and submachine guns without tools at special points that ensure 100% return to zero. HK scope mounts do not interfere with the use of the weapon's iron sights.

G3A3 7.62MM RIFLE with 17.7 inch barrel and "0-1-20" trigger group

Combination flash hider and rifle grenade launcher (22mm outside diameter)

Optional detachable light folding bipod

Optional ambidextrous 3-round burst trigger group

5-round magazine is interchangeable with 20-round box magazine and 50-round drum

Special 4-prong flash hider virtually eliminates muzzle flash

Cold-hammer forged barrel ensures unmatched accuracy and service life



G3KA4 7.62MM CARBINE with 12.4 inch barrel and "0-1-20" trigger group

Hard points allow for the attachment of optional mounting rails and accessories

Cocking handle swivels to both sides of the rifle for true ambidextrous use. It also doubles as a forward assist.




Uses a proven short stroke, clean-shooting, piston-actuated gas operating system, well known for simplicity and reliability.

Hard points for mounting accessories (including Picatinny rails)

Cold-hammer forged heavy barrel is free floating for optimal accuracy. The SL8-1 is capable of sub-MOA accuracy with handloaded match ammunition.

The SL8-1 and USC are ideal semi-automatic weapons for personal purchase and use as squad car carbines by law enforcement personnel.



HK53A3 5.56MM CARBINE with 8.31 inch barrel and 3-round burst trigger group

30-round metal magazine

Retractable buttstock

Only two inches longer than an MP5, the HK53 offers the compact size and handiness of a submachine gun combined with the increased range and hard-hitting firepower of a high velocity rifle cartridge.

Light weight polymer construction with steel inserts for strength

Ambidextrous safety/selector lever

Accessory Picatinny rail mount

Rear sight is adjustable for windage and elevation with an Allen wrench.

Rubber buttstock cheek rest



USC .45 ACP CARBINE

Hand stop and sling mount

10-round polymer magazine

Bolt release button—a bolt catch holds the bolt open when the last round is fired


Open, skeletonized buttstock for better grasp of USC's hand grip

Sling attachment points

NEW

HK Special Application Products

Critical tactical situations call for specialized products designed to meet unique demands. HK's extensive line of special purpose products include grenade launchers, light and general purpose machine guns, and precision marksman rifles.



HK69A1 40MM GRENADE LAUNCHER

Lightweight at only 5.8 pounds, the HK69A1 is designed to fire a variety of low velocity 40mm ammunition (including CS, HE, AP, nonlethal, and flares) to ranges of 400 meters with a degree of accuracy not available from competing designs.

Rifled steel barrel for increased range, accuracy, and durability

Ladder sight for long range targets (100-400 meters)

Precision flip-up dual aperture short range sight (50 and 100 meters)

Break-open action and separate manual hammer allows the HK69A1 to be loaded and unloaded without being cocked

Quick detachable scope mounting platforms

Adjustable 1,100 meter sight

Ambidextrous safety lever

Retractable stock allows the HK69A1 to be fired as a pistol or from the shoulder

Standard ambidextrous 3-round burst trigger group

Mechanical recoil buffer system incorporated in buttstock

Belt or optional box magazine and drum feed mechanism

HK21E 7.62MM GENERAL PURPOSE MACHINE GUN

The 7.62mm HK21E and the 5.56mm HK23E machine guns use the same reliable operating principle as the G3 rifle. The high 800 rpm cyclic rate of fire ensures more rounds on target per target exposure.

Heavyweight polygonal barrel, free-floating and cold-hammer forged for accuracy and long life (15,000 rounds).

Adjustable precision tripod included (left)

G36 with 15.4 inch CQB barrel with 1 in 9 twist rifling

Mechanical grenade launcher tangent sight mounts on both the right or left side of the weapon. Optional glass block sight also available.

Ambidextrous breech release button

Rifled aluminum barrel for increased range, accuracy, and durability

Attaches to G36 rifle or carbine in seconds without modification. Spring actuated side loading breech provides for fast and easy loading.

Ambidextrous safety lever

Adjustable iron sights are standard on the MSG90A1

Double action only trigger

AG36 40MM GRENADE LAUNCHER
(shown mounted on G36 rifle)
The AG36 fires all low velocity 40x45mm ammunition.

NEW

PSG1 trigger mechanism with crisp three pound trigger pull and adjustable trigger shoe

Buttstock with adjustable length butt plate and vertically adjustable cheekpiece.

Extended ambidextrous safety/selector lever

Pump-Action Shotguns

When it comes to reliability and tactical flexibility, nothing matches the FABARM FP6 Series shotguns. Security professionals agree that a pump-action shotgun is still an optimal choice for a defensive shotgun. FABARM FP Series shotguns are built to take the toughest abuse confronting today's law enforcement and security users.

FABARM pump-action shotguns use the same advanced design and manufacturing techniques found on their premium sporting arms.

Twin action bars, deep drilled TriBore™ barrels, a choice of a durable sandblasted anodized coating or corrosion resistant carbon fiber finish, as well as interchangeable chokes, make the FP6 one of the toughest and most adaptable pump-action security shotguns available.

The ability to mount accessory Picatinny rails on the extended forearm, combined with the rail mount built onto the receiver of many of the FP6 models further enhances the tactical utility of this shotgun.

Carbon fiber finish is especially durable and provides corrosion resistance superior to stainless steel.

Tough polymer stock can be replaced with accessory pistol grip or folding stock



Large safety button is standard on all FP6 shotguns

All FP6 shotguns have a free carrier for quick, smooth reloading


Uses the same trigger assembly, bolt, and other internal parts as the semi-automatic FABARM shotguns, making the FP6 "overbuilt" and especially "heavy duty" for a pump-action shotgun.

Flip-up front sight (shown in flip up position)

Accessory magazine extension gives the FP6 a seven shot capacity



A Picatinny rail can be screwed into hard points machined into the front portion of the extended forearm, enabling accessories like the Universal Tactical Light (left) to be mounted.



No recoil system in the buttstock that can be easily damaged. No reciprocating parts to change the guns center of gravity during firing.

Large cocking handle and safety button for easy operation

Picatinny rail with durable integral machined rear sight

Twin forged action bars on all FABARM semi-automatics mean smooth and reliable operation.



Free carrier feature allows a round in the chamber to be switched with a different load.

Unlike most semi-automatic shotguns, the FP SEMI has no downward angled recoil parts in the buttstock. Recoil on the FABARM FP SEMI is straight back and tame when measured against inertia recoil shotguns or other gas operated semi-automatic shotguns.

TACTICAL SEMI-AUTOMATIC 12 GAUGE (FAST 20)
also available with 14 inch barrel (FAST 14)

NEW

3-inch chamber is standard on all FP6 shotguns. Models with 20-inch barrels have non-ported TriBore™ barrels.

Quick handling 20-inch barrel with heat shield is threaded for a variety of choke tubes, ensuring tactical flexibility. Carbon fiber finish has a blade sight—all others come with a Picatinny rail and flip-up front sight.



The accessory handgrip makes the FP Series shotguns amazingly compact.




Steel magazine tube has capacity for five shells

FP6 PUMP-ACTION 12 GAUGE
with 20-inch barrel (carbon fiber finish)

Picatinny rail with integral rear sight


Flip-up sight (shown folded down) has a front blade for use with the integral machined rear sight



Non-ported TriBore™ barrels on all 20-inch models

FP6 PUMP-ACTION 12 GAUGE
with 20-inch barrel

New heat shield feature



FP6 PUMP-ACTION 12 GAUGE
ENTRY MODEL with 14-inch barrel

Fast handling 14-inch barrel with cylinder choke and a flip-up/flip-down front sight blade make this the ideal entry and stake-out gun. Ultra short barrel requires BATF transfer fee.

Sling attachment point recessed into buttstock handgrip

The Picatinny rail has a built-in rear sight; the rail allows for the easy mounting of accessories, including an optional ghost ring sight (right arrow).




Extended forearm allows smaller stature shooters a comfortable grip to operate the shotgun without strain.

FP6 PUMP-ACTION 12 GAUGE
(shown with accessory magazine extension and folding stock)

The accessory folding stock is strong, utilitarian, and easily manipulated.

Flip-up front sight



TriBore™ Barrel System achieves something no conventional back boring process can—reduced recoil, increased velocity, and optimal shot patterning. A variety of choke tubes can also be used.

Tactical Semi-Automatic Shotgun

A rugged and simple design, the FABARM Tactical Semi functions reliably with all standard 12 gauge shells without adjustment—whether they're light 2¾-inch tactical loads or the most powerful 3-inch slugs and buckshot. The Tactical Semi uses a proven and highly perfected gas operating system — a low recoil system that has no action parts contained in the buttstock to change the center of gravity when the gun is fired. This means the Tactical Semi stays balanced—and stays on target when firing!


Accessories

An extensive line of accessories is available for Heckler & Koch weapons. Designed and manufactured to the same exacting standards, HK accessories add functionality and highlight the true systems approach used in developing these firearms. A variety of instructional aids including wall charts, posters, and video tapes are also available.



Pistol Accessories

Roller-Locked Rifle Accessories



SPECIFICATIONS

HANDGUNS	caliber	cyclic rate of fire	magazine capacity	modes of fire	sights	stocks	width ¹ (in.)	height ² (in.)	weight (pounds) (w/o magazine)	sight radius (in.)	barrel length (in.)	overall length* (in.)
P7M8	9mm x 19	-	8	S	3-dot	-	1.14	5.10	1.72	5.83	4.13	6.73
P7M13	9mm x 19	-	13	S	3-dot	-	1.30	5.30	1.87	5.83	4.13	6.90
USP9	9mm x 19	-	10/15	S	3-dot	-	1.26	5.35	1.65	6.22	4.25	7.64
USP40	.40 S&W	-	10/13	S	3-dot	-	1.26	5.35	1.66	6.22	4.25	7.64
USP45	.45 ACP	-	10/12	S	3-dot	-	1.26	5.55	1.74	6.34	4.41	7.87
USP9 COMPACT	9mm x 19	-	10/13	S	3-dot	-	1.14	5.00	1.47	5.35	3.58	6.81
USP40 COMPACT	.40 S&W	-	10/12	S	3-dot	-	1.14	5.00	1.53	5.35	3.58	6.81
USP357 COMPACT	.357 SIG	-	10/12	S	3-dot	-	1.14	5.00	1.53	5.35	3.58	6.81
USP45 COMPACT	.45 ACP	-	8	S	3-dot	-	1.14	5.06	1.60	5.63	3.80	7.09
MARK 23	.45 ACP	-	10/12	S	3-dot	-	1.53	5.90	2.42	7.76	5.87	9.65
USP45 TACTICAL	.45 ACP	-	10/12	S	Target	-	1.26	5.90	1.90	6.34	5.09	8.64
USP40 EXPERT	.45 ACP	-	10/16	S	Target	-	1.26	5.87	2.07	7.50	5.20	8.74
USP45 EXPERT	.45 ACP	-	10/12	S	Target	-	1.26	5.94	2.30	7.50	5.20	8.74

SUBMACHINE GUNS

MP5A2	9mm x 19	800 rpm	15/30	S,F	D	FS	1.96	8.26	5.59	13.38	8.85	26.77
MP5A4	9mm x 19	800 rpm	15/30	S, 3, F	D	FS	1.96	8.26	5.59	13.38	8.85	26.77
MP5A3	9mm x 19	800 rpm	15/30	S, F	D	RS	1.96	8.26	6.63	13.38	8.85	21.00/27.25
MP5A5	9mm x 19	800 rpm	15/30	S, 3, F	D	RS	1.96	8.26	6.63	13.38	8.85	21.00/27.25
MP5SFA2 ^(*)	9mm x 19	-	15/30	S	D	FS	1.96	8.26	5.61	13.38	8.85	28.00
MP5SFA3 ^(*)	9mm x 19	-	15/30	S	D	RS	1.96	8.26	6.49	13.38	8.85	22.33/28.58
MP5-N(FS)	9mm x 19	800 rpm	15/30	S, F	D	FS	1.96	8.26	5.59	13.38	8.85	26.77
MP5-N(RS)	9mm x 19	800 rpm	15/30	S, F	D	FS	1.96	8.26	6.47	13.38	8.85	21.00/27.25
MP5K	9mm x 19	900 rpm	15/30	S, F	D	-	1.96	8.26	4.40	10.25	4.50	12.80
MP5KA4	9mm x 19	900 rpm	15/30	S, 3, F	D	-	1.96	8.26	4.40	10.25	4.50	12.80
MP5K-N	9mm x 19	900 rpm	15/30	S, F	D	-	1.96	8.26	4.40	10.25	5.50	13.75
MP5K-PDW	9mm x 19	900 rpm	15/30	S, F	D	FOLD	1.96	8.26	6.14	10.25	5.50	14.50/23.75
MP5SD1	9mm x 19	800 rpm	15/30	S, F	D	RC	2.36	8.26	6.17	13.38	5.73	21.67
MP5SD2	9mm x 19	800 rpm	15/30	S, F	D	FS	2.36	8.26	6.83	13.38	5.73	30.42
MP5SD3	9mm x 19	800 rpm	15/30	S, F	D	RS	2.36	8.26	7.63	13.38	5.73	25.68/31.69
MP5SD4	9mm x 19	800 rpm	15/30	S, 3, F	D	RC	2.36	8.26	6.17	13.38	5.73	21.67
MP5SD5	9mm x 19	800 rpm	15/30	S, 3, F	D	FS	2.36	8.26	6.83	13.38	5.73	30.42
MP5SD6	9mm x 19	800 rpm	15/30	S, 3, F	D	RS	2.36	8.26	7.63	13.38	5.73	25.68/31.69
MP5SD-N	9mm x 19	800 rpm	15/30	S, F	D	RS	2.36	8.26	7.83	13.38	5.73	25.68/31.69
UMP45	.45 ACP	600 rpm	25	S, 2, F	D	FOLD	2.50	12.83	4.93	12.80	7.87	17.72/27.17
UMP40	.40 S&W	600 rpm	30	S, 2, F	D	FOLD	2.50	11.93	4.63	12.80	7.87	17.72/27.17

RIFLES AND CARBINES

HK53A2	5.56mm	700 rpm	5/30	S, 2, 3, F	D	FS	2.05	8.26	5.96	15.40	8.31	29.72
HK53A3	5.56mm	700 rpm	5/30	S, 2, 3, F	D	RS	2.05	8.26	6.73	15.40	8.31	22.17/29.72
G36K ^(*)	5.56mm	750 rpm	10/30/100	S, 2, F	O, DS, D	FOLD	2.44	9.72	6.62	-	12.52	24.21/33.78
G36COMMANDO ^(*)	5.56mm	750 rpm	10/30/100	S, 2, F	O, DS, D	FOLD	2.44	8.84	6.28	9.84	8.98	19.69/28.27
G36 ^(*)	5.56mm	750 rpm	10/30/100	S, 2, F	O, DS, D	FOLD	2.44	9.72	7.28	-	18.90	29.84/39.29
MG36 ^(*)	5.56mm	750 rpm	10/30/100	S, 2, F	O, DS, D	FOLD	2.44	11.42	7.87	-	18.90	29.84/39.29
G3A3	7.62mm	600 rpm	5/20/50	S, 2, F	D	FS	2.28	8.26	9.70	22.52	17.71	40.38

SPECIFICATIONS

RIFLES & CARBINES	caliber	cyclic rate of fire	magazine capacity	modes of fire	sights	stocks	width ¹⁾ (in.)	height ²⁾ (in.)	weight (pounds) (w/o magazine)	sight radius (in.)	barrel length (in.)	overall length (in.)
G3A4	7.62mm	600 rpm	5/20/50	S, F	D	RS	2.28	8.26	10.40	22.52	17.71	33.10/40.15
G3KA3	7.62mm	600 rpm	5/20/50	S, F	D	FS	2.28	8.26	9.00	20.00	12.40	35.25
G3KA4	7.62mm	600 rpm	5/20/50	S, F	D	RS	2.28	8.26	9.70	20.00	12.40	28.00/35.25
SL8-1	5.56mm	-	10	S	D	FS, TH	2.36	9.84	8.60	17.65	20.80	38.58
USC	.45 ACP	-	10	S	D	FS, TH	2.17	9.75	6.00	12.87	16.00	35.43

MACHINE GUNS

HK23E	5.56mm	800 rpm	belt or 30	S, 3, F	D	FS	5.24	8.26	19.18	26.97	17.72	40.55
HK21E	7.62mm	800 rpm	belt or 20/50	S, 3, F	D	FS	5.24	8.26	20.50	26.97	22.05	44.88

PRECISION MARKSMAN RIFLES

PSG1	7.62mm	-	5/20	S	O, 6x, H	ASB	2.32	10.16	17.86	-	25.59	47.56
MSG90A1	7.62mm	-	5/20	S	O, 10x, H, D	ASB	2.56	10.23	14.11	22.75	23.62	45.87

GRENADE LAUNCHERS

HK69A1	40mm	-	-	M	Ladder	RS	2.25	8.00	5.77	13.50	14.00	18.24/28.90
AG36	40mm	-	-	M	Ladder, O	-	3.50	8.40	3.30	5.80	11.00	13.90
HK79A1	40mm	-	-	M	Mechanical	-	2.56	5.31	11.82	6.00	11.65	14.25

SHOTGUNS

FP6 Carbon Fiber	12 gauge	-	5	P	Blade		2.25	8.10	6.60	-	20.00	31.00/41.25
FP6	12 gauge	-	5	P	Picatinny	FS, FOLD	2.25	8.10	6.00	18.00	20.00	31.00/41.25
FP6 Entry	12 gauge	-	5	P	Picatinny	FS, FOLD	2.25	8.10	6.60	13.75	14.00	27.00/41.25
Tactical Semi (FAST 20)	12 gauge	-	5	S	Picatinny	FS, FOLD	2.25	8.10	6.60	18.00	20.00	31.00/41.25
Tactical Semi (FAST 14)	12 gauge	-	5	P	Picatinny	FS, FOLD	2.25	8.10	6.60	13.75	14.00	27.00/41.25

¹⁾buttstock open ²⁾without magazine ³⁾with flash hider ⁴⁾specifications shown with Export sight ⁵⁾with "F" model buttstock, length/weight added ⁶⁾stock in/out

MODES OF FIRE

M – manually operated
 S – semi-automatic
 2 – 2 round burst
 3 – 3 round burst
 F – fully automatic
 P – pump

SIGHTS

O – optical sight,
 H – Hensoldt scope
 D – diopter/rotary
 X – magnification
 DS – dual sighting system

BUTTSTOCK CONFIGURATIONS

RC – receiver cap
 FS – fixed stock
 TH – thumb hole
 RS – retractable stock
 ASB – adjustable sniper buttstock
 FOLD – folding

Heckler & Koch, Inc.

The U.S. affiliate of the world famous firearms manufacturer Heckler & Koch, GmbH of Oberndorf, Germany, HK, Inc. is the U.S. distributor of a wide range of technologically advanced firearms for the defense, law enforcement, and sporting markets.



In addition to renowned HK handguns like the USP, P7, Mark 23, and the MP5 and UMP family of submachine guns; Heckler & Koch, Inc. is also the exclusive American distributor for FABARM shotguns of Italy.

Law Enforcement, Military, & Government Sales

State and local law enforcement customers, please direct all inquiries to the HK Law Enforcement Sales Department at (703) 450-1900 extensions 249, 230, and 290.

U.S. Military services, U.S. Federal agencies, and DOE/NRC contractors, please direct all inquiries to the HK Federal Operations Staff, (703) 450-1900 extension 208. For more information, visit our web site at: www.hecklerkoch-usa.com

HK Warranty

Firearms purchased by military or law enforcement agencies are covered by a One Year Limited Warranty.

HK HECKLER & KOCH, INC.
21480 Pacific Boulevard
Sterling, Virginia 20166
United States of America

HK International Training Division

Professional training could mean the difference between life and death. At Heckler & Koch, we are committed to providing thorough and comprehensive instruction of the highest standard. HK Weapons, Tactical, and Armorers Training Courses are designed as intensive, hands-on classes for the military and law enforcement community. All HK training courses combine elements of practical instruction and theory for an innovative and valuable learning experience.



Classes are held at HK-operated facilities in Northern Virginia, located near Washington, D.C. An HK Mobile Training Unit also travels throughout the country providing many of the same courses at remote locations.

For more information on scheduled courses, or arranging special on-site instruction, contact the Training Division office at (703) 450-1900 extension 293.

Firearms Safety

Read and follow all safety information in the operators manuals. Store all firearms in a safe and secure location. Keep firearms away from children. Always be a safe shooter.