



HECKLER & KOCH > PRODUCT CATALOG

HK45 & HK45 Compact Pistols WSA

as both a full-size and compact model. The HK45 and HK45 Compact were developed as product improvements of the highly-regarded and ultra-reliable HK USP45 and USP45 Compact family of pistols that were introduced in the 1990s.

New user-inspired enhancements found on the HK45 and HK45 Compact are also present on several recent Heckler & Koch semi-automatic pistols, including the P30, P30L, P2000, and P2000 SK. These features include changeable backstraps, improved Picatinny MIL-STD-1913 accessory rails, better ergonomics, and more ambidextrous controls.

The HK45 and HK45 Compact were originally developed as possible candidates for the Joint Combat Pistol (JCP) and Combat Pistol (CP) programs administered by the U.S. military in their search for a new service

The HK45 is Heckler & Koch's newest semi-automatic pistol and is available Well-suited for personal defense use, the HK45 and HK45C (Compact) are available in, or can be converted to, a wide variety of variants that use different trigger firing modes, including DA/SA (double action/single action) and DAO (double action only). The DAO mode uses the unique Heckler & Koch LEM (Law Enforcement Modification) firing system for improved double action trigger pull.

> By using the modular approach to the internal components first pioneered by HK on the USP, the control lever function of the HK45 can be switched from the left to the right side of the pistol to accommodate left-handed shooters (additional parts required). Left and right mounted control levers provide safety and/or decocking functions as required and can be fitted to the pistol simply by changing parts. For true ambidextrous use, a control lever can also be mounted on both sides of the pistol if required. Extensively tested and operationally proven, the HK45 Series is a new paradigm for Heckler & Koch handgun design and manufacturing.

An improved USP-style control lever, a combination safety and decocking lever, is frame mounted on the HK45 and is quickly accessible. The HK45 control lever has a positive stop and Polygonal bore for increased returns to the "fire" position after velocity, easier cleaning, and longer barrel life decocking. Contoured and radiused machined steel slide Caliber .45 ACP with forward slide grooves (front cocking serrations) and anti-glare longitudinal ribs (top) Ambidextrous controls with dual slide releases and enlarged magazine The full-size frame model of the HK45 measures 8.03 inches (204 mm) in overall length with a 4.47 inch (113.5 mm) barrel. Despite its "full-size" designation it is smaller than both the USP45 and USP40/9. The HK45 is the first Heckler & Koch model manufactured in the company's American factory in Newington, New Hampshire. Patented Lock-Out Safety device and interchangeable backstraps The HK45 uses the an ergonomic profile grip similar to the recently ntroduced HK P30. **NOT AVAILABLE IN SOME STATES**



MODULAR BACKSTRAPS

Each HK45 comes standard with an extra backstrap; medium and small interchangeable backstraps ensure an optimal fit for most shooter's hands and complement the ergonomic profile grip.



O-RING FOR ACCURACY

HK45 and HK45 Compacts have proprietary O-ring barrels for precise barrel-to-slide lockup and optimal accuracy. HK45 and HK45 Compact barrels are made using the famous HK cold-hammer forging process.



PICATINNY RAIL FOR ACCESSORIES

Integral MIL-STD-1913 (Picatinny) rail molded into the polymer frame dust cover for mounting lights, laser aimers, and other accessories. HK45 shown with SureFire weaponlight.



HK45 Compact

Caliber .45 ACP

internal mechanical recoil reduction system lessens the recoil forces imparted to the weapon as much as 30%

NOT AVAILABLE IN SOME STATES




floorplate, and grip backstrap

configured with a "decock only" control lever was recently adopted by a major U.S. special operations component.

An HK45 Compact Tactical

Interchangeable backstraps allows custom fit for all shooters

The HK45 Compact is functionally identical to the HK45 with a shorter barrel/slide and a shorter, "slim-line" grip. Shown with an 8-round magazine.



15-round 9 mm magazine

Polygonal bore profile for increased velocity, easier cleaning, and longer barrel life

P30L identical to standard P30 but with 1/2 inch longer slide, barrel, and sight radius



P30 "S models" have

Conventional double action/ single action (DA/SA) with a centrally located decocking button (right), Multiple trigger firing modes on the P30 Series include HK's Law **Enforcement Modification** (LEM) enhanced double

P30 with changeable backstrap inserts and grip panels (lateral plates) fo custom fit



P30 and P30L Pistols

Recent HK pistol designs, the P3o and P3oL (Long Slide) are modern police and security pistols that combine function and safety. Ergonomic features include a special frame with interchangeable backstraps and lateral grip panels, allowing the pistol to be individually adapted to any user. Multiple trigger firing modes include HK's Law Enforcement Modification (LEM) enhanced double action only and conventional double action/single action with a serrated decocking button located on the rear of the frame. Light trigger pull (4.5 pounds, V1) models are also available.

Other ambidextrous controls include dual slide and magazine release levers. A Picatinny rail molded into the front of the frame makes mounting lights and accessories easy and convenient. Extensively tested, the P30 Series have already been adopted by several European police agencies. Excellent weight and balance make both the P30 and P30L naturally pointable, easy to control, and accurate to shoot. The P30 and P30L are both available in 9 mm and .40 S&W, "S models" which have ambidextrous

Military/Law Enforcement/Civilian



P2000 and P2000 SK Pistols

The first of the many recent additions to the Heckler & Koch handgun line, the P2000 and P2000 SK (Subcompact) incorporate features of the successful HK USP Compact pistol with the latest innovations of HK engineers. A refinement of a design created for several European police agencies, the P2000 and P2000 SK are available with a traditional single-action/double-action trigger mode and the LEM (Law Enforcement Modification) trigger system first introduced by HK in 2001 on the USP

The HK Law Enforcement Modification trigger system combines the advantages of a cocked striker component (constant level of trigger pull from first to last round fired) with a double-action hammer system.

Using such an enhanced trigger system consolidates ease of use and safety into a convenient, innovative trigger operation—one that reduces the chance of unintended firing. And in case of an ammunition-related failure to fire, all that is needed is an additional second or third squeeze of the trigger without the need of first pulling the slide back to re-cock the pistol. The enhanced LEM trigger system combines the reliability of a double

action revolver trigger with the crisp trigger of a single action pistol. On variants using the conventional double-action/single-action (DA/SA) mode of operation, an ambidextrous decocking button is mounted on the left, rear portion of the frame. It allows the user to safely lower the hammer from the cocked single-action position to the uncocked double-action position. This DA/SA variant of the P2000 and P2000 SK is readily identifiable by the presence of the serrated decocking button and spurred

A set of simple-to-install modular grip inserts allow all P2000/P2000 SK models to be custom-fitted to any shooter's hand. An ambidextrous magazine release and dual slide release levers make handling P2000 Series pistols natural and easy for right and left-handed shooters alike.

The addition of "industry standard" mounting rails to the P2000 and P2000 SK allows the widest variety of lights, aimers, and accessories to be added by sliding them onto the open rail system. The HK P2000 US model uses widely available, reliable USP Compact magazines. The same magazines fit the P2000 SK for added firepower.

LAW ENFORCEMENT MODIFICATION (LEM) TRIGGER SYSTEM

Developed especially for a U.S. government agency, the Law Enforcement Modification (or LEM for short), is a unique trigger mechanism created specifically to improve the trigger performance and reduce the weight of the Double-Action Only (DAO) trigger pull in the P2000 SK, P2000, P30/P30L, USP, USP Compact, and HK45/HK45 Compact pistols. With this mechanism, HK pistols can be fired like a standard DAO semi-automatic pistol where every round is fired by simply pulling the trigger fully rearward with the hammer starting at the forward rest position. The design of the proprietary HK LEM system allows the weight of the DAO trigger pull to be reduced to a smooth and constant 7.5-8.5 pounds because the twopart hammer is precocked every time the slide moves rearward.

Choice of conventional DA/SA or LEM trigger mode on the P2000 and P2000 SK. Double action/single action variant of the P2000 and P2000 SK is readily identifiable by the presence of the serrated button and spurred hammer (left pistol, below). LEM (DAO) model appears on the right.







HK PISTOLS PASS THE TOUGHEST TEST

The P2000, P2000 SK, and the USP Compact LEM were subjected to the most punishing pistol evaluation to date by the Department of Homeland Security's Immigration and Customs Enforcement branch. The evaluation was performed with the most potent ammunition loads for three calibers (9 mm. .40 S&W and .357 SIG). After three million rounds were fired, HK finished ahead of five other competing manufacturers, earning a "Superior" technical rating. On August 20, 2004, HK was awarded the largest pistol contract in U.S. law enforcement history. Five months later, US Customs and Border Protection (CBP), the largest U.S. federal law enforcement agency, officially adopted the P2000 pistol in .40 S&W, replacing both legacy Glock 17s and Beretta 96Ds.

Modular grip panels options include extra large, large, medium (standard), and small

to fit all sizes of hands

Exchangeable grip panels (back straps) accommodate a wide variety of hand sizes and shooting grips.



GRIP PANELS









Patented Lock-Out

Safety device

Military/Law Enforcement/Civilian



All USP and USP Compacts have

USP and USP Compact Pistols

The HK USP (Universal Self-loading Pistol) is the first HK pistol designed especially for American shooters. Features favored by the U.S. military, law enforcement agencies, and civilian users provided the design criteria for the USP. Its controls are uniquely American, influenced by such famous designs as the Government Model 1911 pistol.

The control lever, a combination safety and/or decocking lever, is frame mounted and quickly accessible, unlike the slide mounted safeties common on many semi-automatic pistols.

Using a modified Browning-type action with a special patented recoil reduction system, the USP is built to take the punishment of powerful +P and +P+ loads. The recoil reduction system lessens recoil effects on pistol components and also lowers the recoil forces felt by the shooter. The USP recoil reduction system is insensitive to ammunition types and requires no special adjustment or maintenance. It functions effectively in all military service since the venerable Model 1911A1. USP models.

Major metal components on

By using a modular approach to the internal components, the control lever function of the USP can be switched from the left to the right side of the pistol for left-handed shooters. The USP can also be converted from one type of trigger firing mode to another. This includes combination double-action and single-action (DA/SA) modes, double action only (DAO) modes, including the HK proprietary LEM (Law Enforcement Modification)

The USP is available in both full-size frame and compact models with ten trigger/firing mode configurations and four calibers—.45 ACP, .40 S&W, 9 mm, and .357 SIG (special order).

Developed in parallel with the USP, the HK Mark 23 was originally designed in the 1990s for the U.S. military's Special Operations Command. It has the unique distinction of being the only .45 ACP pistol to enter American

the USP and USP Compact polygonal barrel profiles made by are protected from wear and cold-hammer forging—ensuring corrosion by HK's special Hostile increased barrel life and optimal Environment (HE) finish. accuracy. The USP & USP Compacts can be

USP40

Caliber .40 S&W

VP70Z and P9S pistols.

CONVERTIBLE FIRING MODES

converted from one type of trigger firing mode to another. This includes combination double-action and single-action modes and double action only modes. USP and USP Reinforced polymer frame. HK Compacts are currently available in pioneered the use of composite three calibers and ten trigger / firing materials in production handmode configurations, including the guns more than thirty-five years enhanced double action LEM (Law Enforcement Modification) mode. ago with the development of the



USP₉ SD₉ mm shown with optional accessory suppressor

USP Comp

A threaded HK polygonal barrel increases muzzle velocity and service life, while reducing bore fouling and easing cleaning. An O-ring ensures optimal slide-to-barrel lockup for superior accuracy.

Molded into the frame are special accessory grooves for attaching a light or laser aimer.



During U.S. military testing, Mark 23 pistols met the most stringent operational and accuracy requirements ever demanded of a combat handgun. Endurance testing demonstrated a service life of over 30,000 rounds of +P ammunition

One-piece machined steel slide protected by an HK proprietary "maritime" coating that prevents surface corrosion

The frame mounted Mark 23 decocking lever is separate from the ambidextrous safety lever and allows the hammer to be lowered quietly and safely from the single action position.

> When the hammer is down, the ambidextrous frame mounted safety lever is locked in the fire position so that the pistol is always ready for double action operation. When the hammer is "cocked and locked" in single action mode with the safety lever on "safe", the decocker is blocked so that the pistol is always ready for single action operation.

> > Reinforced polymer frame

Patented Lock-Out Safety device available on all HK pistols





USP9 Compact

USP45 Compact model is only 5% larger than 9 mm and .40 caliber USP Compact models.

The extended slide release is contoured to reduce wear and tear on clothing when the pistol is carried concealed.

Mark 23

The USP-type mechanical recoil reduction system reduces recoil forces to the shooter and components of the pistol by as much

Caliber .45 ACP

The control lever has a positive stop and automatically returns to the "fire" position after decocking. The control lever, featured on many variants of the USP and USP Compact, allows these pistols to be safely carried "cocked and locked."

> Bobbed, spurless hammer for no-snag concealability



HK proprietary mounting grooves allow a variety of accessories to be mounted without pistol modification

> USP/USP Compact ambidextrous magazine release lever is shielded by the trigger guard from inadvertent actuation. It can be easily operated using the thumb or index finger without changing the grip of the firing hand.

USP45 Compact Caliber .45 ACP

also available in .40 S&W, 9 mm, and .357 SIG (special order)

> Grip dimensions on USP Compacts are well-suited to shooters with small hands.



CONTROL LEVER

A frame-mounted control lever allows these pistols to be safely carried "cocked and locked." Single control lever function can be changed to the opposite side for left-handed users. Control levers can be installed on both sides of the pistol for complete ambidextrous function



LOW RECOIL

The USP's patented recoil reduction system was tested and proven in the HK Mark 23 pistol issued to the US Special Operations Command. On the shorter USP Compact, the mechanical recoil reduction system found on full-size USPs has been replaced by a specially designed flat compression spring contained in the captive recoil spring assembly by a polymer absorber bushing. Service life is still engineered to exceed 20,000 rounds.



LOCK-OUT SAFETY DEVICE

HK pistols feature the patented HK Lock-Out Safety Device. When engaged, it locks the handgun's action by blocking any movement of the hammer strut and slide. The handgur is locked and cannot fire until unlocked

6 < global website: www.heckler-koch.com

SL8-6 Rifle and USC Carbine

A revolutionary rifle design—the HK SL8-6 is constructed almost entirely of a reinforced carbon-fiber polymer. Based on the combat-proven G₃6 rifle used by the German Army, the SL8-6 uses a proven short stroke, piston-actuated gas operating system, well known for simplicity and

Designed and engineered to deliver exceptional shooting performance, the SL8 is a favorite among European target shooters, due in large part to the its modular construction and free-floating bull barrel. A short Picatinny rail mount is standard and allows accessory optics to be easily added. Made using the famous HK cold-hammer forging process, the SL8-6 barrel ensures accuracy and long life. The ergonomic and clean lines of the HK SL8-6 are functional and modern, giving the SL8-6 the look and feel of a

Derived from the HK UMP submachine gun, the USC is a civilian utility

carbine that uses the classic hard-hitting .45 ACP cartridge. Matched with the simple and ultra-reliable blowback operating system, the HK USC is a radical departure from traditional firearms designs.

Extensive use of the same durable, reinforced polymers used on HK's line of military and police arms ensures lightweight and durability. And the highest grade of weapons steel is used where it matters—in the cold hammer forged target barrel and the solidly constructed bolt mechanism.

User ergonomics are not sacrificed. The skeletonized buttstock is topped with a comfortable rubber cheek rest and recoil pad. The web of the pistol grip is open for a comfortable shooting handhold. Hard points located on the top and front of the receiver make attachment of optional Picatinny rails easy, allowing almost any kind of sighting system or accessory to be mounted. For a .45 ACP carbine designed and engineered for the toughest tasks, choose the HK USC.











SL8-1 Buttstock Spacers / Cheekpiece Spacers

MR556A1/MR762A1 Rifles WSA

The civilian semi-automatic MR556A1 and MR762A1 are direct descendents of the HK416/HK417 Series developed by Heckler & Koch for military and law enforcement use. The MR models, available in calibers 5.56 x 45 mm and 7.62 x 51 mm respectively, are major product improvements over conventional AR-type carbines and rifles.

The semi-automatic MR Series rifles use the HK proprietary gas piston operating system, employing a piston and a solid operating "pusher" rod in place of the gas tube normally found in AR15/M16/M4-style firearms. This method of operation virtually eliminates malfunctions that are common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. This is the same key feature critical to the success of the HK416/HK417 rifles used by leading military and law

The MR Series use many of the same assemblies and accessories

originally developed for the HK416/417 including the HK free-floating four-quadrant rail system. This handguard system allows all current accessories, sights, lights, and aimers used on M4/M16-type weapons to be fitted to the MR Series. The HK rail system can be installed and removed without tools and returns to zero when reinstalled. MR Series rifles are produced in the USA from American and German-made components. Additionally, subassemblies like the MR556A1's upper receiver will be fully interchangeable with other high quality AR-style firearms.

Like the HK416 and HK417, the MR Series rifles use barrels produced by Heckler & Koch's famous cold hammer forging process. The highest quality steel is used in this manufacturing process, producing a long life barrel that provides superior performance with minimal degradation of accuracy and muzzle velocity after prolonged use. MR Series rifles and the MR556A1 Upper Receiver Kit are currently available from Heckler & Koch.




choices as law enforcement patrol carbines. MR762A1 shown with HK flip-up front sight and diopter rear sight

accommodate standard grips made

for M16/M4/AR15 type weapons.

German-made cold hammer forged barrel ensures long service life





10 and 20-round high strength polymer magazines MR Series rifles have ambidextrous selector levers

HK416/417 Series, the MRs are excellent

The HK adjustable buttstock has a storage compartment for extra batteries and other mission essential gear







An MR556A1 Upper Receiver Kit includes a complete barrel assembly, HK Free Floating Rail System handguard, bolt carrier assembly, buffer, and buffer spring allowing most AR-style rifles to be retrofitted to HK's pusher rod system.

Like the HK416/417, the MR556A1/MR762A1 series match the performance and durability of their famous selective fire counterparts and are proven in all conditions...sand, mud, snow, and water

The MR556/MR762 series uses a wide assortment of accessories that fit the HK416 and other AR-type arms, including grips, buttstocks, sights and magazines. To purchase HK accessories, visit www.hkwebshop.com.

SL8/SL8-6 & USC Sling

HK MP5 Submachine Guns

gun uses the same delayed blowback operating system found on the famous HK G3 automatic rifle. Reliability, accuracy, ease of handling, simple maintenance, and safety — all the elements of HK excellence are highlighted on the MP5. Firing from the closed-bolt position in all modes of fire make MP5 submachine guns extremely accurate and controllable.

All HK MP5 models are manufactured using time-tested Heckler & Koch technological invocation and superior materials. Barrels are made using cold hammer forging, a process pioneered and perfected by HK. Machined and stamped high strength steel and modern polymers make up the rest

Developed by Heckler & Koch in the mid-1960s, the 9 mm MP5 submachine of the MP5. Continual product improvements over more than 40 years of production have kept the MP5 up-to-date and technologically current; it is firmly established as the world's pre-eminent submachine gun among military and law enforcement users.

> Over 120 MP5 variants are available to address the widest range of tactical requirements. A selection of optional trigger groups allow for single fire only, full automatic, 2-round, and 3-round burst options. The weapon's unique modular design and a variety of optional buttstocks, forearms, sight mounts, and other accessories gives the MP5 extraordinary flexibility to meet most any mission requirement.



MP5 TRIGGER GROUPS - SEF trigger groups have a single safety/selector lever on the left side, all other groups have safety/selector levers on both sides.



MP5KA4 9 mm

with 3-round burst trigger group

(NSN: 1005-01-259-2895)

The Navy model was developed for the elite U.S. Navy SEAL Teams.) MP5 Navy models have threaded barrels and can be used with or without an optional wet technology stainless steel sound suppressor.

MP5-N 9 mm

with "Navy" trigger group

(NSN:1005-01-360-7146

The MP5K is the ultimate close quarters weapon. At 4.4 pounds and less than 13 inches long, the MP5K is easily concealed and carried. All MP5Ks can be fitted with an optional folding buttstock and some models can be fired from inside a specially designed briefcase.





The MP5SF (single fire) carbine is a semi-automatic only variant of the MP5 fitted with a trigger group that prevents full automatic firing. Single Fire (SF) trigger group can be replaced with other MP5 trigger groups to allow burst and full automatic firing.

30-round steel magazine

The MP5's modular design allows for easy installation of a wide variety of optional buttstocks, forearms, sight mounts, and other accessories for any mission requirement. The optional Modular Rail System forearm (above) accepts rail mounted accessories including those of the U.S. SOPMOD kit.

MP5SD3 9 mm

(NSN: 1005-01-144-3036)

with integral aluminum sound suppressor



UMP Submachine Guns

A truly modern submachine gun, the UMP is made using the latest in advanced polymers. Available in 9 mm and also chambered for more powerful cartridges (.45 ACP and .40 S&W), the UMP is a cost-effective, state-of-the-art weapon that offers the advantages of lightweight, low cost, uncompromising reliability, and modularity. Like all HK submachine guns,

the UMP fires from the closed bolt position for accuracy and safe handling. Available as a select-fire submachine gun or semi-automatic only carbine, the HK Universal Machine Pistol was designed especially for American law enforcement and military organizations in mind and incudes a bolt catch to hold the bolt rearward when last round is fired.



(Right) The UMP fieldstrips into basic assembly groups with the removal of a single locking pin, making cleaning and maintenance fast and

simple.

multi-purpose sling





UMP TRIGGER GROUPS (all UMP groups are completely ambidextrous and have safety/selector) levers on both sides.

| SF (Single Fire) Trigger Group semi-automatic safe | 0-1-2 Trigger Group two-round burst semi-automatic safe | Navy Trigger Group fully automatic semi-automatic Safe | 2-Round Burst Trigger Group fully automatic two-round burst semi-automatic safe |
|--|---|---|---|

usa website: www.heckler-koch.com



MP7A1 Personal Defense Weapon

Smaller than a conventional submachine gun, the 4.6 mm MP7 A1 is a compact and lightweight Personal Defense Weapon that can be carried like a handgun yet is capable of rifle-like effectiveness.

The HK-developed 4.6 mm x 30 ammunition provides the penetration approaching that of an assault rifle round and is able to defeat the types of body armor frequently found in the hands of terrorists and criminal gangs, in particular that of the former Soviet Bloc special forces, now the standard NATO test target (CRISAT).

In response to the NATO PDW requirement document D29, HK developed a Personal Defense Weapon system that will penetrate the CRISAT vest, comprised of 1.6 mm titanium plates and 20 layers of Kevlar, out to 200 meters and beyond.

Adopted and fielded by several of the world's leading special operations units, the gas-operated MP7 A1 fires from the closed bolt position, using a rotary locking bolt system similar to that of the HK G₃6 assault rifle to contain the powerful 4.6 mm cartridge.


The MP7 A1 handles like a pistol yet allows targets to be engaged like a rifle. With its 7-inch barrel, the HK MP7 A1 is capable of firing 10-shot semiautomatic groups at 45 meters of less than 2 inches. Unlike competing designs, the conventional and fully ambidextrous design of the MP7 A1 ensures immediate acceptance by all users.

The MP7 A1 is manufactured predominantly of carbon fiber reinforced polymer with embedded metal components where needed. The weapon can be field stripped in seconds without tools and requires little cleaning due to its unique gas system.

The lethal 4.6 mm x 30 cartridge produces minimal felt recoil (50% of a 9 mm NATO round) to assure that multiple hits are easily obtainable in all modes of fire — incapacitating the target through penetration and perma-

The MP7 A1 is fitted with a removable full length MIL-STD-1913 (Picatinny) rail on the top of the receiver for mounting a variety of optional targeting devices. Optional forearm rails are also available. Standard folding mechanical peep sights can be fitted to the top rail or an optional 24-hour reflex sight can be attached in seconds without tools. The reflex sight provides a single red aiming dot for 24-hour use when the weapon is fired from the shoulder or at arms length like a handgun.

Special carrying devices are available for overt and discreet carry of the MP7 A1. Due to its lightweight, small size and minimal width the MP7 A1 is especially suitable for VIP protection details, pilots, drivers, guards, and support personnel who require hands-free carry of their defensive weapon while performing other tasks.



A 4.6mm steel ball round will penetrate a CRISAT target (the equivalent of a Soviet special forces bullet-proof vest) at 200 meters.



Kevlar helmet penetration at 200 meters. The same 4.6 mm cartridge easily passes through automobile windshields with minimal deflection.



MP7A1 size comparison...smaller than a submachine gun and only slightly larger than a conventional handgun.





The size of the MP7A1 make it ideal for air crew, drivers, and support personnel



A wide variety of accessories include suppressors and specialized sights.



Carry options include concealed carry rigs, multi-purpose or elastic slings, and thigh holsters.



31 gr. Ultimate Combat (UC) Jacket (FMJ) Hollowpoint

Several ammunition types are available for a variety of mission requirements.

14 < global website: www.heckler-koch.com



HK416 Carbine & Rifle System

The HK416 was developed by Heckler & Koch for US special operations forces as a major product improvement of M4/M16-type carbines and rifles. Using the HK-proprietary gas piston system found on the G36, the HK416 does not introduce propellant gases and carbon fouling back into the weapon's interior, making it the most reliable of any M4/M16 type weapon.

The HK416 has been combat-proven in Southwest Asia and has also gained the attention of military, law enforcement, and security users outside of the US. In April 2007, the HK416 was selected as the new Norwegian Army rifle.

The origins of the HK416 began with the realization of the deficiencies of the direct gas impingement (gas tube) operating system found on conventional M4/M16-style weapons. Input from the users of current M4/M16-type arms, high-speed video assessment, and extensive live-fire testing in extreme operational environments such as the U.S. Army Desert Proving Ground in Yuma, Arizona revealed multiple areas for improvement.

Improvements were made to the internal operating system and various component parts to improve reliability in best and worse case scenarios, with all types of ammunition, with all barrel lengths and with and without sound suppressors attached. An innovative free-floating 4-quadrant rail system/handguard designed by HK allows all current accessories, sights, lights, and aimers used on M4/M16-type weapons to be fitted to the HK416. This HK rail system can be installed and removed without tools.

The HK-proprietary gas system uses a piston driving an operating rod to control the function of the bolt, preventing propellant gases and

the associated carbon fouling from entering the weapon's interior. This increases the reliability of the weapon and extends the interval between stoppages. It also reduces operator cleaning time, heat transfer to the bolt and bolt carrier, and wear and tear on critical components.

To improve reliability, service life, and operator safety during obstructed bore occurrences or after extreme extended firing sessions, the HK416 uses barrels produced by Heckler & Koch's famous cold hammer forging process. The highest quality steel is used in this unique manufacturing process producing a barrel that provides superior accuracy for more than 20,000 rounds with minimal degradation of accuracy and muzzle velocity. HK416 variants are available with 10.4, 14.5, 16.5, and 20 inch (264, 368, 419, 508 mm) barrels. Some HK416 variants also have "OTB" (over-the-beach) capability and can be safely fired after being submerged in water and not completely drained.

In addition to the improvements in the baseline weapon, HK has produced corrosion resistant steel and polymer magazines as well as a proprietary buffer system to further enhance functional reliability. An HK add-on 40 x 46 mm grenade launcher module can also be quickly attached to the rail system without tools. For training, the proven and fielded HK Safety Blank Firing Attachment and Live Round Excluder kit can be used with all HK416 variants, eliminating the possibility of live rounds being loaded into and fired through a standard issue weapon outfitted for blank firing only.

As the leading AR-based weapon system, the HK416 is unsurpassed in durability, safety, and accuracy. It is also the most cost-effective AR type weapon when viewed through total life cycle analysis.



HK416 robustness is proven in all environmental conditions...sand, mud, snow, and water.




The HK416 accepts all accessories that fit M4-type weapons, including the HK Grenade Launcher Module.



A piston driven operating system is the key to the HK416's reliability.



16 〈 global website: www.heckler-koch.com usa website: www.heckler-koch.com



HK417 Carbine & Rifle System

The HK417 was designed as a Commercial-Off-The-Shelf (COTS) alternative to existing, competing 7.62 x 51 mm semi-automatic and select-fire rifles, carbines, and sniper rifle systems. The .30 caliber "big brother" to the combat proven 5.56 mm HK416, the HK417 shares similar operating control locations, assembly/disassembly, and appearance to current issue M16/M4-type weapons resulting in immediate transfer of skills from one weapon system to another while retaining the already learned muscle memory critical to proficient marksmanship and operation in high stress environments.

The HK417 is gas operated and uses a gas piston and a solid operating "pusher" rod in place of the common gas tube normally employed in AR15/ M₁₆/M₄-style weapons. Pioneered by Heckler & Koch in the G₃6 and HK₄16, this method virtually eliminates malfunctions common to direct impingement gas systems since hot carbon fouling and waste gases do not enter the receiver area. The HK417 stays cleaner and heat transfer to bolt components is drastically reduced. The service life of all parts, including the barrel, is

The achieved goal of the HK417 is to guarantee no parts failures or stoppages in less than 10,000-15,000 rounds with little or no accuracy degradation. The HK417 adjustable gas system also makes the weapon less sensitive to ammunition and barrel length changes, or when sound suppressors are employed.

During HK-conducted desert testing, a single HK417 fired more than 15,000 documented rounds of assorted ammunition, including M118LR, M80 ball, M993 AP, and assorted commercial ammunition with bullet weights ranges from 125 to over 175 grains without a single parts failure or stoppage.

The HK417 is available with 12, 16, and 20-inch barrels, all manufactured using HK's famous proprietary cold-hammer forging process. The standard, hardened chrome-lined barrel is available in 12-inch or 16-inch lengths. For optimal accuracy, a specially treated chrome-lined 16- or 20-inch barrel is an

These optional barrels have resulted in less than 1 Minute Of Angle (MOA) groups. All three barrel lengths have conventional land and groove bore profiles with a 1 in 11-inch twist and are designed to function reliably with bullet weights ranging from less than 147 to 175 grains. HK417 barrels are threaded for flash hiders, muzzle compensators, and for sound suppressor

Both 10- and 20-round translucent polymer box magazines have been developed for the HK417. These magazines will drop free and can be inserted into the beveled magazine well with a conventional upward motion and not the rocking motion common on some 7.62 mm rifles.

An HK designed multi-position retractable buttstock provides a comfortable sloping cheek piece, multiple battery storage compartments, and enhanced non-slip rubber recoil pad. Ambidextrous operating controls are standard on the HK417, including the charging handle and an ambidextrous lever selector.

Semiautomatic and fully-automatic modes of fire are available as a standard feature. All manner of existing accessories, including sights, laser aimers, pistol grips, slings, etc. can be fitted to the common attachment points and/ or the MIL-STD-1913 Free-Floating Rail System (FFRS) found on the HK417.

This patented HK417 rail system is user removable and mirrors that of the HK416. The HK Free-Floating Rail System can be removed without special tools by the operator and ensures 100% return to zero for all mounted HK grenade launcher used on the HK416.

While operationally fielded, the HK417 is still in advanced development.

An HK design multi-position retractable Accessory sound buttstock provides a comfortable sloping suppressor cheek piece, multiple battery storage compartments, and enhanced non-slip rubber recoil pad. HK417 7.62 mm Carbine with 12 inch barrel and optional accessories 20-round high Ergonomic pistol grip with strength polymer storage compartment magazine drops free when released







attached to the rail system of HK417 carbines and rifles by the operator in seconds without tools.

HK Grenade Launcher Module (GLM) can be quickly Accessory HK pistol grips for a custom fit can also be installed A gas regulator can be easily activated by the operator in on the HK417. Both the HK417 and HK416 can accommodate the field and is especially useful when employing sound standard pistol grips made for M16/M4/AR15 type weapons. suppressors (S = Suppressor, N = Normal).





(Right) The HK adjustable buttstock has a storage compartment for extra batteries and other mission essential gear







HK G36 Weapon System

Developed by HK in the mid 1990s, the G36 is a true modular weapon system in caliber 5.56x45mm NATO (.223 Remington). Constructed almost entirely of a tough, carbon fiber reinforced polymer material and using a simple, clean shooting, self-regulating operating rod gas system, the G36 provides the user with a lightweight weapon that delivers high performance with extremely low maintenance. The barrel of the G36 can be

Safe safe

S safe E single fire (semi-automatic) exchanged by unit armorers to create a rifle, carbine, compact carbine, or light support variant using the same common receiver. Exhaustively tested and currently fielded with the German and Spanish Armed Forces (including the NATO Rapid Reaction Force), the G36 is also used by a variety of U.S. law enforcement and military customers.

SS safe

two round bur

G36 TRIGGER GROUPS



Ifully automatio

semi-automatic
safe

Optional modular rail system from allows Mechanical sights Ambidextrous a wide array of accessories including lights "co-witness" cocking lever and sights to be added. through reflex sight G36 5.56 mm rifle with 18.9 inch barrel Magazines clamp together without accessory clamp Ambidextrous two round burst trigger group shown. Five different trigger groups available (see chart). Special 4-prong flash hider virtually eliminates muzzle flash. G36K 5.56 mm Carbine Carry handle with 12.5 inch barrel buttstock folded Integral cartridge case Right side folding buttstock deflector doubles as a allows for normal operation buttstock retainer when and firing when folded. the stock is folded. **G36 ACCESSORIES**



HK Light Machine Guns

With the MG4, HK continues its tradition of producing rugged machine guns with superior accuracy and reliability. Additional attributes of the MG4 are simplicity and lightweight. The MG4 was selected for fielding by the German military and is currently being used operationally.

used operationally in

southwest Asia and

the Balkans.

usa website: www.heckler-koch.com



Grenade Launchers

Utilitarian engineering, ultra-reliable function, and enhanced accuracy characterize all models of the HK 40mm grenade launcher family. Combatproven designs, Heckler & Koch grenade launchers use simple break-open actions and rifled barrels. These lightweight launchers fire a variety of low velocity ammunition, including CS, HE, AP, less lethal and flares to ranges

of 400 meters with a degree of accuracy not available from competing designs. More that 30,000 Heckler & Koch grenade launchers have been in service since 2000 with the military forces of Britain, the Netherlands, Spain, Germany, and Portugal.

Sights attach directly to the M320's receiver ensuring the zero (aiming/impact point) of the launcher is preserved when it is removed and reinstalled on another weapon or when its used in stand-alone mode. A ranging Day/Night Sight (DNS, NSN 1010-01-564-0735) made by Insight Technology Inc. of Londonderry, NH provides accurate target engagement out to 300 meters. A simple mechanical ladder sight can also be used.



On November 6, 2008, the U.S. Army "type-classified" the HK M320, opening the way for the first of 70,000 add-on grenade launchers to be issued to combat troops. This award came after more that three years of exhaustive developmental testing and user evaluation at the Army's Aberdeen Test Center in Aberdeen, Maryland, the U.S. Army Infantry Center at Fort Benning, Georgia, and Army test locations throughout the world The M320 is a multi-functional single-shot launcher that can be attached to a wide range of current issue U.S. weapons including the M4, M4A1 and M4 MWS carbines and M16A2 and M16A4 rifles as well as an assortment of HK weapons (HK416 and HK417). The M320 is currently fielded in U.S. combat operations.



M4 Carbine with HK Grenade Launcher (GL Model "AG-M4") M320A1 includes M4 adapter kit, NSN 1010-01-557-2542



M16A4 Rifle with HK Grenade Launcher (GL Model "AG-M16A4") M320 includes M16 adapter kit, NSN 1010-01-566-9083



HK416 carbine with HK Grenade Launcher (GL Model "AG-HK416")



HK Grenade Launchei adaptor kits

HK grenade launchers are extremely versatile and can be employed for law enforcement and non-military security applications. The "side-loading" operation of the HK169 and other HK single-shot grenade launchers enable them to handle the complete range of riot control gas and less-lethal ammunitions.



Double action trigger

Lightweight at less than four pounds, the HK169A is designed to fire a variety of low velocity 40mm ammunition (including CS, HE, AP, nonlethal, and flares) to ranges of 400 meters with a degree of accuracy not available from competing designs.

Simple and robust, the HK169 is well-suited for use in the harshest conditions.

HK169 40mm **Grenade Launcher** (shown with folding

Buttstock folds to the right allowing the HK169 to be fired and reloaded with the stock folded



Rifled aluminum barrel for increased range, accuracy, and durability

> AG-C/EGLM 40mm **Grenade Launcher** (shown with detachable buttstock)

The AG-C/EGLM can be used with the add-on buttstock or attached to a wide variety of weapons with a modular rail system.





Double action only trigger

M4 carbine with AG-C/EGLM AG-C 40mm attached to M4-type carbine



MODULAR COMPATIBILITY Side-loading "add-on" HK grenade launchers fire all low velocity 40 x 46 mm ammunition and can be mounted on a wide variety of weapons, including various G36 models and M4-type carbines.

Ambidextrous breach release lever



AG-C/FGLM (AG-36) attached to a G36 rifle

22 < global website: www.heckler-koch.com

Grenade Machine Gun (GMG)

Used in combat operations in both Afghanistan and Iraq by select U.S. special operations units and adopted by the military forces of several NATO countries, the HK Grenade Machine Gun has outperformed competing models in overall durability, ease of use, precision targeting, and safety. And the HK GMG is available as a series production unit below the purchase cost of competing systems.

Its advanced features, excellent accuracy, operator convertible feed direction and removable barrel, night fighting capability with NVGs, and unmatched operator safety features are all unique hallmarks of the HK GMG.

The HK GMG uses an aluminum receiver for reduced weight and manufacturing costs. Other features include a fluted chamber for equal pressure on cartridge case and positive extraction and ejection, advanced primer ignition, and a barrel that is easily removable for field stripping without the use of tools. This is also an advantage in the event that an HE projectile becomes lodged in the bore.

The bolt reciprocates on a massive guide rod and is stabilized by two steel rails, all of which are bolted to the receiver, eliminating the need for welding in

The HK GMG upper mount (gun cradle) readily mounts to standard U.S. tripods, various vehicle mounts, or the lightweight, adjustable HK aluminum

tripod. The HK tripod provides low-to-high height position settings as well as provisions for the use of a ballast sack to reduce tripod movement during firing from the high standing position, as when firing from behind cover such as a wall or berm.

The upper mount also provides a wider, more stable set of control grips with ambidextrous firing levers and an adjustable shoulder support. This enables the operator to quickly index and accurately engage multiple and/or moving targets during free gun

Clearing the gun simply consists of lifting the feed tray cover and removing the belt. The position of the ambidextrous charging handle allows the shooter to cock and clear the gun without reaching near the ammunition belt and feed way.

Both the gun and tripod can be easily transported in a "backpack" configuration by a two-man team.

The HK GMG is also perfectly suited to vehicle turret and helicopter mounting. It is both accurate and easy to use, with an extremely smooth feed cycle and impressive safety features.

It is flexible, convertible to right or left-side feeding, and simple to maintain—with no tools being required for stripping or reassembly. All in all, a complete solution to the demanding requirements of effective ground fire support.



The HK GMG can quickly and easily be assembled and readied for use.

The adjustable stabilizing shoulder rod is mounted on the receiver for additional controllability and accuracy during free gun firing.

The GMG's muzzle velocity is 790 feet/second (241 meter/second) with a maximum range of 7218 feet (2200-meters) at an approximate rate of fire of 350 rounds/minute.

A robust, recoil operated inertia bolt with advanced primer ignition, firing from an open bolt position, directly chambers the cartridges out of the belt. The bolt fires all types of available 40 x 53mm grenades in either semi or fully automatic firing modes. Semi-automatic fire increases hits of target while reducing rounds fired.

The modular trigger group is easily controlled fire, when vehicle or helicopter mounted.



COMBAT PROVEN The HK GMG is fielded and serving operationally in Southwest Asia in all nvironments



Four multiple Picatinny-type

accessory rails

FLEXIBLE DEPLOYMENT GMGs can be mounted on a variety of vehicles (left). Tripod mounted GMGs in 'high position" can shoot through windows or over

arricades (right).

The receiver uses a solid extruded

aluminum design, combining light

weight with strength.



Cold hammer forged barrel with fluted chamber. Removable by operator in seconds without tools.

Quick detachable glass block reflex sight for rapid aiming and target engagement, for ranges up to 1,500-meters is available. Night fighting capability is possible using the reflex sight with NVGs. The GMG also has a folding mechanical 600 meter or 1500 meter sight.

replaced with a solenoid for remote-



UPPER MOUNT (GUN CRADLE)

The upper mount buffers the recoil using twin hydraulic buffers and includes handles, a secondary trigger lever, a shoulder support rod, the attachment points for the sighting system, and the mounting for the ammunition box.



GMG IN WIDE USE

The HK Grenade Machine Gun has been adopted by the armed forces of more than fifteen countries, including Germany, the UK, Canada, Finland, Ireland, Sweden, and the Netherlands. Since 2002, it has seen extensive operational use.



FEED SYSTEM

Driven by the bolt, the system feeds and guides the linked cartridges in two smooth movements during the forward and rearward movement of the bolt. The feed direction can be readily reconfigured from the right-side to left-side by the operator in the field in minutes, without the use of tools.

A lightweight tripod is available which permits a wide range of firing positions and heights, maximizing the gun's tactical flexibility. The GMG may also be fitted to the U.S. M3 tripod or other mounts using the

standard pintle mounting socket.

64.0 Gun Cradle 24.0 2 Tripod 39 (with T&E) Total System Weight 127.0 (11% weight reduction for HK GMG)

Weight (lbs)

Grenade Machine Gun (GMG) 40 x 53mm

WEIGHT COMPARISON HK GMG versus U.S. MK19

Linked 40 x 53 mm ammunition is fed from a NATO PA 120 ammunition box with a capacity of 32 rounds. The GMG ammunition box weighs 44 pounds (20-kg) with 32-rounds of belted ammunition. The ammunition box holder attaches directly to the HK upper mount and enables removal of the GMG from the mount while the box holder remains attached. It can easily be changed from the right side to the left side of the weapon.

Aluminum tripod weighs 33 pounds (15-kg)

1.0 (MK64)

44.0 (M3)

140.6

SAFETY FEATURES

Safety/fire selector lever - The safety/fire selector lever features the settings safe, semi-automatic fire, and fully automatic fire. Setting the selector at "safe" blocks the trigger and locks the bolt in its cocked position.

Loading safety - Opening the feed cover prevents the bolt from traveling forward endangering the operator's hands.

Bolt lock - This locks the bolt in position and permits the operator to safely clear the GMG.

Firing pin safety - This independent safety system ensures that the firing pin cannot strike the primer until the cartridge is fully supported in the chamber

Cocking safety - When the bolt is not pulled back completely, accidental firing is prevented by an integral, automatic mechanism which stops the bolt from traveling forward.

| | | | | | SPECIFIC | ATIONS | | | | |
|-------|-----------|------------------------|----------------------|------------------|----------|--------|---------|----------------------|------------------|-------------------|
| MODEL | CALIBER | CYCLIC RATE OF FIRE | MAGAZINE CAPACITY | MODES OF FIRE | SIGHTS | WIDTH | HEIGHT | WEIGHT w/MAGAZINE | BARREL LENGTH | OVERALL LENGTH |
| GMG | 40 x53 mm | 350 rpm | 32 rd box | S,F | 0 | 8.90in | 8.19 in | 63.93 in | 18.74 in | 46.46 in |

usa website: www.hk-usa.com > 25

| MILITARY/ | LAW ENFORCEMENT | /CIVILIAN |
|-----------|-----------------|-----------|
|-----------|-----------------|-----------|

| ITARY/ LAW I | ENFORCEMEI | NT/CIVILIAN | | | |
|--------------------|--------------------|---------------------|-------------------------------|---------------------------|--------------|
| SPEC | CIFICATIONS | , | | | |
| Grips or Stocks | Width (approx.) | Height (approx.) | Weight With Empty Magazine | Sight Radius (approx.) | Barrel Lengt |

| | | | | 31 ECITICATIONS | | | | | | | | |
|---------------------|------------|------------------------|----------------------|------------------|--------|--------------------|--------------------|---------------------|-------------------------------|---------------------------|--------------------|------------------------------|
| HANDGUNS | Caliber | Cyclic Rate of Fire | Magazine Capacity | Modes of Fire | Sights | Grips or Stocks | Width (approx.) | Height (approx.) | Weight With Empty Magazine | Sight Radius (approx.) | Barrel Length | Overall Length |
| HK45 | .45 ACP | - | 10 | S | 3-dot | adj. backstrap | 1.54 in /39 mm | 5.91 in / 150 mm | 1.95 lb / .88 kg | 6.63 in / 168.5 mm | 4.46 in / 113.5 mm | 8.03 in / 204 mm |
| HK45 Compact | .45 ACP | - | 8/10 | S | 3-dot | adj. backstrap | 1.14 in / 39 mm | 5.51 in / 140 mm | 1.78 lb / .81 kg | 6.00 in / 152.5 mm | 3.90 in / 99 mm | 7.24 in / 184 mn |
| HK45 Compact Tactio | al .45 ACP | - | 8/10 | S | 3-dot | adj. backstrap | 1.14 in / 29 mm | 5.51 in / 140 mm | 1.82 lb / .83 kg | 6.00 in / 152.5 mm | 4.57 in / 116 mm | 7.91 in / 201 mr |
| P30 | 9 mm x 19 | - | 15 | S | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 1.63 lb / .74 kg | 5.84 in / 148.5 mm | 3.85 in / 98 mm | 7.12 in / 181 mn |
| P30 | .40 S&W | | 13 | S | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 1.63 lb / .74 kg | 5.84 in / 148.5 mm | 3.85 in / 98 mm | 7.12 in / 181 mn |
| P30L | 9 mm x 19 | - | 15 | S | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 1.72 lb / .78 kg | 6.42 in / 163 mm | 4.45 in / 113 mm | 7.71 in / 196 mr |
| P30L | .40 S&W | | 13 | S | 3-dot | fully adjustable | 1.37 in / 34.8 mm | 5.43 in / 138 mm | 1.72 lb / .78 kg | 6.42 in / 163 mm | 4.45 in / 113 mm | 7.71 in / 196 mr |
| P2000 SK | 9 mm x 19 | - | 10 | S | 3-dot | adj. backstrap | 1.37 in / 34.8 mm | 4.55 in / 115.5 mm | 1.50 lb / .68 kg | 5.18 in / 131.5 mm | 3.26 in / 83 mm | 6.40 in / 162.5 mr |
| P2000 SK | .40 S&W | · | 9 | S | 3-dot | adj. backstrap | 1.27 in / 34 mm | 4.55 in / 115.5 mm | 1.50 lb / .68 kg | 5.18 in / 131.5 mm | 3.26 in / 83 mm | 6.40 in / 162.5 mr |
| P2000 | 9 mm x 19 | - | 10/13 | S | 3-dot | adj. backstrap | 1.37 in / 34.8 mm | 5.07 in / 129 mm | 1.56 lb / .71 kg | 5.55 in / 141 mm | 3.66 in / 93 mm | 6.85 in / 174 mr |
| P2000 | .40 S&W | - | 10/12 | S | 3-dot | adj. backstrap | 1.37 in / 34.8 mm | 5.07 in / 129 mm | 1.56 lb / .71 kg | 5.55 in / 141 mm | 3.66 in / 93 mm | 6.85 in / 174 mr |
| USP9 Compact | 9 mm x 19 | | 10/13 | S | 3-dot | fixed | 1.38 in / 35 mm | 5.00 in / 127 mm | 1.61 lb / .73 kg | 5.31 in / 135 mm | 3.58 in / 91 mm | 6.81 in / 173 mn |
| USP40 Compact | .40 S&W | ÷ | 10/12 | S | 3-dot | fixed | 1.38 in / 35 mm | 5.00 in / 127 mm | 1.72 lb / .78 kg | 5.31 in / 135 mm | 3.58 in / 91 mm | 6.81 in / 173 mn |
| USP45 Compact | .45 ACP | - | 8 | S | 3-dot | fixed | 1.38 in / 35 mm | 5.04 in / 128 mm | 1.76 lb / .80 kg | 5.63 in / 143 mm | 3.78 in / 96 mm | 7.09 in /180 mn |
| USP9 | 9 mm x 19 | | 10/15 | S | 3-dot | fixed | 1.26 in / 32 mm | 5.31 in / 135 mm | 1.70 lb / .77 kg | 6.22 in / 158 mm | 4.25 in / 108 mm | 7.68 in / 195 mr |
| USP40 | .40 S&W | | 10/13 | S | 3-dot | fixed | 1.26 in / 32 mm | 5.31 in / 135 mm | 1.81 lb / .82 kg | 6.22 in / 158 mm | 4.25 in / 108 mm | |
| USP45 | .45 ACP | | 10/12 | S | 3-dot | fixed | 1.26 in / 32 mm | 5.61 in / 142.5 mm | 2.18 lb / .99 kg | 6.34 in / 161 mm | 4.41 in / 112 mm | 7.91 in /201 mr |
| USP9 SD (Tactical) | 9 mm x 19 | - | 10/15 | S | 3-dot | fixed | 1.26 in / 32 mm | 5.50 in / 140 mm | 1.76 lb / .80 kg | 6.57 in / 167 mm | 4.70 in / 123.5 mn | |
| USP40 Tactical | .40 S&W | | 10/13 | S | Target | fixed | 1.26 in / 32 mm | 5.55 in / 141 mm | 1.81 lb / .82 kg | 6.22 in / 158 mm | 4.90 in / 124.5 mn | |
| USP45 Tactical | .45 ACP | - | 10/12 | S | 3-dot | fixed | 1.26 in / 32 mm | 5.90 in / 150 mm | 2.05 lb / 1.02 kg | 6.73 in / 171 mm | 5.09 in / 129 mm | 8.64 in / 218 mr |
| USP45 CT | .45 ACP | - | 8 | S | 3-dot | fixed | 1.38 in / 35 mm | 5.04 in / 128 mm | 1.76 lb / .80 kg | 5.63 in / 143 mm | 3.78 in / 96 mm | 7.09 in /180 mr |
| MARK 23 | .45 ACP | | 12 | S | 3-dot | fixed | 1.53 in / 39 mm | 5.90 in / 150 mm | 2.46 lb / 1.12 kg | 7.76 in / 195 mm | 5.87 in / 149 mm | 9.65 in / 245 mr |
| SEMI-AUTOMATI | | | | | | | | | | | | |
| SL8-6 | .223 | | 10 | S | | fixed | 2.36 in / 60 mm | 9.84 in /250 mm | 9.26 lb /4.2 kg | 17.65 in /448 mm | 20.80 in /528 mm | |
| USC | .45 ACP | - | 10 | S | D | fixed | 2.17 in /55 mm | 9.75 in /248 mm | 6.00 lb /2.72 kg | 12.80 in /325 mm | 16.00 in /406 mm | |
| MR556A1 | 5.56 mm | • | 10/20/30 | S | AS | RS | 3.07 in /78 mm | 9.45 in /240 mm | | | | 861-957mr |
| MR762A1 | 7.62 mm | - | 10/20 | S | AS | RS | 3.23 in /82 mm | 8.36 in /213 mm | 9.84 lb /4.48 kg | 16.14 in / 410 mm | 16.50 in 420 mm | 35.94–39.10 i 913–993 mr |
| SUBMACHINE GU | INS | | | | | MILITARY/ | LAW ENFOR | CEMENT | | | | |
| MP5A2 | 9mm x 19 | 800 rpm | 15/30 | S,F | D | FS | 1.96 in / 50 mm | 10.23 in / 260 mm | 5.97 lb / 2.71 kg | 13.38 in / 340 mm | 8.85 in / 225 mm | 26.77 in / 680 mr |
| MP5A3 | 9mm x 19 | 800 rpm | 15/30 | S,F | D | RS | 1.96 in / 50 mm | 10.23 in / 260 mm | 7.16 lb / 3.25 kg | 13.38 in / 340 mm | 8.85 in / 225 mm | 21-27.25 i 535 -694 mr |
| MP5SFA2 | 9mm x 19 | - | 15/30 | S | D | FS | 1.96 in / 50 mm | 10.23 in / 260 mm | 6.00 lb / 2.72 kg | 13.38 in / 340 mm | 8.85 in / 225 mm | 21.65-27.55 i 551-702 mr |
| MP5-N(RS) | 9mm x 19 | 800 rpm | 15/30 | S,F | D | FS | 1.96 in / 50 mm | 10.23 in / 260 mm | 7.16 lb / 3.25 kg | 13.38 in / 340 mm | 8.85 in / 225 mm | 21-27.25 i 535-694 mr |
| MP5K | 9mm x 19 | 900 rpm | 15/30 | S,F | D | - | 1.96 in / 50 mm | 10.23 in / 260 mm | 4.78 lb / 2.17 kg | 13.38 in / 340 mm | 4.52 in / 115 mm | 12.79 in /325 mr |
| MP5K-PDW | 9mm x 19 | 900 rpm | 15/30 | S,F | D | FOLD | 1.96 in / 50 mm | 10.23 in / 260 mm | 6.50 lb / 2.95 kg | 10.23 in / 260 mm | 5.51 in / 140 mm | 14.5-23.74 i 369-605 mr |
| MP5SD1 | 9mm x 19 | 800 rpm | 15/30 | S,F | D | RC | 2.63 in / 60 mm | 10.23 in / 260 mm | 6.54 lb / 2.97 kg | 13.38 in / 340 mm | 5.74 in / 146 mm | 21.65 in / 550 mr |
| MP5SD3 | 9mm x 19 | 800 rpm | 15/30 | S,F | D | RS 2 | .63 in / 60 mm | 10.23 in / 260 mm | 6.54 lb / 2.97 kg | 13.38 in / 340 mm | 5.74 in / 146 mm | 26.37-31.69 i 672-807 mr |
| UMP9 | 9mm x 19 | 600 rpm | 30 | S,2,F | D | FOLD | 2.40 in / 61 mm | 11.02 in / 280 mm | 4.96 lb / 2.25 kg | 12.80 in / 325 mm | 7.87 in / 200 mm | 17.71-27.16 i 451-692 mr |
| UMP40 | .40 S&W | 600 rpm | 30 | S,2,F | D | FOLD | 2.40 in / 61 mm | 12.00 in / 305 mm | 4.96 lb / 2.25 g | 12.80 in / 325 mm | 7.87 in / 200 mm | 17.71-27.16 ii 451-692 mn |

25 S,2,F D FOLD 2.40 in / 61 mm 12.79 in / 325 mm 5.40 lb /2.45 kg 12.80 in / 325 mm 7.87 in / 200 mm 17.71-27.16 in 451-692 mm

.45 ACP 600 rpm

MILITARY/ LAW ENFORCEMENT

SPECIFICATIONS

| | | | | | | SPE | CIFICATION | S | | | | |
|----------------|-------------|------------------------|----------------------|------------------|--------------|--------------------|-----------------------------|-------------------------------|-------------------------------|------------------------|-------------------|--------------------------------|
| PERSONAL DEF | Caliber | Cyclic Rate of Fire | Magazine Capacity | Modes of Fire | Sights | Grips or Stocks | Width (approx.) | Height (approx.) | Weight With Empty Magazine | Sight Radius (approx.) | Barrel Length | Overall Length |
| MP7A1 PDW | 4.6 x 30 mm | 950 rpm | 30 | S,2,F | D | RS | 1.77 in /45 mm | 6.77 in /172 mm | 4.40 lb /2.0 kg | 12.80 in /325 mm | 7.08 in /180 mm | 16.53-25.19 in 421-622 mm |
| RIFLES AND CAI | RBINES | | | | | | | | | | | |
| G36C | 5.56 mm | 750 rpm | 30 | S,2,F | O,DS,D | FOLD | 2.51 in / 64 mm | 10.94 in / 278 mm | 6.52 lb / 2.96 kg | 12.61 in / 315 mm | 8.97 in / 228 mm | 19.69–28.34 in 502–722 mm |
| G36K | 5.56 mm | 750 rpm | 30 | S,2,F | O,DS,D | FOLD | 2.51 in / 64 mm | 12.59 in / 320 mm | 7.58 lb / 3.44 kg | | 12.51 in / 318 mm | 4.21-33.85 617-862 mm |
| G36 | 5.56 mm | 750 rpm | 30 | S,2,F | O,DS,D | FOLD | 2.51 in / 64 mm | 12.59 in / 320 mm | 8.31 lb / 3.77 kg | | 18.89 in / 480 mm | 29.84–39.33 in 760–1002 mm |
| HK416 D10RS | 5.56 mm | 7-900 rpm | 20/30 | S,F | AS | RS | 3.07 in /78 mm | 9.45 in / 240 mm | 7.21 lb / 3.27 kg | 14.61 in / 371 mm | 10.40 in / 264 mm | 27.60–31.38 in 701–797 mm |
| HK416 D14.5RS | 5.56 mm | 7-900 rpm | 20/30 | S,F | AS | RS | 3.07 in / 78 mm | 9.45 in / 240 mm | 8.24 lb / 3.74 kg | 14.61 in / 371 mm | 14.50 in / 368 mm | 31.65–35.43 in 804–900 mm |
| HK416 D16.5RS | 5.56 mm | 7-900 rpm | 20/30 | S,F | AS | RS | 3.07 in / 78 mm | 9.45 in / 240 mm | 8.4 lb / 3.81 kg | 14.61 in / 371 mm | 16.50 in / 419 mm | 33.66 –37.44 in 855–951 mm |
| HK416 D20RS | 5.56 mm | 7-900 rpm | 20/30 | S,F | AS | RS | 3.07 in / 78 mm | 9.45 in / 240 mm | 9.05 lb / 4.11 kg | 20.79 in / 528 mm | 19.88 in / 505 mm | 37.05–40.83 in 941–1037 mm |
| HK417 12 in | 7.62 mm | 600 rpm | 10/20 | S,F | AS | RS | 3.23 in / 82 m | 8.39 in / 213 mm | 9.62 lb / 4.36 kg | 16.14 in / 410 mm | 12.00 in / 305 mm | 31.69–34.84 in 805–884 mm |
| HK417 16 in | 7.62 mm | 600 rpm | 10/20 | S,F | AS | RS | 3.23 in / 82 mm | 8.39 in / 213 mm | 10.16 lb / 4.61kg | 16.14 in / 410 mm | 16.00 in / 406 mm | 35.62–38.77 ir 905–985 mm |
| HK417 20 in | 7.62 mm | 600 rpm | 10/20 | S,F | AS | RS | 3.23 in / 82 mm | 8.39 in / 213 mm | 10.93 lb / 4.96 kg | 18.62 in / 473 mm | 20.00 in / 508 mm | 39.65-42.71 in 1007-1087 mm |
| LIGHT MACHINI | E GUN | | | | | | | | | | | |
| MG4 | 5.56 mm 7 | 775 rpm (±) 50 | 30 | belt | AS | FS | 3.78 in /96 mm | 8.98 in /228 mm | 17.42 lb /7.9 kg | 19.29 in /490 mm | 17.71 in /450 mm | 40.55-32.68 in 1030-830 mm |
| GRENADE LAUN | CHERS | | | | | | | | | | | |
| HK169 | 40 mm x 46 | - | - | М | L | FOLD | 3.39-4.06 in / 86-103 mm | 6.14-11.06 in / 156-281 mm | 3.75 lb / 1.70 kg | 8.19 in / 208 mm | 9.02 in / 229 mm | 12.99-22.60 ir 330-574 mm |
| AG36 | 40mm x 46 | - | - | М | L , 0 | - | 3.54 in / 90 mm | 8.26 in / 210 mm | 3.30 lb / 1.50 kg | 5.83 in / 148 mm | 11.02 in / 280 mm | 13.77 in / 350 mm |
| AG-C/EGLM | 40mm x 46 | - | | М | L , 0 | - | 3.50 in / 89 mm | 8.07 in / 205 mm | 3.30 lb / 1.50 kg | 5.83 in / 148 mm | 11.02 in / 280 mm | 13.07 in / 348 mm |
| GLM (M320) | 40mm x 46 | | - | М | L, DNS | - | 2.56 in / 65 mm | 6.35 in / 161 mm | 2.80 lb / 1.27 kg | 5.83 in / 148 mm | 8.46 in / 215 mm | 11.20 in / 285 mm |
| GMG | 40mm x 53 | 350 rpm | 32 rd box | S,F | 0 | | 8.90 in /226 mm | 8.19 in / 208 mm | 63.93 lb / 28 kg | | 18.74 in / 476 mm | 46.46 in / 1180 mm |

MODES OF FIRE

M - manually operated
S - semi automatic
2 - 2 round burst
3 - 3 round burst
F - fully automatic

O - optical sight
D - diopter/rotary
DNS - day/night sight
AS - accessory diopter/rotary

X - magnification DS - dual sighting system L - Ladder

BUTTSTOCK CONFIGURATIONS

RC - receiver cap
FS - fixed stock
RS - retractable stock
FOLD - folding

SPECIFICATIONS AND MODEL AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE.

For over half a century, Heckler & Koch has been a leading designer and manufacturer of small arms and light weapons for law enforcement and military forces worldwide. HK is also the maker of premier brand firearms for the sporting and commercial markets. Its reputation for quality, innovation, and safety make Heckler & Koch a recognized leader in the development of technologically advanced products. And the long-term durability of all HK products make them especially cost-effective when subjected to total life cycle cost analysis.

As a major international force, Heckler & Koch has a vision that is simple yet demanding – "To be the world's premier small arms systems company."

With operations in Germany, the United Kingdom, France, and the United States, we continue to meet the ever-evolving needs and requirements of our customers. A major supplier of small arms to several NATO countries, Heckler and Koch is a worldwide leader in market positions for nearly all of its major product categories.

The foundation for everything we do is an unswerving commitment to excellence. This is accomplished through technological leadership, in depth product research and development, responsible marketing, and strategies that create and shape markets. We consider it a fundamental obligation to deliver the best possible products to our customers, the words "No Compromise" are more than a motto, they are the core of our corporate philosophy.

| > CONTENTS | |
|---|------------|
| | |
| CIVILIAN/MILITARY/LAW ENFORCEMEN | VI. |
| Handguns | |
| HK45 / HK45 Compact | 2-3 |
| P30 / P30L | |
| P2000 / P2000 SK USP / USP Compact / Mark 23 | 4-5 6-7 |
| Specialized Pistols | 8-9 |
| | |
| Rifles | 0.0 |
| SL8, USC, and MR Series | 8-9 |
| MILITARY/LAW ENFORCEMENT | |
| Submachine Guns & PDW | |
| MP5 | 10-11 |
| UMP | 12-13 |
| MP7A1 PDW | 14-15 |
| Carbines & Rifles | |
| HK416 | 16-17 |
| HK417 | 18-19 |
| G36 | 20-21 |
| Light Machine Guns | |
| MG4 | 21 |
| Grenade Launchers | 22-23 |
| Grenade Machine Gun | 24-25 |
| Specifications Specifications | 26-27 |

The American affiliate of Heckler & Koch GmbH of Oberndorf, Germany, Heckler & Koch USA supplies the U.S. military, law enforcement, and commercial market with technologically advanced firearms, logistical support, and specialized design services.

HK Columbus, Georgia serves as Heckler & Koch's primary American location, responsible for commercial/civilian and law enforcement sales, administration, customer support, repair services, and distribution. For more information contact:

HECKLER & KOCH 5675 Transport Boulevard Columbus, GA 31907 USA Tel: (706) 568-1906 • Fax: (706) 568-9151 USA Website: www.hk-usa.com Email: cs@heckler-koch-us-usa.com

HK Ashburn, Virginia serves the U.S. military, federal law enforcement, and currently functions as HK's primary North American training facility. For more information contact:

HECKLER & KOCH
19980 Highland Vista Drive, Suite 190
Ashburn, VA 20147 USA
Tel (703) 450-1900 • Fax (703) 450-8160
USA Website: www.hk-usa.com Email: info@heckler-koch-us.com

For armorers and specialized training on HK weapons contact:

HK TRAINING AND TECHNICAL SERVICES 19980 Highland Vista Drive, Suite 190 Ashburn, VA 20147 USA Tel (703) 450-1900 x241 • Fax (703) 450-8160

For more information on HK military, law enforcement, and commercial products outside of

HECKLER & KOCH GMBH
Postfach 1329
D-78722 Oberndorf Germany
Tel +49 7423/79-0 • Fax +49 7423/79-24 97
Global Website: www.heckler-koch.com Email: hkinfoboard@heckler-koch.de

HECKLER & KOCH UK
NSAF Limited

Nottingham NG7 2TD, United Kingdom

HECKLER & KOCH FRANCE Gerand SA 22, Rue Rottembourg 75012 Paris, France

HK Warranty

All HK firearms sold commercially in the USA are covered by a Limited Lifetime Warranty for the original owner. Firearms purchased by the military or law enforcement are covered by a One Year Limited Warranty against material defects and workmanship. Warranty repair or replacement is conducted at the discretion of Heckler & Koch.

Firearms Safety

Read and follow all safety information in the operator's manuals. Store all firearms in a safe and secure location. Keep firearms away from children. Always be a safe operator.

NOTE: Not all products in this catalog are available to commercial/civilian customers. Some products are limited to military and law enforcement users only.

